

<<ISO and IEC logos go here>>

Draft 1, 2009-07-07

Information technology — Document description and processing languages — Office Open XML File Formats —

Part 1: Fundamentals and Markup Language Reference

AMENDMENT 1

*Technologies de l'information — Description des documents et langages de traitement — Formats de fichier "Office Open XML" —
Partie 1: Principes essentiels et référence de langage de balisage*

AMENDEMENT 1

Amendment 1 to ISO/IEC 29500-1:2008 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 34, *Document description and processing languages*.

SC 34 decided that the resolution of some Defect Reports submitted against ISO/IEC 29500-1:2008 required more than simple corrections. Indeed, some required substantive additions and changes to functionality. As such, these resolutions are being published in this amendment rather than in a Technical Corrigendum.

A resolution can involve changes to one or more clauses or subclauses; it can even apply to multiple Parts of ISO/IEC 29500. For changes to ISO/IEC 29500-1:2008, each such change has its own entry below.

Changes are presented in ascending clause, subclause, and page number order.

ISO/IEC 29500-1:2008/Amd.1:2009(E)

Notational conventions

The title of each change is the complete reference to the clause or subclause being modified. In all cases, the title begins with the clause or subclause number, the clause or subclause name, and the page number. In those cases containing changes to a particular row of a table, the value in that row's first column is appended to the title. As the lines in each XML schema subclause are numbered starting at 1 and going to the end of a schema, modifications to schemas also contain the numbers of the lines being modified.

A change can contain any one or more of the following kinds of edits:

1. Addition of text: New text is displayed in blue and is underlined, as demonstrated here.
2. Deletion of text: ~~Deleted text is displayed in red and is struck-through, as demonstrated here.~~
3. Change of format of text: Text whose format (but not its content) has changed is displayed in green and is double-underlined, as demonstrated here.

Many changes involve edits to large paragraphs, tables, and/or XML fragments. In such cases, the changes contain only as much unchanged content as is necessary to establish the correct context of each change. Omitted content is identified via the use of ellipses (...).

Within a change, intent that cannot be represented visually as an edit is written as an instruction in italic and delimited by curly brackets; for example: *{In paragraph 2, item 4, and in paragraph 4, make the numbers in the text "17–23" hyperlinked forward references to Clauses 17 and 23.}*

Contents

Introduction (For WG4 use only; will be removed from the final COR)	1
Changes	2
1. §2.6.1, “Base Application Description”, p. 5	2
2. §2.6.2, “Full Application Description, p. 5	2
3. §11.2, “Package Structure”, p. 30	2
4. §11.3.1, “Alternative Format Import Part”, p. 32	2
5. §11.3.2, “Comments Part”, p. 34	2
6. §11.3.3, “Document Settings Part”, p. 36	3
7. §11.3.4, “Endnotes Part”, p. 37	3
8. §11.3.5, “Font Table Part”, p. 40	3
9. §11.3.6, “Footer Part”, p. 41	3
10. §11.3.7, “Footnotes Part”, p. 43	3
11. §11.3.8, “Glossary Document Part”, p. 46	4
12. §11.3.9, “Header Part”, p. 48	4
13. §11.3.10, “Main Document Part”, p. 51	4
14. §11.3.11, “Numbering Definitions Part”, p. 52	4
15. §11.3.12, “Style Definitions Part”, p. 55	4
16. §11.3.13, “Web Settings Part”, p. 57	5
17. §11.4, “Document Template”, p. 58	5
18. §11.5, “Framesets”, p. 58	5
19. §11.6, “Master Documents and Subdocuments”, p. 59	5
20. §11.7, “Mail Merge Data Source”, p. 61	5
21. §11.8, “Mail Merge Header Data Source”, p. 61	5
22. §11.9, “XSL Transformation”, p. 62	6
23. §12.2, “Package Structure”, pp. 65–66	6
24. §12.3, “Part Summary”, pp. 67–68	6
25. §12.3.1, “Calculation Chain Part”, p. 68	6
26. §12.3.2, “Chartsheet Part”, p. 69	7
27. §12.3.3, “Comments Part”, p. 70	7
28. §12.3.4, “Connections Part”, p. 71	7
29. §12.3.5, “Custom Property Part”, p. 73	7

30.	§12.3.6, “Custom XML Mappings Part”, p. 74.....	7
31.	§12.3.7, “Dialogsheet Part”, p. 75	8
32.	§12.3.8, “Drawings Part”, p. 77	8
33.	§12.3.9, “External Workbook References Part”, p. 78	8
34.	§12.3.10, “Metadata part”, pp. 80–81.....	8
35.	§12.3.11, “Pivot Table Part”, p. 83	8
36.	§12.3.12, “Pivot Table Cache Definition Part”, p. 84.....	9
37.	§12.3.13, “Pivot Table Cache Records Part”, p. 86.....	9
38.	§12.3.14, “Query Table Part”, p. 87.....	9
39.	§12.3.15, “Shared Strings Table Part”, p. 88	9
40.	§12.3.16, “Shared Workbook Revision Headers Part”, p. 89.....	9
41.	§12.3.17, “Shared Workbook Revision Log Part”, p. 90	10
42.	§12.3.18, “Shared Workbook User Data Part”, pp. 91–92	10
43.	§12.3.19, “Single Cell Table Definition Part”, p. 92	10
44.	§12.3.20, “Styles Part”, p. 94.....	10
45.	§12.3.21, “Table Definition Part”, p. 95.....	10
46.	§12.3.22, “Volatile Dependencies Part”, p. 96.....	11
47.	§12.3.23, “Workbook Part”, p. 97	11
48.	§12.3.24, “Worksheet Part”, p. 99.....	11
49.	§12.4, “External Workbooks”, p. 101	11
50.	§13.2, “Package Structure”, p. 104	11
51.	§13.3.1, “Comment Authors Part”, p. 107	12
52.	§13.3.2, “Comments Part”, p. 108	12
53.	§13.3.3, “Handout Master Part”, p. 109	12
54.	§13.3.4, “Notes Master Part”, p. 111.....	12
55.	§13.3.5, “Notes Slide Part”, p. 112	13
56.	§13.3.6, “Presentation Part”, pp. 113–114	13
57.	§13.3.7, “Presentation Properties Part”, p. 115.....	13
58.	§13.3.8, “Slide Part”, p. 116	13
59.	§13.3.9, “Slide Layout Part”, p. 118.....	13
60.	§13.3.10, “Slide Master Part”, p. 120	14
61.	§13.3.11, “Slide Synchronization Data Part”, p. 121	14

62.	§13.3.12, “User Defined Tags Part”, p. 122.....	14
63.	§13.3.31, “View Properties Part”, p. 123.....	14
64.	§13.4, “HTML Publish Location”, p. 124	14
65.	§13.5, “Slide Synchronization Server Location”, p. 125	14
66.	§14.2.1, “Chart Part”, p. 128	15
67.	§14.2.2, “Chart Drawing Part”, p. 130	15
68.	§14.2.3, “Diagram Colors Part”, p. 131	15
69.	§14.2.4, “Diagram Data Part”, p. 132	15
70.	§14.2.5, “Diagram Layout Definition Part”, pp. 133–134	15
71.	§14.2.6, “Diagram Style Part”, p. 135	16
72.	§14.2.7, “Theme Part”, p. 136	16
73.	§14.2.8, “Theme Override Part”, p. 138	16
74.	§14.2.9, “Table Styles Part”, p. 139	16
75.	§15.2.1, “Additional Characteristics Part”, p. 142.....	16
76.	§15.2.2, “Audio Part”, p. 144.....	17
77.	§15.2.3, “Bibliography Part”, pp. 144–145	17
78.	§15.2.4, “Content Part”, p. 146	17
79.	§15.2.5, “Custom XML Data Storage Part”, p. 147	17
80.	§15.2.6, “Custom XML Data Storage Properties Part”, p. 147.....	17
81.	§15.2.9, “Embedded Control Persistence Part”, p. 150.....	17
82.	§15.2.9, “Embedded Control Persistence Part”, p. 151.....	18
83.	§15.2.10, “Embedded Object Part”, p. 152	18
84.	§15.2.11, “Embedded Package Part”, p. 154	18
85.	§15.2.12.1, “Core File Properties Part”, p. 155	18
86.	§15.2.12.2, “Custom File Properties Part”, p. 156.....	18
87.	§15.2.12.3, “Extended File Properties Part”, p. 158.....	19
88.	§15.2.13, “Font Part”, p. 160	19
89.	§15.2.14, “Image Part”, p. 160	19
90.	§15.2.15, “Printer Settings Part”, p. 161.....	19
91.	§15.2.16, “Thumbnail Part”, p. 163	19
92.	§15.2.17, “Video Part”, p. 164.....	19
93.	§15.3, “Hyperlinks Part”, p. 164	20

94.	§17.3.3.2, “contentPart (ContentPart)”, p. 346	20
95.	§17.3.3.2, “contentPart (ContentPart)”, p. 348	20
96.	§17.3.3.2, “contentPart (ContentPart)”, p. 348, attribute id.....	20
97.	§17.3.3.3, “control (Embedded Control)”, p. 349, attribute id.....	21
98.	§17.3.3.17, “movie (Embedded Video)”, p. 361.....	22
99.	§17.3.3.17, “movie (Embedded Video)”, p. 362, attribute id	22
100.	§17.3.3.20, “objectEmbed (Embedded Object Properties)”, p. 366, attribute id.....	23
101.	§17.3.3.21, “objectLink (Linked Object Properties)”, p. 368, attribute id.....	24
102.	§17.4.88, “Table Measurement (CT_TblWidth)”, p. 527	24
103.	§17.6.2, “bottom (Bottom Border)”, pp. 612–614, attribute various.....	24
104.	§17.6.7, “left (LeftBorder)”, p. 630, attribute id	25
105.	§17.6.14, “printerSettings (Reference to Printer Settings Data)”, p. 650, attribute id	26
106.	§17.6.15, “right (Right Border)”, p. 653, attribute id	27
107.	§17.6.21, “top (Top Border)”, pp. 670–676, attribute various	27
108.	§17.8.3.3, “embedBold (Bold Style Font Style Embedding)”, p. 754, attribute id.....	28
109.	§17.8.3.4, “embedBoldItalic (Bold Italic Font Style Embedding)”, p. 756, attribute id	29
110.	§17.8.3.5, “embedItalic (Italic Font Style Embedding)”, pp. 758–759, attribute id	30
111.	§17.8.3.6, “embedRegular (Regular Font Style Embedding)”, pp. 760–761, attribute id.....	31
112.	§17.10.2, “footerReference (Footer Reference)”, pp. 823–824.....	32
113.	§17.10.2, “footerReference (Footer Reference)”, p. 825, attribute id.....	33
114.	§17.10.5, “headerReference (Header Reference)”, pp. 832–834	33
115.	§17.10.5, “headerReference (Header Reference)”, p. 834, attribute id	34
116.	§17.14.9, “dataSource (Data Source File Path)”, pp. 1057–1058, attribute id.....	35
117.	§17.14.9, “dataSource (Data Source File Path)”, p. 1058, attribute id	36
118.	§17.14.16, “headerSource (Header Definition File Path)”, p. 1064	36
119.	§17.14.16, “headerSource (Header Definition File Path)”, p. 1065, attribute id	36
120.	§17.14.28, “recipientData (Reference to Inclusion/Exclusion Data for Data Source)”, pp. 1079–1080	37
121.	§17.14.28, “recipientData (Reference to Inclusion/Exclusion Data for Data Source)”, p. 1080–1081, attribute id.....	38
122.	§17.14.30, “src (ODSO Data Source File Path)”, p. 1081–1082.....	38
123.	§17.14.30, “src (ODSO Data Source File Path)”, p. 1083, attribute id.....	39
124.	§17.14.35, “uniqueTag (Unique Value for Record)”, pp. 1088–1089.....	39
125.	§17.15.1.6, “attachedTemplate (Attached Document Template)”, pp. 1097–1098, attribute id.....	40

126.	§17.15.1.76, “saveThroughXslt (Custom XSL Transform To Use When Saving As XML File)”, p. 1193, attribute id	40
127.	§17.15.2.23, longDesc (Frame Long Description)”, p. 1253.....	41
128.	§17.15.2.23, “longDesc (Frame Long Description)”, p. 1253, attribute id	41
129.	§17.15.2.39, “sourceFileName (Source File for Frame)”, p. 1276.....	42
130.	§17.15.2.39, “sourceFileName (Source File for Frame)”, pp. 1277–1278, attribute id.....	42
131.	§17.17.1.1, “subDoc (Anchor for Subdocument Location)”, pp. 1444–1445	43
132.	§17.17.1.1, “subDoc (Anchor for Subdocument Location)”, p. 1446, attribute id	44
133.	§17.17.2.1, “altChunk (Anchor for Imported External Content)”, pp. 1447–1448	45
134.	§17.17.2.1, “altChunk (Anchor for Imported External Content)”, p. 1449, attribute id	45
135.	§17.18, “Simple Types”, p. 1453.....	45
136.	§18.2.7, “ext (Extension)”, p. 1721.....	46
137.	§18.2.8, “externalReference (External Reference)”, p. 1722, attribute id.....	46
138.	§18.2.17, “pivotCache (PivotCache)”, p. 1731, attribute id.....	46
139.	§18.2.19, “sheet (Sheet Information)”, p. 1732, attribute id	47
140.	§18.2.27, “workbook (Workbook)”, p. 1739.....	47
141.	§18.3.1.19, “control (Embedded Control)”, p. 1776, attribute id	48
142.	§18.3.1.20, “controlPr (Embedded Control Properties)”, p. 1779, attribute id	48
143.	§18.3.1.22, “customPr (Custom Property)”, p. 1782, attribute id	48
144.	§18.3.1.30, “dataRef (Data Consolidation Reference)”, p. 1790, attribute id.....	49
145.	§18.3.1.36, “drawing (Drawing)”, p. 1796, attribute id.....	49
146.	§18.3.1.37, “drawingHF (Drawing Reference in Header Footer)”, pp. 1798–1799, attribute id.....	50
147.	§18.3.1.47, “hyperlink (Hyperlink)”, p. 1812, attribute id.....	50
148.	§18.3.1.56, “objectPr (Embedded Object Properties)”, p. 1821, attribute id	50
149.	§18.3.1.59, “oleObject (Embedded Object)”, p. 1824, attribute id	51
150.	§18.3.1.63, “pageSetup (Page Setup Settings)”, p. 1829, attribute id	51
151.	§18.3.1.64, “pageSetup (Chart Sheet Page Setup)”, p. 1832, attribute id	52
152.	§18.3.1.67, “picture (Background Image)”, p. 1837, attribute id	52
153.	§18.3.1.69, “pivotSelection (PivotTable Selection)”, p. 1841, attribute id	52
154.	§18.3.1.94, “tablePart (Table Part)”, p. 1882, attribute id	53
155.	§18.4, “Shared String Table”, pp. 1896–1897	53
156.	§18.4.1, “charset (Character Set)”, p. 1898	54
157.	§18.5, “Tables”, p. 1907	54

158.	§18.6, “Calculation Chain”, pp. 1925–1926.....	54
159.	§18.8.18, “family (Font Family)”, p. 1952	55
160.	§18.9, “Metadata”, p. 1994	56
161.	§18.10.1.67, “pivotCacheDefinition (PivotCache Definition)”, p. 2095, attribute id	56
162.	§18.10.1.79, “rangeSet (Range Set)”, p. 2154, attribute id	56
163.	§18.10.1.95, “worksheetSource (Worksheet PivotCache Source)”, p. 2170, attribute id	57
164.	§18.11.1.1, “header (Header)”, p. 2180, attribute id	57
165.	§18.14.7, “externalBook (External Workbook)”, p. 2248, attribute id	58
166.	§18.14.11, “oleLink (Generic Object Link Connection)”, p. 2251, attribute id	58
167.	§18.17.2.3, “Cell References”, pp. 2282–2284	58
168.	§18.18, “Simple Types”, p. 2664.....	59
169.	§18.18.94, “ST_FontFamily (Font Family)”, new subclause.....	59
170.	§19.2.1.1, “bold (Bold Embedded Font)”, p. 2760, attribute id.....	60
171.	§19.2.1.2, “boldItalic (Bold Italic Embedded Font)”, pp. 2760–2761, attribute id	61
172.	§19.2.1.11, “ext (Extension)”, p. 2767	61
173.	§19.2.1.13, “font (Embedded Font Name)”, pp. 2768–2770, attribute various	61
174.	§19.2.1.14, “handoutMasterId (Handout Master ID)”, p. 2771, attribute id	62
175.	§19.2.1.16, “italic (Italic Embedded Font)”, p. 2772, attribute id.....	63
176.	§19.2.1.20, “notesMasterId (Notes Master ID)”, p. 2778, attribute id	63
177.	§19.2.1.22, “notesSz (Notes Slide Size)”, p. 2779, attribute various	63
178.	§19.2.1.29, “regular (Regular Embedded Font)”, p. 2787, attribute id.....	64
179.	§19.2.1.31, “sld (Presentation Slide)”, p. 2789, attribute id	64
180.	§19.2.1.33, “sldId (Slide ID)”, p. 2790, attribute id	65
181.	§19.2.1.36, “sldMasterId (Slide Master ID)”, p. 2791, attribute id	65
182.	§19.2.1.40, “SmartTags (SmartTags)”, p. 2795, attribute id.....	65
183.	§19.2.2.3, “gridSpacing (Grid Spacing)”, p. 2797, attribute various	66
184.	§19.2.2.9, “origin (View Origin)”, p. 2801, attribute various.....	66
185.	§19.2.2.14, “sld (Presentation Slide)”, p. 2804, attribute id	66
186.	§19.3.1.3, “bgRef (Background Style Reference)”, pp. 2809–2810, attribute idx	67
187.	§19.3.1.4, “blipFill (Picture Fill)”, p. 2812, attribute various	67
188.	§19.3.1.6, “clrMap (Color Scheme Map)”, p. 2814–2815, attribute various	68
189.	§19.3.1.11, “cNvPicPr (Non-Visual Picture Drawing Properties)”, pp. 2817–2818, attribute preferRelativeResize	70

190.	§19.3.1.12, “cNvPr (Non-Visual Drawing Properties)”, pp. 2819–2820, attribute various	70
191.	§19.3.1.13, “cNvSpPr (Non-Visual Drawing Properties for a Shape)”, p. 2821, attribute txBox	71
192.	§19.3.1.14, “ContentPart (Content Part)”, pp. 2821–2824.....	72
193.	§19.3.1.14, “ContentPart (Content Part)”, p. 2824, attribute id	72
194.	§19.3.1.17, “custData (Customer Data)”, p. 2826, attribute id	72
195.	§19.3.1.23, “grpSpPr (Group Shape Properties)”, p. 2831, attribute bwMode.....	73
196.	§19.3.1.40, “sldLayoutId (Slide Layout ID)”, p. 2844, attribute id	73
197.	§19.3.1.44, “spPr (Shape Properties)”, pp. 2847–2848, attribute bwMode	73
198.	§19.3.1.47, “tags (Customer Data Tags)”, p. 2851, attribute id.....	74
199.	§19.3.1.53, “xfrm (2D Transform for Graphic Frame)”, p. 2856, attribute various	74
200.	§19.3.2.1, “control (Embedded Control)”, p. 2857, attribute id	75
201.	§19.3.2.4, “oleObj (Global Element for Embedded objects and Controls)”, p. 2859, attribute id.....	75
202.	§19.4.5, “pos (Comment Position)”, p. 2865, attribute various	75
203.	§19.5.68, “snd (Sound)”, p. 2942, attribute various.....	76
204.	§19.5.70, “sndTgt (Sound Target)”, p. 2943, attribute various.....	76
205.	§19.7, “Simple Types”, p. 2974.....	77
206.	§20.1.2.2.14, “ext (Extension)”, p. 3028	77
207.	§20.1.2.2.23, “hlinkHover (Hyperlink for Hover)”, p. 3037, attribute id.....	77
208.	§20.1.2.2.32, “snd (Hyperlink Sound)”, p. 3044, attribute embed	78
209.	§20.1.3.2, “audioFile (Audio from File)”, pp. 3083–3084, attribute link.....	78
210.	§20.1.3.4, “quickTimeFile (QuickTime from File)”, pp. 3085–3086, attribute link.....	79
211.	§20.1.3.6, “videoFile (Video from File)”, p. 3088, attribute link.....	79
212.	§20.1.3.7, “wavAudioFile (Audio from WAV File)”, p. 3089, attribute embed	79
213.	§20.1.8.13, “blip (Blip)”, p. 3187, attribute embed.....	80
214.	§20.2.2.1, “blipFill (Picture Fill)”, pp. 3450–3451, attribute various	80
215.	§20.2.2.2, “cNvPicPr (Non-Visual Picture Drawing Properties)”, p. 3452, attribute preferRelativeResize	81
216.	§20.2.2.3, “cNvPr (Non-Visual Drawing Properties)”, pp. 3453–3454, attribute various.....	81
217.	§20.2.2.6, “spPr (Shape Properties)”, p. 3457, attribute bwMode.....	82
218.	§20.4.2.5, “docPr (Drawing Object Non-Visual Properties)”, pp. 3470–3472, attribute various.....	83
219.	§20.4.2.7, “extent (Drawing Object Size)”, pp. 3476–3477, attribute various.....	84
220.	§20.4.2.9, “lineTo (Wrapping Polygon Line End Position)”, p. 3481, attribute various.....	84
221.	§20.4.2.13, “simplePos (Simple Positioning Coordinates)”, pp. 3485–3486, attribute various.....	85

222.	§20.4.2.14, “start (Wrapping Polygon Start)”, pp. 3486–3487, attribute various.....	85
223.	§20.4.3, “Simple Types”, p. 3500.....	86
224.	§20.5, “DrawingML – SpreadsheetML Drawing”, pp. 3507–3508	86
225.	§20.5.2.2, “blipFill (Picture Fill)”, p. 3512, attribute various	86
226.	§20.5.2.7, “cNvPicPr (Non-Visual Picture Drawing Properties)”, p. 3515, attribute preferRelativeResize	87
227.	§20.5.2.8, “cNvPr (Non-Visual Drawing Properties)”, pp. 3516–3517, attribute various.....	87
228.	§20.5.2.9, “cNvSpPr (Connection Non-Visual Shape Properties)”, p. 3518, attribute txBox.....	88
229.	§20.5.2.12, “contentPart (Content Part)”, pp. 3519–3523	89
230.	§20.5.2.12, “contentPart (Content Part)”, p. 3523, attribute id	89
231.	§20.5.2.14, “ext (Shape Extent)”, pp. 3524–3525, attribute various	89
232.	§20.5.2.18, “grpSpPr (Group Shape Properties)”, p. 3529, attribute bwMode.....	90
233.	§20.5.2.26, “pos (Position)”, p. 3534, attribute various.....	90
234.	§20.5.2.30, “spPr (Shape Properties)”, p. 3537, attribute bwMode.....	91
235.	§20.5.2.36, “xfrm (2D Transform for Graphic Frames)”, pp. 3541–3542, attribute various.....	91
236.	§20.5.3, “Simple Types;”, p. 3542	92
237.	§21.1.2.3.5, “hlinkClick (Click Hyperlink)”, p. 3610, attribute id	92
238.	§21.1.2.3.6, “hlinkMouseOver (Mouse-Over Hyperlink)”, p. 3612, attribute id	92
239.	§21.2.2.26, “chart (Reference to Chart Part)”, p. 3770, attribute id.....	93
240.	§21.2.2.30, “clrMapOvr (Color Map Override)”, pp. 3773–3775, attribute various.....	93
241.	§21.2.2.63, “externalData (External Data Relationship)”, p. 3790, attribute id	95
242.	§21.2.2.197, “spPr (Shape Properties)”, p. 3858, attribute bwMode	96
243.	§21.2.2.221, “userShapes (Reference to Chart Drawing Part)”, p. 3868, attribute id	96
244.	§21.2.3, “Simple Types;”, p. 3875	96
245.	§21.3.2.2, “blipFill (Picture Fill)”, pp. 3913–3914, attribute various.....	97
246.	§21.3.2.6, “cNvPicPr (Non-Visual Picture Drawing Properties)”, p. 3916, attribute preferRelativeResize	97
247.	§21.3.2.7, “cNvPr (Non-Visual Drawing Properties)”, pp. 3917–3918, attribute various.....	97
248.	§21.3.2.8, “cNvSpPr (Non-Visual Shape Drawing Properties)”, p. 3919, attribute txBox.....	98
249.	§21.3.2.10, “ext (Shape Extent)”, p. 3922, attribute various	99
250.	§21.3.2.14, “grpSpPr (Group Shape Properties)”, p. 3926, attribute bwMode.....	99
251.	§21.3.2.23, “spPr (Shape Properties)”, p. 3934, attribute bwMode.....	99
252.	§21.3.2.28, “xfrm (Graphics Frame Transform)”, p. 3937, attribute various	100
253.	§21.3.3, “Simple Types”, p. 3938.....	100

254.	§21.4.2.22, “relIds (Explicit Relationships to Diagram Parts)”, p. 3968, attribute various	101
255.	§21.4.2.27, “shape (Shape)”, p. 3973, attribute blip	102
256.	§21.4.3.7, “spPr (Shape Properties)”, p. 3988, attribute bwMode	102
257.	§21.4.5.6, “sp3d (3-D Shape Properties)”, pp. 4008–4009, attribute various	103
258.	§21.4.7, “Simple Types”, p. 4021	103
259.	§22.1.3, “Simple Types”, p. 4223	104
260.	§22.2, “Extended Properties”, p. 4230	104
261.	§22.3, “Custom Properties”, p. 4240	104
262.	§22.4.3, “Simple Types”, p. 4256	104
263.	§22.6.2.60, “sources (Sources)”, p. 4300	104
264.	§22.6.3, “Simple Types”, p. 4310	105
265.	§22.7.3, “Simple Types”, p. 4315	105
266.	§22.8.2, “Simple Types”, p. 4316	105
267.	§22.9.2, “Simple Types”, p. 4317	105
268.	§A.1, “WordprocessingML”, p. 4345, lines 1–18	106
269.	§A.1, “WordprocessingML”, pp. 4377–4378, lines 1721–1762	106
270.	§A.1, “WordprocessingML”, p. 4392, lines 2500–2506	107
271.	§A.2, “SpreadsheetML”, p. 4410, lines 1–13	107
272.	§A.2, “SpreadsheetML”, p. 4481, lines 3792–3811	108
273.	§A.2, “SpreadsheetML”, new type	108
274.	§A.3, “PresentationML”, p. 4494, lines 1–13	109
275.	§A.3, “PresentationML”, p. 4508, lines 768–773	109
276.	§A.3, “PresentationML”, p. 4510, lines 849–857	110
277.	§A.3, “PresentationML”, p. 4522, lines 1505–1508	110
278.	§A.4.1, “DrawingML – Main”, p. 4525, lines 1–20	110
279.	§A.4.1, “DrawingML - Main”, p. 4528, lines 184–189	111
280.	§A.4.1, “DrawingML - Main”, p. 4536, lines 597–602	112
281.	§A.4.1, “DrawingML - Main”, p. 4541, lines 835–840	112
282.	§A.4.1, “DrawingML - Main”, p. 4555, lines 1617–1619	112
283.	§A.4.1, “DrawingML - Main”, p. 4576, lines 2752–2754	112
284.	§A.4.1, “DrawingML - Main”, p. 4577, lines 2749–2751	113
285.	§A.4.2, “DrawingML – Picture”, p. 4582, lines 1–6	113

286.	§A.4.3, “DrawingML – Locked Canvas”, p. 4583, lines 1–10.....	113
287.	§A.4.4, “DrawingML – WordprocessingML Drawing”, p. 4583, lines 1–10	114
288.	§A.4.5, “DrawingML – SpreadsheetML Drawing”, p. 4587, lines 1–10	114
289.	§A.5.1, “DrawingML – Charts”, p. 4590, lines 1–16.....	115
290.	§A.5.2, “DrawingML – Chart Drawings”, p. 4617, lines 1–7	116
291.	§A.5.3, “DrawingML - Diagrams”, p. 4620, lines 1–13.....	117
292.	§A.5.3, “DrawingML - Diagrams”, p. 4621, lines 64–90.....	117
293.	§A.5.3, “DrawingML - Diagrams”, p. 4627, lines 369–400.....	118
294.	§A.5.3, “DrawingML - Diagrams”, p. 4631, lines 578–605.....	118
295.	§A.6.1, “Math”, p. 4641, lines 1–11.....	119
296.	§A.6.2, “Extended Properties”, p. 4652, lines 1–7	119
297.	§A.6.3, “Custom Properties”, p. 4653, lines 1–10	120
298.	§A.6.4, “Variant Types”, p. 4654, lines 1–7.....	120
299.	§A.6.5, “Custom XML Data Properties”, p. 4658, lines 1–7.....	121
300.	§A.6.6, “Bibliography”, p. 4659, lines 1–7	121
301.	§A.6.7, “Additional Characteristics”, p. 4661, lines 1–4.....	122
302.	§A.6.8, “Office Document Relationships”, p. 4662, lines 1–5.....	122
303.	§A.6.9, “Shared Simple Types”, p. 4662, lines 1–4.....	122
304.	§A.6.9, “Shared Simple Types”, p. 4662, lines 41–43.....	123
305.	§A.7, “Custom XML Schema References”, p. 4665, lines 1–4.....	123
306.	§B.1, “WordprocessingML”, p. 4667, lines 1–15.....	123
307.	§B.1, “WordprocessingML”, pp. 4687–4688, lines 1089–1128.....	124
308.	§B.1, “WordprocessingML”, p. 4696, lines 1538–1541	124
309.	§B.2, “SpreadsheetML”, p. 4712, lines 1–12	124
310.	§B.2, “SpreadsheetML”, p. 4788, lines 4788–4046	125
311.	§B.2, “SpreadsheetML”, new type	125
312.	§B.3, “PresentationML”, p. 4806, lines 1–10	125
313.	§B.3, “PresentationML”, p. 4815, lines 470–472.....	126
314.	§B.3, “PresentationML”, p. 4816, lines 522–527.....	126
315.	§B.3, “PresentationML”, p. 4826, lines 1032–1034.....	126
316.	§B.4.1, “DrawingML – Main”, p. 4831, lines 1–8.....	127
317.	§B.4.1, “DrawingML - Main”, p. 4833, lines 107–109.....	127

318.	§B.4.1, “DrawingML - Main”, p. 4840, lines 446–448.....	127
319.	§B.4.1, “DrawingML - Main”, p. 4844, lines 673–675.....	127
320.	§B.4.1, “DrawingML - Main”, p. 4856, line 1307.....	128
321.	§B.4.1, “DrawingML - Main”, p. 4871, lines 2118–2119.....	128
322.	§B.4.1, “DrawingML - Main”, p. 4871, line 2120.....	128
323.	§B.4.2, “DrawingML – Picture”, p. 4875, lines 1–5.....	128
324.	§B.4.3, “DrawingML – Locked Canvas”, p. 4876, lines 1–8.....	128
325.	§B.4.4, “DrawingML – WordprocessingML Drawing”, p. 4876, lines 1–10.....	129
326.	§B.4.5, “DrawingML – SpreadsheetML Drawing”, p. 4878, lines 1–11.....	129
327.	§B.5.1, “DrawingML – Charts”, p. 4880, lines 1–12.....	130
328.	§B.5.2, “DrawingML – Chart Drawings”, p. 4899, lines 1–5.....	131
329.	§B.5.3, “DrawingML - Diagrams”, p. 4900, lines 1–10.....	131
330.	§B.5.3, “DrawingML - Diagrams”, p. 4901, lines 44–58.....	132
331.	§B.5.3, “DrawingML - Diagrams”, p. 4906, lines 300–318.....	132
332.	§B.5.3, “DrawingML - Diagrams”, p. 4909, lines 475–490.....	133
333.	§B.6.1, “Math”, p. 4916, lines 1–8.....	133
334.	§B.6.2, “Extended Properties”, p. 4921, lines 1–8.....	134
335.	§B.6.3, “Custom Properties”, p. 4922, lines 1–10.....	134
336.	§B.6.4, “Variant Types”, p. 4923, lines 1–8.....	135
337.	§B.6.5, “Custom XML Data Properties”, p. 4927, lines 1–5.....	135
338.	§B.6.6, “Bibliography”, p. 4927, lines 1–7.....	136
339.	§B.6.7, “Additional Characteristics”, p. 4929, lines 1–5.....	136
340.	§B.6.8, “Office Document Relationships”, p. 4930, lines 1–3.....	136
341.	§B.6.9, “Shared Simple Types”, p. 4930, lines 1–3.....	137
342.	§B.7, “Custom XML Schema References”, p. 4932, lines 1–3.....	137
343.	§C, “Additional Syntax Constraints”, p. 4935.....	137
344.	§D, “Namespace Prefix Mapping in Examples”, p. 4935–4936.....	137
345.	§E.1, “Handling raw bitfields”, p. 4937.....	139
346.	§E.2, “Handling hexadecimal-encoded bitfields”, p. 4938.....	139
347.	§F, “WordprocessingML Custom XML Data Extraction”, p. 4940.....	139
348.	§K.4.1, “Understanding the Type of a Document”, p. 5038.....	140
349.	§K.4.2, “Understanding the Function of a Document”, p. 5039–5040.....	140

350.	§K.4.3, “Understanding the Length of a Document”, pp. 5040–5041.....	141
351.	§K.5.7, “Creating Image Map-Like Functionality”, p. 5061.....	141
352.	§M.1.6.1, “Smart Tags”, p. 5088.....	142
353.	§M.1.8.1, “Styles Part”, p. 5096	143
354.	§M.1.9.4, “Font Table”, p. 5112	143
355.	§M.1.10.1, “Numbering Part”, pp. 5113–5114	143
356.	§M.1.11.1, “Header Part”, p. 5127	144
357.	§M.1.11.2, “Footer Part”, p. 5127	144
358.	§M.1.12.1, “Footnote Part”, p. 5133	144
359.	§M.1.12.2, “Endnote Part”, p. 5133.....	144
360.	§M.2.13.5, “Supporting Workbook Cache (Cell C2)”, p. 5280	145
361.	§M.2.15.4.3, “The Table XML”, p. 5292	145
362.	§M.2.15.4.4, “Single Cell XML”, p. 5292	145
363.	§M.6.2.3, “Extended Properties”, p. 5531	145
364.	§M.6.2.4, “Custom Properties”, p. 5531	145
365.	§M.6.3, “Custom XML Data”, p. 5532.....	146
366.	§M.7.2.1, “Embedded Packages”, p. 5539.....	146
367.	§M.7.2.2, “Embedded Objects”, p. 5540	146
368.	§M.7.2.5, “Embeddings in a PresentationML Document”, p. 5543	146

Introduction (For WG4 use only; will be removed from the final COR)

This Technical Corrigendum contains corrections that resolve various Defect Reports submitted against ISO/IEC 29500-1:2008.

A correction can involve changes to one or more clause or subclauses; it can even apply to multiple Parts of ISO/IEC 29500. For changes to Part 1, each such change has its own entry below, and the number of the Defect Report that lead to any particular change is written immediately following that change's title, in the form "[DR 99-9999]". (This information is for the use of committee ISO/IEC SC 34/WG4 only, and will be removed from the final COR. However, a committee-private version containing the DR numbers will be made available for tracking purposes.)

Changes are presented in ascending clause, subclause, and page number order.

Changes

1. §2.6.1, “Base Application Description”, p. 5

[DR 08-0012]

Description URI: <http://descriptions.openxmlformats.org/description/base>
<http://purl.oclc.org/ooxml/descriptions/base>

2. §2.6.2, “Full Application Description, p. 5

[DR 08-0012]

Description URI: <http://descriptions.openxmlformats.org/description/full>
<http://purl.oclc.org/ooxml/descriptions/full>

3. §11.2, “Package Structure”, p. 30

[DR 08-0012]

```
<Relationships xmlns="...">
  <Relationship Id="rId1"
    Type="http://schemas.openxmlformats.org/officeDocument/2006/
    relationships/officeDocument
    http://purl.oclc.org/ooxml/officeDocument/relationships/officeDocument"
    Target="document.xml"/>
</Relationships>
```

4. §11.3.1, “Alternative Format Import Part”, p. 32

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/aFChunk http://purl.oclc.org/ooxml/officeDocument/relationships/aFChunk
----------------------	--

5. §11.3.2, “Comments Part”, p. 34

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/comments http://purl.oclc.org/ooxml/officeDocument/relationships/comments

6. §11.3.3, “Document Settings Part”, p. 36

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/settings http://purl.oclc.org/ooxml/officeDocument/relationships/settings

7. §11.3.4, “Endnotes Part”, p. 37

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/endnotes http://purl.oclc.org/ooxml/officeDocument/relationships/endnotes

8. §11.3.5, “Font Table Part”, p. 40

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/fontTable http://purl.oclc.org/ooxml/officeDocument/relationships/fontTable

9. §11.3.6, “Footer Part”, p. 41

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer

10. §11.3.7, “Footnotes Part”, p. 43

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/footnotes http://purl.oclc.org/ooxml/officeDocument/relationships/footnotes

11. §11.3.8, “Glossary Document Part”, p. 46

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/glossaryDocument http://purl.oclc.org/ooxml/officeDocument/relationships/glossaryDocument

12. §11.3.9, “Header Part”, p. 48

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header

13. §11.3.10, “Main Document Part”, p. 51

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument http://purl.oclc.org/ooxml/officeDocument/relationships/officeDocument

14. §11.3.11, “Numbering Definitions Part”, p. 52

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/numbering http://purl.oclc.org/ooxml/officeDocument/relationships/numbering

15. §11.3.12, “Style Definitions Part”, p. 55

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/styles http://purl.oclc.org/ooxml/officeDocument/relationships/styles

16. §11.3.13, “Web Settings Part”, p. 57

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/webSettings http://purl.oclc.org/ooxml/officeDocument/relationships/webSettings

17. §11.4, “Document Template”, p. 58

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/attachedTemplate http://purl.oclc.org/ooxml/officeDocument/relationships/attachedTemplate
----------------------	--

18. §11.5, “Framesets”, p. 58

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/frame http://purl.oclc.org/ooxml/officeDocument/relationships/frame
----------------------	--

19. §11.6, “Master Documents and Subdocuments”, p. 59

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/subDocument http://purl.oclc.org/ooxml/officeDocument/relationships/subDocument
----------------------	--

20. §11.7, “Mail Merge Data Source”, p. 61

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/mailMergeSource http://purl.oclc.org/ooxml/officeDocument/relationships/mailMergeSource
----------------------	--

21. §11.8, “Mail Merge Header Data Source”, p. 61

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/mailMergeHeaderSource http://purl.oclc.org/ooxml/officeDocument/relationships/mailMergeHeaderSource
----------------------	--

22. §11.9, “XSL Transformation”, p. 62

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/transform http://purl.oclc.org/ooxml/officeDocument/relationships/transform
----------------------	--

23. §12.2, “Package Structure”, pp. 65–66

[DR 08-0012]

```
<Relationships xmlns="...">
  <Relationship Id="rId1"
    Type=http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument
http://purl.oclc.org/ooxml/officeDocument/relationships/officeDocument
    Target="workbook.xml" />
</Relationships>
```

```
<Relationships xmlns="...">
  <Relationship Id="rId1"
    Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/worksheet
http://purl.oclc.org/ooxml/officeDocument/relationships/worksheet"
    Target="sheet1.xml" />
</Relationships>
```

24. §12.3, “Part Summary”, pp. 67–68

[DR 09-0023]

Part	Relationship Target of	Root Element	Ref.
Custom XML Mappings	Workbook	mapInfo MapInfo	§xx
Dialogsheet	Workbook	dialogSheet dialogsheetsheet	§xx
External Workbook References	Workbook	externalReference externalLink	§xx
Single Cell Table Definitions	Dialogsheet, Worksheet	singleCells singleXmlCells	§xx

25. §12.3.1, “Calculation Chain Part”, p. 68

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/calcChain http://purl.oclc.org/ooxml/officeDocument/relationships/calcChain

26. §12.3.2, “Chartsheet Part”, p. 69

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/chartsheet http://purl.oclc.org/ooxml/officeDocument/relationships/chartsheet

27. §12.3.3, “Comments Part”, p. 70

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/comments http://purl.oclc.org/ooxml/officeDocument/relationships/comments

28. §12.3.4, “Connections Part”, p. 71

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/connections http://purl.oclc.org/ooxml/officeDocument/relationships/connections

29. §12.3.5, “Custom Property Part”, p. 73

[DR 08-0012]

Root Namespace:	Not applicable
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customProperty http://purl.oclc.org/ooxml/officeDocument/relationships/customProperty

30. §12.3.6, “Custom XML Mappings Part”, p. 74

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/xmlMaps http://purl.oclc.org/ooxml/officeDocument/relationships/xmlMaps

31. §12.3.7, “Dialogsheet Part”, p. 75

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/dialogsheet http://purl.oclc.org/ooxml/officeDocument/relationships/dialogsheet

32. §12.3.8, “Drawings Part”, p. 77

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawing http://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/drawing http://purl.oclc.org/ooxml/officeDocument/relationships/drawing

33. §12.3.9, “External Workbook References Part”, p. 78

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/externalLink http://purl.oclc.org/ooxml/officeDocument/relationships/externalLink

34. §12.3.10, “Metadata part”, pp. 80–81

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/sheetMetadata http://purl.oclc.org/ooxml/officeDocument/relationships/sheetMetadata

35. §12.3.11, “Pivot Table Part”, p. 83

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/pivotTable http://purl.oclc.org/ooxml/officeDocument/relationships/pivotTable

36. §12.3.12, “Pivot Table Cache Definition Part”, p. 84

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/pivotCacheDefinition http://purl.oclc.org/ooxml/officeDocument/relationships/pivotCacheDefinition

37. §12.3.13, “Pivot Table Cache Records Part”, p. 86

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/pivotCacheRecords http://purl.oclc.org/ooxml/officeDocument/relationships/pivotCacheRecords

38. §12.3.14, “Query Table Part”, p. 87

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/queryTable http://purl.oclc.org/ooxml/officeDocument/relationships/queryTable

39. §12.3.15, “Shared Strings Table Part”, p. 88

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/sharedStrings http://purl.oclc.org/ooxml/officeDocument/relationships/sharedStrings

40. §12.3.16, “Shared Workbook Revision Headers Part”, p. 89

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/revisionHeaders http://purl.oclc.org/ooxml/officeDocument/relationships/revisionHeaders

41. §12.3.17, “Shared Workbook Revision Log Part”, p. 90

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/revisionLog http://purl.oclc.org/ooxml/officeDocument/relationships/revisionLog

42. §12.3.18, “Shared Workbook User Data Part”, pp. 91–92

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/usernames http://purl.oclc.org/ooxml/officeDocument/relationships/usernames

43. §12.3.19, “Single Cell Table Definition Part”, p. 92

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/tableSingleCells http://purl.oclc.org/ooxml/officeDocument/relationships/tableSingleCells

44. §12.3.20, “Styles Part”, p. 94

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/styles http://purl.oclc.org/ooxml/officeDocument/relationships/styles

45. §12.3.21, “Table Definition Part”, p. 95

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/table http://purl.oclc.org/ooxml/officeDocument/relationships/table

46. §12.3.22, “Volatile Dependencies Part”, p. 96

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/volatileDependencies http://purl.oclc.org/ooxml/officeDocument/relationships/volatileDependencies

47. §12.3.23, “Workbook Part”, p. 97

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument http://purl.oclc.org/ooxml/officeDocument/relationships/officeDocument

48. §12.3.24, “Worksheet Part”, p. 99

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main http://purl.oclc.org/ooxml/spreadsheetml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/worksheet http://purl.oclc.org/ooxml/officeDocument/relationships/worksheet

49. §12.4, “External Workbooks”, p. 101

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/externalLinkPath http://purl.oclc.org/ooxml/officeDocument/relationships/externalLinkPath
----------------------	--

50. §13.2, “Package Structure”, p. 104

[DR 08-0012]

```
<Relationships xmlns="...">
  <Relationship Id="rId1"
    Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument
http://purl.oclc.org/ooxml/officeDocument/relationships/officeDocument"
    Target="presentation.xml"/>
</Relationships>
```

51. §13.3.1, “Comment Authors Part”, p. 107

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/commentAuthors http://purl.oclc.org/ooxml/officeDocument/relationships/commentAuthors

52. §13.3.2, “Comments Part”, p. 108

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/comments http://purl.oclc.org/ooxml/officeDocument/relationships/comments

53. §13.3.3, “Handout Master Part”, p. 109

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/handoutMaster http://purl.oclc.org/ooxml/officeDocument/relationships/handoutMaster

54. §13.3.4, “Notes Master Part”, p. 111

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/notesMaster http://purl.oclc.org/ooxml/officeDocument/relationships/notesMaster

55. §13.3.5, “Notes Slide Part”, p. 112

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/notesSlide http://purl.oclc.org/ooxml/officeDocument/relationships/notesSlide

56. §13.3.6, “Presentation Part”, pp. 113–114

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument http://purl.oclc.org/ooxml/officeDocument/relationships/officeDocument

57. §13.3.7, “Presentation Properties Part”, p. 115

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/presProps http://purl.oclc.org/ooxml/officeDocument/relationships/presProps

58. §13.3.8, “Slide Part”, p. 116

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slide http://purl.oclc.org/ooxml/officeDocument/relationships/slide

59. §13.3.9, “Slide Layout Part”, p. 118

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideLayout http://purl.oclc.org/ooxml/officeDocument/relationships/slideLayout

60. §13.3.10, “Slide Master Part”, p. 120

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideMaster http://purl.oclc.org/ooxml/officeDocument/relationships/slideMaster

61. §13.3.11, “Slide Synchronization Data Part”, p. 121

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideUpdateInfo http://purl.oclc.org/ooxml/officeDocument/relationships/slideUpdateInfo

62. §13.3.12, “User Defined Tags Part”, p. 122

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/tags http://purl.oclc.org/ooxml/officeDocument/relationships/tags

63. §13.3.31, “View Properties Part”, p. 123

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/viewProps http://purl.oclc.org/ooxml/officeDocument/relationships/viewProps

64. §13.4, “HTML Publish Location”, p. 124

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/htmlPubSaveAs http://purl.oclc.org/ooxml/officeDocument/relationships/htmlPubSaveAs
----------------------	--

65. §13.5, “Slide Synchronization Server Location”, p. 125

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideUpdateUrl http://purl.oclc.org/ooxml/officeDocument/relationships/slideUpdateUrl
----------------------	--

66. §14.2.1, “Chart Part”, p. 128

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/chart http://purl.oclc.org/ooxml/drawingml/chart
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/chart http://purl.oclc.org/ooxml/officeDocument/relationships/chart

67. §14.2.2, “Chart Drawing Part”, p. 130

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/chart http://purl.oclc.org/ooxml/drawingml/chart
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/chartUserShapes http://purl.oclc.org/ooxml/officeDocument/relationships/chartUserShapes

68. §14.2.3, “Diagram Colors Part”, p. 131

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/diagram http://purl.oclc.org/ooxml/drawingml/diagram
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramColors http://purl.oclc.org/ooxml/officeDocument/relationships/diagramColors

69. §14.2.4, “Diagram Data Part”, p. 132

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/diagram http://purl.oclc.org/ooxml/drawingml/diagram
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramData http://purl.oclc.org/ooxml/officeDocument/relationships/diagramData

70. §14.2.5, “Diagram Layout Definition Part”, pp. 133–134

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/diagram http://purl.oclc.org/ooxml/drawingml/diagram
-----------------	--

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramLayout http://purl.oclc.org/ooxml/officeDocument/relationships/diagramLayout
----------------------	--

71. §14.2.6, “Diagram Style Part”, p. 135

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/diagram http://purl.oclc.org/ooxml/drawingml/diagram
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramQuickStyle http://purl.oclc.org/ooxml/officeDocument/relationships/diagramQuickStyle

72. §14.2.7, “Theme Part”, p. 136

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/theme http://purl.oclc.org/ooxml/officeDocument/relationships/theme

73. §14.2.8, “Theme Override Part”, p. 138

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/themeOverride http://purl.oclc.org/ooxml/officeDocument/relationships/themeOverride

74. §14.2.9, “Table Styles Part”, p. 139

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/tableStyles http://purl.oclc.org/ooxml/officeDocument/relationships/tableStyles

75. §15.2.1, “Additional Characteristics Part”, p. 142

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/additionalCharacteristics http://purl.oclc.org/ooxml/officeDocument/additionalCharacteristics
-----------------	--

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml http://purl.oclc.org/ooxml/officeDocument/relationships/customXml
----------------------	--

76. §15.2.2, “Audio Part”, p. 144

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/audio http://purl.oclc.org/ooxml/officeDocument/relationships/audio
----------------------	--

77. §15.2.3, “Bibliography Part”, pp. 144–145

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/bibliography http://purl.oclc.org/ooxml/officeDocument/bibliography
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml http://purl.oclc.org/ooxml/officeDocument/relationships/customXml

78. §15.2.4, “Content Part”, p. 146

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml http://purl.oclc.org/ooxml/officeDocument/relationships/customXml
----------------------	--

79. §15.2.5, “Custom XML Data Storage Part”, p. 147

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml http://purl.oclc.org/ooxml/officeDocument/relationships/customXml
----------------------	--

80. §15.2.6, “Custom XML Data Storage Properties Part”, p. 147

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/customXmlDataProps http://purl.oclc.org/ooxml/officeDocument/customXmlDataProps
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXmlProps http://purl.oclc.org/ooxml/officeDocument/relationships/customXmlProps

81. §15.2.9, “Embedded Control Persistence Part”, p. 150

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/control http://purl.oclc.org/ooxml/officeDocument/relationships/control
----------------------	--

82. §15.2.9, “Embedded Control Persistence Part”, p. 151

[DR 08-0012]

The relationship type for rId5 is: <http://schemas.openxmlformats.org/officeDocument/2006/relationships/control>
<http://purl.oclc.org/ooxml/officeDocument/relationships/control>

...

The relationship type for rId5 is: <http://schemas.openxmlformats.org/officeDocument/2006/relationships/control>
<http://purl.oclc.org/ooxml/officeDocument/relationships/control>

83. §15.2.10, “Embedded Object Part”, p. 152

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/oleObject http://purl.oclc.org/ooxml/officeDocument/relationships/oleObject
----------------------	--

84. §15.2.11, “Embedded Package Part”, p. 154

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/package http://purl.oclc.org/ooxml/officeDocument/relationships/package
----------------------	--

85. §15.2.12.1, “Core File Properties Part”, p. 155

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/metadata/core-properties http://purl.oclc.org/ooxml/officeDocument/relationships/metadata/coreProperties
----------------------	--

86. §15.2.12.2, “Custom File Properties Part”, p. 156

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/custom-properties http://purl.oclc.org/ooxml/officeDocument/customProperties
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/custom-properties http://purl.oclc.org/ooxml/officeDocument/relationships/customProperties

87. §15.2.12.3, “Extended File Properties Part”, p. 158

[DR 08-0012]

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/extended-properties http://purl.oclc.org/ooxml/officeDocument/extendedProperties
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/extended-properties http://purl.oclc.org/ooxml/officeDocument/relationships/extendedProperties

88.

§15.2.13, “Font Part”, p. 160

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/font http://purl.oclc.org/ooxml/officeDocument/relationships/font
----------------------	--

89. §15.2.14, “Image Part”, p. 160

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/image http://purl.oclc.org/ooxml/officeDocument/relationships/image
----------------------	--

90. §15.2.15, “Printer Settings Part”, p. 161

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings http://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings
----------------------	--

91. §15.2.16, “Thumbnail Part”, p. 163

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/package/2006/relationships/metadata/thumbnail http://purl.oclc.org/ooxml/officeDocument/relationships/metadata/thumbnail
----------------------	--

92. §15.2.17, “Video Part”, p. 164

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/video http://purl.oclc.org/ooxml/officeDocument/relationships/video
----------------------	--

93. §15.3, “Hyperlinks Part”, p. 164

[DR 08-0012]

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink http://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink
----------------------	--

94. §17.3.3.2, “contentPart (ContentPart)”, p. 346

[DR 08-0012]

The relationship type of the explicit relationship specified by this element shall be <http://schemas.openxmlformats.org/officeDocument/2006/customXml><http://purl.oclc.org/ooxml/officeDocument/relationships/customXml> and have a TargetMode attribute value of Internal. If an application cannot process content of the content type specified by the targeted part, then it should continue to process the file. If possible, it should also provide some indication that unknown content was not imported.

95. §17.3.3.2, “contentPart (ContentPart)”, p. 348

[DR 08-0012]

```
<Relationships ... >
...
<Relationship Id="rId8" TargetMode="Internal"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXmlhttp://purl.oclc.org/ooxml/officeDocument/relationships/customXml"
Target="math1.xml" />
...
</Relationships>
```

96. §17.3.3.2, “contentPart (ContentPart)”, p. 348, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml http://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font http://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings http://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink http://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

97. §17.3.3.3, “control (Embedded Control)”, p. 349, attribute id

[DR 08-0012]

Attributes	Description
<p>id (Embedded Control Properties Relationship Reference)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>...</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/control http://purl.oclc.org/ooxml/officeDocument/relationships/control or the document shall be considered non-conformant.</p> <p>...</p>

98. §17.3.3.17, “movie (Embedded Video)”, p. 361

[DR 08-0012]

If the relationship type of the relationship specified by this element is not <http://schemas.openxmlformats.org/officeDocument/2006/movie><http://purl.oclc.org/ooxml/officeDocument/movie>, or is not present, then the document shall be considered non-conformant. If an application cannot process external content of the content type specified by the targeted part, then it can be ignored.

...

```
<Relationships ... >
```

...

```
<Relationship Id="rIdMovie" TargetMode="Internal"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/movie
http://purl.oclc.org/ooxml/officeDocument/movie" Target="movie.mov" />
```

...

```
</Relationships>
```

99. §17.3.3.17, “movie (Embedded Video)”, p. 362, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml http://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font http://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings http://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink http://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

100. §17.3.3.20, “objectEmbed (Embedded Object Properties)”, p. 366, attribute id

[DR 08-0012]

Attributes	Description
<p>id (Relationship to Embedded Object Data)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>...</p> <p>The specified relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/oleObject http://purl.oclc.org/ooxml/officeDocument/oleObject or the document shall be considered non-conformant.</p> <p>...</p>

101. §17.3.3.21, “objectLink (Linked Object Properties)”, p. 368, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to Embedded Object Data) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	... The specified relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/oleObject http://purl.oclc.org/ooxml/officeDocument/oleObject or the document shall be considered non-conformant. ...

102. §17.4.88, “Table Measurement (CT_TblWidth)”, p. 527

[DR 09-0247]

Attributes	Description
type (Table Width Type)	... [Example: ... end example] If the value of the type attribute and the actual measurement specified by the w attribute are contradictory, the type specified by the type attribute shall be ignored. The possible values for this attribute are defined by the ST_TblWidth simple type (§xx).

103. §17.6.2, “bottom (Bottom Border)”, pp. 612–614, attribute various

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>bottomLeft (Custom Defined Bottom Left Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships/image ps</p>	<p>...</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/imagehttp://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant.</p> <p>...</p>
<p>bottomRight (Custom Defined Bottom Right Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships/image ps</p>	<p>...</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/imagehttp://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant.</p> <p>...</p>
<p>id (Custom Defined Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships/image ps</p>	<p>...</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/imagehttp://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant.</p> <p>...</p>

104. §17.6.7, “left (LeftBorder)”, p. 630, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>id (Custom Defined Border Relationship Reference)</p> <p>Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>...</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image http://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant.</p> <p>...</p>

105. §17.6.14, “printerSettings (Reference to Printer Settings Data)”, p. 650, attribute id

[DR 08-0012]

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml http://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font http://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings http://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink http://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

106. §17.6.15, “right (Right Border)”, p. 653, attribute id

[DR 08-0012]

Attributes	Description
id (Custom Defined Border Relationship Reference) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships/ps	... The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image http://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant. ...

107. §17.6.21, “top (Top Border)”, pp. 670–676, attribute various

[DR 08-0012]

Attributes	Description
id (Custom Defined Border Relationship Reference) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships/ps	... The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image http://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant. ...

Attributes	Description
<p>topLeft (Custom Defined Top Left Border Relationship Reference)</p> <p>Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps</p>	<p>...</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image http://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant.</p> <p>...</p>
<p>topRight (Custom Defined Top Right Border Relationship Reference)</p> <p>Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps</p>	<p>...</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image http://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant.</p> <p>...</p>

108. §17.8.3.3, “embedBold (Bold Style Font Style Embedding)”, p. 754, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml http://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font http://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings http://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink http://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

109. §17.8.3.4, “embedBoldItalic (Bold Italic Font Style Embedding)”, p. 756, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml http://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font http://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings http://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink http://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

110. §17.8.3.5, “embedItalic (Italic Font Style Embedding)”, pp. 758–759, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font http://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings http://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink http://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

111. §17.8.3.6, “embedRegular (Regular Font Style Embedding)”, pp. 760–761, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship to Part) Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships	Specifies the relationship ID to a specified part. The specified relationship shall match the relationship type required by the parent element: <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footerhttp://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/headerhttp://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element ...

112. §17.10.2, “footerReference (Footer Reference)”, pp. 823–824

[DR 08-0012]

If the relationship type of the relationship specified by this element is not

<http://schemas.openxmlformats.org/officeDocument/2006/footer><http://purl.oclc.org/ooxml/officeDocument/relationships/footer>, is not present, or does not have a TargetMode attribute value of Internal, then the document shall be considered non-conformant.

...

```

<Relationships
  xmlns="http://schemas.openxmlformats.org/package/2006/relationships">
  ...
  <Relationship Id="rId6"
  Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer
  http://purl.oclc.org/ooxml/officeDocument/relationships/footer" Target="footer1.xml" />
  <Relationship Id="rId7"
  Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer
  http://purl.oclc.org/ooxml/officeDocument/relationships/footer" Target="footer2.xml" />

```

```
<Relationship Id="rId10"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer
http://purl.oclc.org/ooxml/officeDocument/relationships/footer" Target="footer3.xml" />
...
</Relationships>
```

113. §17.10.2, “footerReference (Footer Reference)”, p. 825, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to Part) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	Specifies the relationship ID to a specified part. The specified relationship shall match the relationship type required by the parent element: <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element ...

114. §17.10.5, “headerReference (Header Reference)”, pp. 832–834

[DR 08-0012]

If the relationship type of the relationship specified by this element is not <http://schemas.openxmlformats.org/officeDocument/2006/header><http://purl.oclc.org/ooxml/officeDocument/relationships/header>, is not present, or does not have a TargetMode attribute value of Internal, then the document shall be considered non-conformant.

...

```

<Relationships
xmlns="http://schemas.openxmlformats.org/package/2006/relationships">
  ...
  <Relationship Id="rId2"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/header
http://purl.oclc.org/ooxml/officeDocument/relationships/header"
Target="header1.xml" />
  <Relationship Id="rId3"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/header
http://purl.oclc.org/ooxml/officeDocument/relationships/header"
Target="header2.xml" />
  <Relationship Id="rId5"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/header
http://purl.oclc.org/ooxml/officeDocument/relationships/header"
Target="header3.xml" />
  ...
</Relationships>

```

115. §17.10.5, “headerReference (Header Reference)”, p. 834, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship to Part) Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships	Specifies the relationship ID to a specified part. The specified relationship shall match the relationship type required by the parent element: <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footerhttp://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/headerhttp://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element ...

116. §17.14.9, “dataSource (Data Source File Path)”, pp. 1057–1058, attribute id

[DR 08-0012]

If this element is omitted, then no file location is specified for the data source for the current mail merge. If no relationship exists with the given relationship ID, or this relationship is not of type

<http://schemas.openxmlformat.org/officeDocument/2006/relationships/mailMergeSource><http://purl.oclc.org/ooxml/officeDocument/relationships/mailMergeSource> then this document shall be considered non-conformant.

...

```
<Relationships>
  <Relationship Id="rId1"
  Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/mailMergeSourcehttp://purl.oclc.org/ooxml/officeDocument/relationships/mailMergeSource"
  Target="file:///c:/example_file.mdb" TargetMode="External" />
</Relationships>
```

117. §17.14.9, “dataSource (Data Source File Path)”, p. 1058, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to Part) Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships	Specifies the relationship ID to a specified part. The specified relationship shall match the relationship type required by the parent element: <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element ...

118. §17.14.16, “headerSource (Header Definition File Path)”, p. 1064

[DR 08-0012]

```

<Relationships>
  <Relationship Id="rId2"
  Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/mailMergeSource" Target="file:///c:/headerData.txt" TargetMode="External" />
</Relationships>

```

119. §17.14.16, “headerSource (Header Definition File Path)”, p. 1065, attribute id

[DR 08-0012]

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footerhttp://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/headerhttp://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

120. §17.14.28, “recipientData (Reference to Inclusion/Exclusion Data for Data Source)”, pp. 1079–1080

[DR 08-0012]

If the relationship type of the relationship specified by this element is not

<http://schemas.openxmlformats.org/officeDocument/2006/mailMergeRecipientData><http://purl.oclc.org/ooxml/officeDocument/relationships/mailMergeRecipientData>, is not present, or does not have a TargetMode attribute value of Internal, then the document shall be considered non-conformant. If an application cannot process external content of the content type specified by the targeted part, then it can be ignored.

...

```
<Relationships ... >
...
  <Relationship Id="recipient1" TargetMode="Internal"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/mailMergeRecipientDatahttp://purl.oclc.org/ooxml/officeDocument/relationships/mailMergeRecipientData" Target="recipientData.xml" />
...
</Relationships>
```

121. §17.14.28, “recipientData (Reference to Inclusion/Exclusion Data for Data Source)”, p. 1080–1081, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to Part) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	Specifies the relationship ID to a specified part. The specified relationship shall match the relationship type required by the parent element: <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer http://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header http://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element ...

122. §17.14.30, “src (ODSO Data Source File Path)”, p. 1081–1082

[DR 08-0012]

```
<Relationships>
  <Relationship Id="rId1"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/mailMergeSource" Target="file:///c:/example_file.mdb" TargetMode="External" />
  </Relationships>
```

123. §17.14.30, “src (ODSO Data Source File Path)”, p. 1083, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to Part) Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships	Specifies the relationship ID to a specified part. The specified relationship shall match the relationship type required by the parent element: <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element ...

124. §17.14.35, “uniqueTag (Unique Value for Record)”, pp. 1088–1089

[DR 09-0008]

The possible values for this element are defined by the [CT_Base64Binary](#) datatype.

125. §17.15.1.6, “attachedTemplate (Attached Document Template)”, pp. 1097–1098, attribute id

[DR 08-0012]

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footerhttp://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/headerhttp://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

126. §17.15.1.76, “saveThroughXslt (Custom XSL Transform To Use When Saving As XML File)”, p. 1193, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (XSL Transformation Location) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	Specifies an explicit relationship to the location of the XSL Transformation which shall be applied. The relationship targeted by this element shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/transform or http://purl.oclc.org/ooxml/officeDocument/relationships/transform , or this document shall be declared non-conformant. ...

127. §17.15.2.23, longDesc (Frame Long Description)", p. 1253

[DR 08-0012]

```

<Relationships ... >
...
  <Relationship Id="rIdMenuBar" TargetMode="External"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink"
Target="myexample-desc.html#menubar" />
...
</Relationships>
    
```

128. §17.15.2.23, “longDesc (Frame Long Description)”, p. 1253, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footerhttp://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/headerhttp://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

129. §17.15.2.39, “sourceFileName (Source File for Frame)”, p. 1276

[DR 08-0012]

The relationship referenced by this element's id attribute shall exist in the relationship part item for the Web Settings part, or this document shall be considered non-conformant. Also, the type of the relationship referenced by this element's id attribute shall be

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/frame><http://purl.oclc.org/ooxml/officeDocument/relationships/frame>, or this document shall be considered non-conformant.

130. §17.15.2.39, “sourceFileName (Source File for Frame)”, pp. 1277–1278, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: http://schemas.openxmlformats.org/officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footerhttp://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/headerhttp://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element <p>...</p>

131. §17.17.1.1, “subDoc (Anchor for Subdocument Location)”, pp. 1444–1445

[DR 08-0012]

If the relationship type of the relationship specified by this element is not <http://schemas.openxmlformats.org/officeDocument/2006/subDocument><http://purl.oclc.org/ooxml/officeDocument/relationships/subDocument>, is not present, or does not have a TargetMode attribute value of External, then the document shall be considered non-conformant.

...

```
<Relationships ... >
...
  <Relationship Id="subDocRel1" TargetMode="External"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/subDoc
umenthttp://purl.oclc.org/ooxml/officeDocument/relationships/subDocument"
Target="Chapter1.docx" />
  <Relationship Id="subDocRel2" TargetMode="External"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/subDoc
umenthttp://purl.oclc.org/ooxml/officeDocument/relationships/subDocument"
Target="Chapter2.docx" />
...
</Relationships>
```

132. §17.17.1.1, “subDoc (Anchor for Subdocument Location)”, p. 1446, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to Part) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	Specifies the relationship ID to a specified part. The specified relationship shall match the relationship type required by the parent element: <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footerhttp://purl.oclc.org/ooxml/officeDocument/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/headerhttp://purl.oclc.org/ooxml/officeDocument/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/fonthttp://purl.oclc.org/ooxml/officeDocument/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettingshttp://purl.oclc.org/ooxml/officeDocument/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink for the longDesc or hyperlink element ...

133. §17.17.2.1, “altChunk (Anchor for Imported External Content)”, pp. 1447–1448

[DR 08-0012]

If the relationship type of the relationship specified by this element is not <http://schemas.openxmlformats.org/officeDocument/2006/afChunk><http://purl.oclc.org/ooxml/officeDocument/relationships/afChunk>, is not present, or does not have a TargetMode attribute value of Internal, then the document shall be considered non-conformant. If an application cannot process external content of the content type specified by the targeted part, then it should ignore the specified alternate content but continue to process the file. If possible, it should also provide some indication that unknown content was not imported.

...

```
<Relationships ... >
...
<Relationship Id="altChunk1" TargetMode="Internal"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/afChunk
http://purl.oclc.org/ooxml/officeDocument/relationships/afChunk" Target="import.htm" />
...
</Relationships>
```

134. §17.17.2.1, “altChunk (Anchor for Imported External Content)”, p. 1449, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to Part) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

135. §17.18, “Simple Types”, p. 1453

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/wordprocessingml/2006/main><http://purl.oclc.org/ooxml/wordprocessingml/main> namespace.

136. §18.2.7, “ext (Extension)”, p. 1721

[DR 08-0012]

[Example: ...

```
<extLst>
  <ext
    uri=' http://schemas.openxmlformats.org/spreadsheetml/versionTwoExtensionhttp://purl.oclc.org/ooxml/spreadsheetml/versionTwoExtension ' >
    <v2:newContent
      xmln:v2=' http://schemas.openxmlformats.org/spreadsheetml/versionTwoExtensionhttp://purl.oclc.org/ooxml/spreadsheetml/versionTwoExtension ' >
      ...
    </v2:newContent>
  </ext>
  ...
</extLst>
```

end example]

137. §18.2.8, “externalReference (External Reference)”, p. 1722, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument/2006/relationships ps	...

138. §18.2.17, “pivotCache (PivotCache)”, p. 1731, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

139. §18.2.19, “sheet (Sheet Information)”, p. 1732, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

140. §18.2.27, “workbook (Workbook)”, p. 1739

[DR 08-0012]

[Example:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<workbook
xmlns="http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main"
xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships ">
  <fileVersion lastEdited="4" lowestEdited="4" rupBuild="4017"/>
  ...
</workbook>
```

end example]

141. §18.3.1.19, “control (Embedded Control)”, p. 1776, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

142. §18.3.1.20, “controlPr (Embedded Control Properties)”, p. 1779, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship ID for Embedded Control Properties) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	... The relationship explicitly targeted by this attribute shall be of relationship type http://schemas.openxmlformats.org/officeDocument/2006/relationships/control http://purl.oclc.org/ooxml/officeDocument/relationships/control or the document shall be considered non-conformant. ...

143. §18.3.1.22, “customPr (Custom Property)”, p. 1782, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument /2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

144. §18.3.1.30, “dataRef (Data Consolidation Reference)”, p. 1790, attribute id

[DR 08-0012]

Attributes	Description
id (relationship Id) Namespace: .../officeDocument /2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

145. §18.3.1.36, “drawing (Drawing)”, p. 1796, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship id) Namespace: .../officeDocument /2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

146. §18.3.1.37, “drawingHF (Drawing Reference in Header Footer)”, pp. 1798–1799, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship ID for Embedded Control Properties) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

147. §18.3.1.47, “hyperlink (Hyperlink)”, p. 1812, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

148. §18.3.1.56, “objectPr (Embedded Object Properties)”, p. 1821, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship ID to Embedded Object Data) Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	... The specified relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/oleObject http://purl.oclc.org/ooxml/officeDocument/oleObject or the document shall be considered non-conformant. ...

149. §18.3.1.59, “oleObject (Embedded Object)”, p. 1824, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

150. §18.3.1.63, “pageSetup (Page Setup Settings)”, p. 1829, attribute id

[DR 08-0012]

Attributes	Description
id (Id) Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

151. §18.3.1.64, “pageSetup (Chart Sheet Page Setup)”, p. 1832, attribute id

[DR 08-0012]

Attributes	Description
id (Id) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

152. §18.3.1.67, “picture (Background Image)”, p. 1837, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

153. §18.3.1.69, “pivotSelection (PivotTable Selection)”, p. 1841, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

154. §18.3.1.94, “tablePart (Table Part)”, p. 1882, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: .../officeDocument/2006/relationships	...

155. §18.4, “Shared String Table”, pp. 1896–1897

[DR 08-0012]

[Example:

```

<sst
xmlns=http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main
count="8" uniqueCount="4">
...
</sst>

```

...

[Example:

```

<sst xmlns=
http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main
count="8" uniqueCount="4">
...
</sst>

```

...

[Example:

```
<sst xmlns=
http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main
  count="8" uniqueCount="4">
  ...
</sst>
```

... end example]

156. §18.4.1, “charset (Character Set)”, p. 1898

[DR 09-0051]

INT Value	Character Set
...	...
129	HANGEUL_CHARSET
129	HANGUL_CHARSET
...	...

157. §18.5, “Tables”, p. 1907

[DR 08-0012]

[Example:

```
<table xmlns=
http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main
  id="1" name="MarginTable" displayName="MarginTable" ref="D3:G6"
  totalsRowShown="0">
  ...
</table>
```

158. §18.6, “Calculation Chain”, pp. 1925–1926

[DR 08-0012]

[Example:

```
<calcChain xmlns="
http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main ">
  <c r="E5" i="1"/>
  ...
```

</calcChain>

...

```
<calcChain xmlns="
http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main ">
  <c r="B1" i="1"/>
  ...
</calcChain>
```

end example]

159. §18.8.18, “family (Font Family)”, p. 1952

[DR 09-0052]

The font family this font belongs to. ~~A font family is a set of fonts having common stroke width and serif characteristics. This is system level font information.~~ The font name overrides when there are conflicting values.

Value	Font Family
0	Not applicable.
1	Roman
2	Swiss
3	Modern
4	Script
5	Decorative

Attributes	Description
val (Value)	<p>The font family this font belongs to value of an integer, where each value corresponds to a different character set. This attribute is restricted to values ranging from 0 to 255.</p> <p>The possible values for this attribute are defined by the ST FontFamily simple type (§18.18.94) W3C XML Schema int datatype.</p>

[Note: The W3C XML Schema definition of this element’s content model ([CT_IntPropertyCT_FontFamily](#)) is located in §xx. *end note*]

160. §18.9, “Metadata”, p. 1994

[DR 08-0012]

[Example: The CUBEMEMBER() function ...

```
<metadata xmlns="
http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main ">
...
</metadata>
```

161. §18.10.1.67, “pivotCacheDefinition (PivotCache Definition)”, p. 2095, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

162. §18.10.1.79, “rangeSet (Range Set)”, p. 2154, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship Id) Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

163. §18.10.1.95, “worksheetSource (Worksheet PivotCache Source)”, p. 2170, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Id) Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

164. §18.11.1.1, “header (Header)”, p. 2180, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship ID) Namespace: ../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

165. §18.14.7, “externalBook (External Workbook)”, p. 2248, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to supporting book file path) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

166. §18.14.11, “oleLink (Generic Object Link Connection)”, p. 2251, attribute id

[DR 08-0012]

Attributes	Description
id (Object Link Relationship) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships ps	...

167. §18.17.2.3, “Cell References”, pp. 2282–2284

[DR 08-0012]

- Type shall be set to <http://schemas.openxmlformats.org/officeDocument/2006/relationships/externalLinkPath>
<http://purl.oclc.org/ooxml/officeDocument/relationships/externalLinkPath>
- Target shall specify the full file path and file name, and
- TargetMode shall be set to External.

...

[Example:

Consider the formula =SUM('C:\[Source.xlsx]Sheet1'!\$A\$1:\$A\$3) ...

```
<Relationship Id="rId4" Type=
"http://schemas.openxmlformats.org/officeDocument/2006/relationships/externalLink"
http://purl.oclc.org/ooxml/officeDocument/relationships/externalLink"
Target="externalLinks/externalLink1.xml"/>
```

...

```
<externalBook
xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp
://purl.oclc.org/ooxml/officeDocument/relationships" r:id="rId1">
```

...

```
<Relationship Id="rId1" Type=
"http://schemas.openxmlformats.org/officeDocument/2006/relationships/externalLinkPath"
http://purl.oclc.org/ooxml/officeDocument/relationships/externalLinkPath"
Target="file:///C:/Source.xlsx" TargetMode="External"/>
```

... end example]

168. §18.18, “Simple Types”, p. 2664

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/spreadsheetml/2006/main><http://purl.oclc.org/ooxml/spreadsheetml/main> namespace.

169. §18.18.94, “ST_FontFamily (Font Family)”, new subclause

[DR 09-0052]

[This simple type specifies a font family. A font family is a set of fonts having common stroke width and serif characteristics. This is system level font information.](#)

[This simple type's contents are a restriction of the W3C XML Schema unsignedInt datatype.](#)

[This simple type is restricted to the values listed in the following table:](#)

Value	Font Family
0	Not applicable.

<u>Value</u>	<u>Font Family</u>
<u>1</u>	<u>Roman</u>
<u>2</u>	<u>Swiss</u>
<u>3</u>	<u>Modern</u>
<u>4</u>	<u>Script</u>
<u>5</u>	<u>Decorative</u>
<u>6</u>	<u>Reserved for future use</u>
<u>7</u>	<u>Reserved for future use</u>
<u>8</u>	<u>Reserved for future use</u>
<u>9</u>	<u>Reserved for future use</u>
<u>10</u>	<u>Reserved for future use</u>
<u>11</u>	<u>Reserved for future use</u>
<u>12</u>	<u>Reserved for future use</u>
<u>13</u>	<u>Reserved for future use</u>
<u>14</u>	<u>Reserved for future use</u>

<u>Referenced By</u>
<u>fontFamily@val (\$xx)</u>

*[Note: The W3C XML Schema definition of this simple type’s content model (ST FontFamily) is located in \$xx.
end note]*

170. §19.2.1.1, “bold (Bold Embedded Font)”, p. 2760, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument /2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

171. §19.2.1.2, “boldItalic (Bold Italic Embedded Font)”, pp. 2760–2761, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument /2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

172. §19.2.1.11, “ext (Extension)”, p. 2767

[DR 09-0241]

Child Elements	Subclause
Zero or more Any elements in any namespace	n/a

173. §19.2.1.13, “font (Embedded Font Name)”, pp. 2768–2770, attribute various

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
charset (Similar Character Set) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
panose (Panose Setting) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
pitchFamily (Similar Font Family) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
typeface (Text Typeface) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

174. §19.2.1.14, “handoutMasterId (Handout Master ID)”, p. 2771, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

175. §19.2.1.16, “italic (Italic Embedded Font)”, p. 2772, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

176. §19.2.1.20, “notesMasterId (Notes Master ID)”, p. 2778, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

177. §19.2.1.22, “notesSz (Notes Slide Size)”, p. 2779, attribute various

[DR 08-0012]

Attributes	Description
cx (Extent Length) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
cy (Extent Width) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

178. §19.2.1.29, “regular (Regular Embedded Font)”, p. 2787, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

179. §19.2.1.31, “sld (Presentation Slide)”, p. 2789, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship ID) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

180. §19.2.1.33, “sldId (Slide ID)”, p. 2790, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument /2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

181. §19.2.1.36, “sldMasterId (Slide Master ID)”, p. 2791, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument /2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

182. §19.2.1.40, “SmartTags (SmartTags)”, p. 2795, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument /2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

183. §19.2.2.3, “gridSpacing (Grid Spacing)”, p. 2797, attribute various

[DR 08-0012]

Attributes	Description
cx (Extent Length) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
cy (Extent Width) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

184. §19.2.2.9, “origin (View Origin)”, p. 2801, attribute various

[DR 08-0012]

Attributes	Description
x (X-Axis Coordinate) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
y (Y-Axis Coordinate) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

185. §19.2.2.14, “sld (Presentation Slide)”, p. 2804, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship Identifier) Namespace: .../officeDocument/2006/relationships	...

186. §19.3.1.3, “bgRef (Background Style Reference)”, pp. 2809–2810, attribute idx

[DR 08-0012]

Attributes	Description
idx (Style Matrix Index) Namespace: .../drawingml/2006/main	...

187. §19.3.1.4, “blipFill (Picture Fill)”, p. 2812, attribute various

[DR 08-0012]

Attributes	Description
dpi (DPI Setting) Namespace: .../drawingml/2006/main	...

Attributes	Description
rotWithShape (Rotate With Shape) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

188. §19.3.1.6, “clrMap (Color Scheme Map)”, p. 2814–2815, attribute various

[DR 08-0012]

Attributes	Description
accent1 (Accent 1) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
accent2 (Accent 2) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
accent3 (Accent 3) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
accent4 (Accent 4) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

Attributes	Description
accent5 (Accent 5) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
accent6 (Accent 6) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
bg1 (Background 1) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
bg2 (Background 2) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
folHlink (Followed Hyperlink) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
hlink (Hyperlink) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

Attributes	Description
tx1 (Text 1) Namespace: .../drawingml/2006/main	...
tx2 (Text 2) Namespace: .../drawingml/2006/main	...

189. §19.3.1.11, “cNvPicPr (Non-Visual Picture Drawing Properties)”, pp. 2817–2818, attribute preferRelativeResize

[DR 08-0012]

Attributes	Description
preferRelativeResize (Relative Resize Preferred) Namespace: .../drawingml/2006/main	...

190. §19.3.1.12, “cNvPr (Non-Visual Drawing Properties)”, pp. 2819–2820, attribute various

[DR 08-0012]

Attributes	Description
descr (Alternative Text for Object) Namespace: .../drawingml/2006/main	...

Attributes	Description
hidden (Hidden) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
id (Unique Identifier) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
name (Name) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
title (Title) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

191. §19.3.1.13, “cNvSpPr (Non-Visual Drawing Properties for a Shape)”, p. 2821, attribute txBox

[DR 08-0012]

Attributes	Description
txBox (Text Box) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

192. §19.3.1.14, “ContentPart (Content Part)”, pp. 2821–2824

[DR 08-0012]

The relationship type of the explicit relationship specified by this element shall be

<http://schemas.openxmlformats.org/officeDocument/2006/customXml><http://purl.oclc.org/ooxml/officeDocument/relationships/customXml> and have a TargetMode attribute value of Internal. If an application cannot process content of the content type specified by the targeted part, then it should continue to process the file. If possible, it should also provide some indication that unknown content was not imported.

...

```
<Relationships ... >
```

...

```
<Relationship Id="smil01" TargetMode="Internal"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/custom
Xmlhttp://purl.oclc.org/ooxml/officeDocument/relationships/customXml"
Target="smil1.xml" />
```

...

```
</Relationships>
```

193. §19.3.1.14, “ContentPart (Content Part)”, p. 2824, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship to Part) Namespace: .../officeDocument/2006/relationships	...

194. §19.3.1.17, “custData (Customer Data)”, p. 2826, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship ID) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

195. §19.3.1.23, “grpSpPr (Group Shape Properties)”, p. 2831, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

196. §19.3.1.40, “sldLayoutId (Slide Layout ID)”, p. 2844, attribute id

[DR 08-0012]

Attributes	Description
id (ID Tag) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

197. §19.3.1.44, “spPr (Shape Properties)”, pp. 2847–2848, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

198. §19.3.1.47, “tags (Customer Data Tags)”, p. 2851, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship ID) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

199. §19.3.1.53, “xfrm (2D Transform for Graphic Frame)”, p. 2856, attribute various

[DR 08-0012]

Attributes	Description
flipH (Horizontal Flip) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
flipV (Vertical Flip) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

Attributes	Description
rot (Rotation) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

200. §19.3.2.1, “control (Embedded Control)”, p. 2857, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship ID) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

201. §19.3.2.4, “oleObj (Global Element for Embedded objects and Controls)”, p. 2859, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship ID) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

202. §19.4.5, “pos (Comment Position)”, p. 2865, attribute various

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
x (X-Axis Coordinate) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
y (Y-Axis Coordinate) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

203. §19.5.68, “snd (Sound)”, p. 2942, attribute various

[DR 08-0012]

Attributes	Description
embed (Embedded Audio File Relationship ID) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...
name (Sound Name) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

204. §19.5.70, “sndTgt (Sound Target)”, p. 2943, attribute various

[DR 08-0012]

Attributes	Description
embed (Embedded Audio File Relationship ID) Namespace: .../officeDocument/2006/relationships	...
name (Sound Name) Namespace: .../drawingml/2006/main	...

205. §19.7, “Simple Types”, p. 2974

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/presentationml/2006/main> <http://purl.oclc.org/officePresentationml/main> namespace.

206. §20.1.2.2.14, “ext (Extension)”, p. 3028

[DR 09-0237]

Child Elements	Subclause
Zero or more Any elements in any namespace	n/a

207. §20.1.2.2.23, “hlinkHover (Hyperlink for Hover)”, p. 3037, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Drawing Object Hyperlink Target) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

208. §20.1.2.2.32, “snd (Hyperlink Sound)”, p. 3044, attribute embed

[DR 08-0012]

Attributes	Description
embed (Embedded Audio File Relationship ID) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

209. §20.1.3.2, “audioFile (Audio from File)”, pp. 3083–3084, attribute link

[DR 08-0012]

Attributes	Description
link (Linked Relationship ID) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

210. §20.1.3.4, “quickTimeFile (QuickTime from File)”, pp. 3085–3086, attribute link

[DR 08-0012]

Attributes	Description
link (Linked Relationship ID) Namespace: .../officeDocument /2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

211. §20.1.3.6, “videoFile (Video from File)”, p. 3088, attribute link

[DR 08-0012]

Attributes	Description
link (Linked Relationship ID) Namespace: .../officeDocument /2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

212. §20.1.3.7, “wavAudioFile (Audio from WAV File)”, p. 3089, attribute embed

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
embed (Embedded Audio File Relationship ID) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

213. §20.1.8.13, “blip (Blip)”, p. 3187, attribute embed

[DR 08-0012]

Attributes	Description
embed (Embedded Picture Reference) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...
link (Linked Picture Reference) Namespace: .../officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships	...

214. §20.2.2.1, “blipFill (Picture Fill)”, pp. 3450–3451, attribute various

[DR 08-0012]

Attributes	Description
dpi (DPI Setting) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

Attributes	Description
rotWithShape (Rotate With Shape) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

215. §20.2.2.2, “cNvPicPr (Non-Visual Picture Drawing Properties)”, p. 3452, attribute preferRelativeResize

[DR 08-0012]

Attributes	Description
preferRelativeResize (Relative Resize Preferred) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

216. §20.2.2.3, “cNvPr (Non-Visual Drawing Properties)”, pp. 3453–3454, attribute various

[DR 08-0012]

Attributes	Description
descr (Alternative Text for Object) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

Attributes	Description
hidden (Hidden) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
id (Unique Identifier) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
name (Name) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
title (Title) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

217. §20.2.2.6, “spPr (Shape Properties)”, p. 3457, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

218. §20.4.2.5, “docPr (Drawing Object Non-Visual Properties)”, pp. 3470–3472, attribute various

[DR 08-0012]

Attributes	Description
descr (Alternative Text for Object) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	... The possible values for this attribute are defined by the W3C XML Schema string datatype.
hidden (Hidden) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
id (Unique Identifier) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
name (Name) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
title (Title) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

219. §20.4.2.7, “extent (Drawing Object Size)”, pp. 3476–3477, attribute various

[DR 08-0012]

Attributes	Description
cx (Extent Length) Namespace: .../drawingml/2006/main	...
cy (Extent Width) Namespace: .../drawingml/2006/main	...

220. §20.4.2.9, “lineTo (Wrapping Polygon Line End Position)”, p. 3481, attribute various

[DR 08-0012]

Attributes	Description
x (X-Axis Coordinate) Namespace: .../drawingml/2006/main	...
y (Y-Axis Coordinate) Namespace: .../drawingml/2006/main	...

221. §20.4.2.13, “simplePos (Simple Positioning Coordinates)”, pp. 3485–3486, attribute various

[DR 08-0012]

Attributes	Description
x (X-Axis Coordinate) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
y (Y-Axis Coordinate) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

222. §20.4.2.14, “start (Wrapping Polygon Start)”, pp. 3486–3487, attribute various

[DR 08-0012]

Attributes	Description
x (X-Axis Coordinate) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
y (Y-Axis Coordinate) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

223. §20.4.3, “Simple Types”, p. 3500

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawing><http://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing> namespace.

224. §20.5, “DrawingML – SpreadsheetML Drawing”, pp. 3507–3508

[DR 08-0012]

```
<xdr:twoCellAnchor>
  ...
  <xdr:graphicFrame>
    ...
    <a:graphic>
      <a:graphicData
        uri="http://schemas.openxmlformats.org/drawingml/2006/diagram
http://purl.oclc.org/ooxml/drawingml/diagram">
        <dgm:relIds xmlns:dgm="..." xmlns:r="..." r:dm="rId1" r:lo="rId2"
          r:qs="rId3" r:cs="rId4" />
      </a:graphicData>
    </a:graphic>
  </xdr:graphicFrame>
</xdr:twoCellAnchor>
```

225. §20.5.2.2, “blipFill (Picture Fill)”, p. 3512, attribute various

[DR 08-0012]

Attributes	Description
dpi (DPI Setting) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

Attributes	Description
rotWithShape (Rotate With Shape) Namespace: .../drawingml/2006/main	...

226. §20.5.2.7, “cNvPicPr (Non-Visual Picture Drawing Properties)”, p. 3515, attribute preferRelativeResize

[DR 08-0012]

Attributes	Description
preferRelativeResize (Relative Resize Preferred) Namespace: .../drawingml/2006/main	...

227. §20.5.2.8, “cNvPr (Non-Visual Drawing Properties)”, pp. 3516–3517, attribute various

[DR 08-0012]

Attributes	Description
descr (Alternative Text for Object) Namespace: .../drawingml/2006/main	...

Attributes	Description
hidden (Hidden) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
id (Unique Identifier) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
name (Name) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
title (Title) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

228. §20.5.2.9, “cNvSpPr (Connection Non-Visual Shape Properties)”, p. 3518, attribute txBox

[DR 08-0012]

Attributes	Description
txBox (Text Box) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

229. §20.5.2.12, “contentPart (Content Part)”, pp. 3519–3523

[DR 08-0012]

The relationship type of the explicit relationship specified by this element shall be

<http://schemas.openxmlformats.org/officeDocument/2006/customXml><http://purl.oclc.org/ooxml/officeDocument/relationships/customXml> and have a TargetMode attribute value of Internal. If an application cannot process content of the content type specified by the targeted part, then it should continue to process the file. If possible, it should also provide some indication that unknown content was not imported.

...

```
<Relationships ... >
```

...

```
<Relationship Id="svg1" TargetMode="Internal"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/custom
Xml http://purl.oclc.org/ooxml/officeDocument/relationships/customXml" Target="svg1.xml" />
```

...

```
</Relationships>
```

230. §20.5.2.12, “contentPart (Content Part)”, p. 3523, attribute id

Attributes	Description
id (Relationship to Part) Namespace: .../officeDocument/2006/relationships	...

231. §20.5.2.14, “ext (Shape Extent)”, pp. 3524–3525, attribute various

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
cx (Extent Length) Namespace: .../drawingml/2006/main	...
cy (Extent Width) Namespace: .../drawingml/2006/main	...

232. §20.5.2.18, “grpSpPr (Group Shape Properties)”, p. 3529, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: .../drawingml/2006/main	...

233. §20.5.2.26, “pos (Position)”, p. 3534, attribute various

[DR 08-0012]

Attributes	Description
x (X-Axis Coordinate) Namespace: .../drawingml/2006/main	...

Attributes	Description
y (Y-Axis Coordinate) Namespace: .../drawingml/2006/main	...

234. §20.5.2.30, “spPr (Shape Properties)”, p. 3537, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: .../drawingml/2006/main	...

235. §20.5.2.36, “xfrm (2D Transform for Graphic Frames)”, pp. 3541–3542, attribute various

[DR 08-0012]

Attributes	Description
flipH (Horizontal Flip) Namespace: .../drawingml/2006/main	...

Attributes	Description
flipV (Vertical Flip) Namespace: .../drawingml/2006/main	...
rot (Rotation) Namespace: .../drawingml/2006/main	...

236. §20.5.3, “Simple Types:, p. 3542

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawing> <http://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing> namespace.

237. §21.1.2.3.5, “hlinkClick (Click Hyperlink)”, p. 3610, attribute id

[DR 08-0012]

Attributes	Description
id (Drawing Object Hyperlink Target) Namespace: .../officeDocument/2006/relationships	...

238. §21.1.2.3.6, “hlinkMouseOver (Mouse-Over Hyperlink)”, p. 3612, attribute id

[DR 08-0012]

Attributes	Description
id (Drawing Object Hyperlink Target) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

239. §21.2.2.26, “chart (Reference to Chart Part)”, p. 3770, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Reference) Namespace: .../officeDocument/2006/relationships ps http://purl.oclc.org/ooxml/officeDocument/relationships	...

240. §21.2.2.30, “clrMapOvr (Color Map Override)”, pp. 3773–3775, attribute various

[DR 08-0012]

Attributes	Description
accent1 (Accent 1) Namespace: .../drawingml/2006/main ps http://purl.oclc.org/ooxml/drawingml/main	...

Attributes	Description
accent2 (Accent 2) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
accent3 (Accent 3) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
accent4 (Accent 4) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
accent5 (Accent 5) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
accent6 (Accent 6) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
bg1 (Background 1) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

Attributes	Description
bg2 (Background 2) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
folHlink (Followed Hyperlink) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
hlink (Hyperlink) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
tx1 (Text 1) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
tx2 (Text 2) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

241. §21.2.2.63, “externalData (External Data Relationship)”, p. 3790, attribute id

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
id (Relationship Reference) Namespace: ../officeDocument/2006/relationships	Specifies the relationship ID for the relationship for this chart. The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/package http://purl.oclc.org/ooxml/officeDocument/relationships/package

242. §21.2.2.197, “spPr (Shape Properties)”, p. 3858, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: ../drawingml/2006/main	...

243. §21.2.2.221, “userShapes (Reference to Chart Drawing Part)”, p. 3868, attribute id

[DR 08-0012]

Attributes	Description
id (Relationship Reference) Namespace: ../officeDocument/2006/relationships	...

244. §21.2.3, “Simple Types”, p. 3875

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/drawingml/2006/chart><http://purl.oclc.org/ooxml/drawingml/chart> namespace.

245. §21.3.2.2, “blipFill (Picture Fill)”, pp. 3913–3914, attribute various

[DR 08-0012]

Attributes	Description
dpi (DPI Setting) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
rotWithShape (Rotate With Shape) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

246. §21.3.2.6, “cNvPicPr (Non-Visual Picture Drawing Properties)”, p. 3916, attribute preferRelativeResize

[DR 08-0012]

Attributes	Description
preferRelativeResize (Relative Resize Preferred) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

247. §21.3.2.7, “cNvPr (Non-Visual Drawing Properties)”, pp. 3917–3918, attribute various

[DR 08-0012]

Attributes	Description
descr (Alternative Text for Object) Namespace: .../drawingml/2006/main	...
hidden (Hidden) Namespace: .../drawingml/2006/main	...
id (Unique Identifier) Namespace: .../drawingml/2006/main	...
name (Name) Namespace: .../drawingml/2006/main	...
title (Title) Namespace: .../drawingml/2006/main	...

248. §21.3.2.8, “cNvSpPr (Non-Visual Shape Drawing Properties)”, p. 3919, attribute txBox

[DR 08-0012]

Attributes	Description
------------	-------------

Attributes	Description
txBox (Text Box) Namespace: .../drawingml/2006/main	...

249. §21.3.2.10, “ext (Shape Extent)”, p. 3922, attribute various

[DR 08-0012]

Attributes	Description
cx (Extent Length) Namespace: .../drawingml/2006/main	...
cy (Extent Width) Namespace: .../drawingml/2006/main	...

250. §21.3.2.14, “grpSpPr (Group Shape Properties)”, p. 3926, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: .../drawingml/2006/main	...

251. §21.3.2.23, “spPr (Shape Properties)”, p. 3934, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: .../drawingml/2006/main	...

252. §21.3.2.28, “xfrm (Graphics Frame Transform)”, p. 3937, attribute various

[DR 08-0012]

Attributes	Description
flipH (Horizontal Flip) Namespace: .../drawingml/2006/main	...
flipV (Vertical Flip) Namespace: .../drawingml/2006/main	...
rot (Rotation) Namespace: .../drawingml/2006/main	...

253. §21.3.3, “Simple Types”, p. 3938

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/drawingml/2006/chartDrawing> namespace.

254. §21.4.2.22, “relIds (Explicit Relationships to Diagram Parts)”, p. 3968, attribute various

[DR 08-0012]

Attributes	Description
<p>cs (Explicit Relationship to Diagram Colors Part)</p> <p>Namespace: ../officeDocument/2006/relationships pshttp://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>...</p> <p>This relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramColorshttp://purl.oclc.org/ooxml/officeDocument/relationships/diagramColors or the document shall be considered non-conformant.</p> <p>...</p>
<p>dm (Explicit Relationship to Diagram Data Part)</p> <p>Namespace: ../officeDocument/2006/relationships pshttp://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>...</p> <p>This relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramDatahttp://purl.oclc.org/ooxml/officeDocument/relationships/diagramData or the document shall be considered non-conformant.</p> <p>...</p>
<p>lo (Explicit Relationship to Diagram Layout Definition Part)</p> <p>Namespace: ../officeDocument/2006/relationships pshttp://purl.oclc.org/ooxml/officeDocument/relationships</p>	<p>...</p> <p>This relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramLayouthttp://purl.oclc.org/ooxml/officeDocument/relationships/diagramLayout or the document shall be considered non-conformant.</p> <p>...</p>

Attributes	Description
qs (Explicit Relationship to Style Definition Part) Namespace: ... /officeDocument/2006/relationships/ps http://purl.oclc.org/ooxml/officeDocument/relationships	... This relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramQuickStyle http://purl.oclc.org/ooxml/officeDocument/relationships/diagramQuickStyle or the document shall be considered non-conformant. ...

255. §21.4.2.27, “shape (Shape)”, p. 3973, attribute blip

[DR 08-0012]

Attributes	Description
blip (Relationship to Image Part) Namespace: ... /officeDocument/2006/relationships/ps http://purl.oclc.org/ooxml/officeDocument/relationships	... This relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image http://purl.oclc.org/ooxml/officeDocument/relationships/image or the document shall be considered non-conformant. ...

256. §21.4.3.7, “spPr (Shape Properties)”, p. 3988, attribute bwMode

[DR 08-0012]

Attributes	Description
bwMode (Black and White Mode) Namespace: ... /drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

257. §21.4.5.6, “sp3d (3-D Shape Properties)”, pp. 4008–4009, attribute various

[DR 08-0012]

Attributes	Description
contourW (Contour Width) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
extrusionH (Extrusion Height) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
prstMaterial (Preset Material Type) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...
z (Shape Depth) Namespace: .../drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main	...

258. §21.4.7, “Simple Types”, p. 4021

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/drawingml/2006/diagram><http://purl.oclc.org/ooxml/drawingml/diagram> namespace.

259. §22.1.3, “Simple Types”, p. 4223

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/officeDocument/2006/math><http://purl.oclc.org/ooxml/officeDocument/math> namespace.

260. §22.2, “Extended Properties”, p. 4230

[DR 08-0012]

Extended properties are stored within an Extended File Properties part with:

- Source Relationship:
<http://schemas.openxmlformats.org/officeDocument/2006/relationships/extended-properties><http://purl.oclc.org/ooxml/officeDocument/relationships/extendedProperties>
- Content Type: application/vnd.openxmlformats-officedocument.extended-properties+xml

261. §22.3, “Custom Properties”, p. 4240

[DR 08-0012]

Custom properties are represented by property elements (§22.3.2.2) stored in the Custom File Properties part with:

- Source Relationship:
<http://schemas.openxmlformats.org/officeDocument/2006/relationships/custom-properties><http://purl.oclc.org/ooxml/officeDocument/relationships/customProperties>
- Content Type: application/vnd.openxmlformats-officedocument.custom-properties+xml

262. §22.4.3, “Simple Types”, p. 4256

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypes><http://purl.oclc.org/ooxml/officeDocument/docPropsVTypes> namespace.

263. §22.6.2.60, “sources (Sources)”, p. 4300

[DR 08-0012]

Attributes	Description
SelectedStyle (Selected Style)	<p>...</p> <p>[Example:</p> <pre data-bbox="451 394 1474 495"><b:Sources SelectedStyle="\APA.XSL" StyleName="APA" URI="http://schemas.openxmlformats.org/bibliographicStyle/APAhttp://purl.oclc.org/ooxml/bibliographicStyle/APA"></pre> <p>end example]</p> <p>...</p>

264. §22.6.3, “Simple Types”, p. 4310

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/officeDocument/2006/bibliography> <http://purl.oclc.org/ooxml/officeDocument/bibliography> namespace.

265. §22.7.3, “Simple Types”, p. 4315

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/officeDocument/2006/characteristics> <http://purl.oclc.org/ooxml/officeDocument/characteristics> namespace.

266. §22.8.2, “Simple Types”, p. 4316

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/officeDocument/2006/relationships> <http://purl.oclc.org/ooxml/officeDocument/relationships> namespace.

267. §22.9.2, “Simple Types”, p. 4317

[DR 08-0012]

This is the complete list of simple types in the

<http://schemas.openxmlformats.org/officeDocument/2006/sharedTypes> <http://purl.oclc.org/ooxml/officeDocument/shareTypes> namespace.

268. §A.1, “WordprocessingML”, p. 4345, lines 1-18

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:m="http://schemas.openxmlformats.org/officeDocument/2006/mathhttp://purl.oc
  lc.org/ooxml/officeDocument/math"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp:
  //purl.oclc.org/ooxml/officeDocument/relationships"
  xmlns:sl="http://schemas.openxmlformats.org/schemaLibrary/2006/mainhttp://purl.oc
  lc.org/ooxml/schemaLibrary/main"
  xmlns:wp="http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawingh
  ttp://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing"
  xmlns="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl.oc
  lc.org/ooxml/wordprocessingml/main"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://
  purl.oclc.org/ooxml/officeDocument/sharedTypes" elementFormDefault="qualified"
  attributeFormDefault="qualified" blockDefault="#all"
  targetNamespace="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp
  ://purl.oclc.org/ooxml/wordprocessingml/main">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDraw
    inghttp://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing"
    schemaLocation="dml-wordprocessingDrawing.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/mathhttp://pu
    rl.oclc.org/ooxml/officeDocument/math" schemaLocation="shared-math.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationships
    http://purl.oclc.org/ooxml/officeDocument/relationships"
    schemaLocation="shared-relationshipReference.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypesht
    tp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-
    commonSimpleTypes.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/schemaLibrary/2006/mainhttp://pur
    l.oclc.org/ooxml/schemaLibrary/main" schemaLocation="shared-
    customXmlSchemaProperties.xsd"/>

```

269. §A.1, “WordprocessingML”, pp. 4377-4378, lines 1721-1762

[DR 09-0157]


```

<xsd:group name="EG_RPrBase">
  <xsd:sequenceall>
    <xsd:element name="rStyle" type="CT_String" minOccurs="0"/>
    ...
    <xsd:element name="oMath" type="CT_OnOff" minOccurs="0"/>
  </xsd:sequenceall>
</xsd:group>

```

270. §A.1, “WordprocessingML”, p. 4392, lines 2500–2506

[DR 09-0008]

```

<xsd:complexType name="CT_RecipientData">
  <xsd:sequence>
    <xsd:element name="active" type="CT_OnOff" minOccurs="0"/>
    <xsd:element name="column" type="CT_DecimalNumber" minOccurs="1"/>
    <xsd:element name="uniqueTag" type="xsd:base64BinaryCT_Base64Binary"
      minOccurs="1"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="CT_Base64Binary">
  <xsd:attribute name="val" type="xsd:base64Binary" use="required">
  </xsd:attribute>
</xsd:complexType>

```

271. §A.2, “SpreadsheetML”, p. 4410, lines 1–13

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/spreadsheetml/2006/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
  xmlns:xdr="http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawinghttp://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
  targetNamespace="http://schemas.openxmlformats.org/spreadsheetml/2006/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main" elementFormDefault="qualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
    schemaLocation="shared-relationshipReference.xsd"/>
  <xsd:import id="s"
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-commonSimpleTypes.xsd"/>
  <xsd:import id="xdr"
    namespace="http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawinghttp://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing" schemaLocation="dml-spreadsheetDrawing.xsd"/>

```

272. §A.2, “SpreadsheetML”, p. 4481, lines 3792–3811

[DR 09-0052]

```

<xsd:complexType name="CT_Font">
  <xsd:choice maxOccurs="unbounded">
    ...
    <xsd:element name="family" type="CT_IntPropertyCT_FontFamily" minOccurs="0"
      maxOccurs="1"/>
    ...
  </xsd:choice>
</xsd:complexType>

```

273. §A.2, “SpreadsheetML”, new type

[DR 09-0052]

```

<xsd:complexType name="CT_FontFamily">
  <xsd:attribute name="val" type="ST_FontFamily" use="required"/>
</xsd:complexType>

<xsd:simpleType name="ST_FontFamily">
  <xsd:restriction base="xsd:integer">
    <xsd:minInclusive value="0"/>
    <xsd:maxInclusive value="14"/>
  </xsd:restriction>
</xsd:simpleType>

```

274. §A.3, "PresentationML", p. 4494, lines 1-13

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/presentationml/2006/mainhttp://purl.oclc.org/ooxml/presentationml/main"
  xmlns:p="http://schemas.openxmlformats.org/presentationml/2006/mainhttp://purl.oclc.org/ooxml/presentationml/main"
  xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes" elementFormDefault="qualified"
  targetNamespace="http://schemas.openxmlformats.org/presentationml/2006/mainhttp://purl.oclc.org/ooxml/presentationml/main">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
    schemaLocation="shared-relationshipReference.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main" schemaLocation="dml-main.xsd"/>
  <xsd:import id="s"
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-commonSimpleTypes.xsd"/>

```

275. §A.3, "PresentationML", p. 4508, lines 768-773

[DR 09-0241]

```

<xsd:complexType name="CT_Extension">
  <xsd:sequence>
    <xsd:any processContents="lax" minOccurs="0" maxOccurs="unbounded"/>>
  </xsd:sequence>
  <xsd:attribute name="uri" type="xsd:token" use="required"/>>
</xsd:complexType>

```

276. §A.3, "PresentationML", p. 4510, lines 849-857

[DR 09-0244]

```

<xsd:complexType name="CT_OleObject">
  <xsd:choice minOccurs="1" maxOccurs="1">
    <xsd:element name="embed" type="CT_OleObjectEmbed"/>
    <xsd:element name="link" type="CT_OleObjectLink"/>
    <xsd:element name="pic" type="CT_Picture"/>
  </xsd:choice>
  <xsd:element name="pic" type="CT Picture" minOccurs="1" maxOccurs="1"/>
  <xsd:attributeGroup ref="AG_Ole"/>
  <xsd:attribute name="progId" type="xsd:string" use="optional"/>
</xsd:complexType>

```

277. §A.3, "PresentationML", p. 4522, lines 1505-1508

[DR 09-0245]

```

<xsd:complexType name="CT_StringTag">
  <xsd:attribute name="name" type="xsd:string" use="required"/>>
  <xsd:attribute name="val" type="xsd:string" use="required"/>>
</xsd:complexType>

```

278. §A.4.1, "DrawingML - Main", p. 4525, lines 1-20

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
  xmlns="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
  targetNamespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main" elementFormDefault="qualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
    schemaLocation="shared-relationshipReference.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-commonSimpleTypes.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram" schemaLocation="dml-diagram.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/charthttp://purl.oclc.org/ooxml/drawingml/chart" schemaLocation="dml-chart.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/picturehttp://purl.oclc.org/ooxml/drawingml/picture" schemaLocation="dml-picture.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/compatibilityhttp://purl.oclc.org/ooxml/drawingml/compatibility" schemaLocation="dml-compatibility.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/lockedCanvashttp://purl.oclc.org/ooxml/drawingml/lockedCanvas" schemaLocation="dml-lockedCanvas.xsd"/>

```

279. §A.4.1, “DrawingML - Main”, p. 4528, lines 184–189

[DR 09-0237]

```

<xsd:complexType name="CT_OfficeArtExtension">
  <xsd:sequence>
    <xsd:any processContents="lax" minOccurs="0" maxOccurs="unbounded"/>
  </xsd:sequence>
  <xsd:attribute name="uri" type="xsd:token" use="required"/>
</xsd:complexType>

```

280. §A.4.1, "DrawingML - Main", p. 4536, lines 597–602

[DR 09-0239]

```

<xsd:complexType name="CT_PresetColor">
  <xsd:sequence>
    <xsd:group ref="EG_ColorTransform" minOccurs="0" maxOccurs="unbounded"/>
  </xsd:sequence>
  <xsd:attribute name="val" type="ST_PresetColorVal" use="required"/>
</xsd:complexType>

```

281. §A.4.1, "DrawingML - Main", p. 4541, lines 835–840

[DR 09-0238]

```

<xsd:complexType name="CT_GraphicalObjectData">
  <xsd:sequence>
    <xsd:any minOccurs="0" maxOccurs="unbounded" processContents="strict"/>
  </xsd:sequence>
  <xsd:attribute name="uri" type="xsd:token" use="required"/>
</xsd:complexType>

```

282. §A.4.1, "DrawingML - Main", p. 4555, lines 1617–1619

[DR 09-0236]

```

<xsd:complexType name="CT_EffectReference">
  <xsd:attribute name="ref" type="xsd:token" use="required"/>
</xsd:complexType>

```

283. §A.4.1, "DrawingML - Main", p. 4576, lines 2752–2754

[DR 09-0235]

```
<xsd:complexType name="CT_TextBulletSizePoint">
  <xsd:attribute name="val" type="ST_TextFontSize" use="required"/>
</xsd:complexType>
```

284. §A.4.1, “DrawingML - Main”, p. 4577, lines 2749–2751

[DR 09-0234]

```
<xsd:complexType name="CT_TextBulletSizePercent">
  <xsd:attribute name="val" type="ST_TextBulletSizePercent" use="required"/>
</xsd:complexType>
```

285. §A.4.2, “DrawingML - Picture”, p. 4582, lines 1–6

[DR 08-0012]

```
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/drawingml/2006/picturehttp://purl.oclc.org/ooxml/drawingml/picture"
  xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main" elementFormDefault="qualified"
  targetNamespace="http://schemas.openxmlformats.org/drawingml/2006/picturehttp://purl.oclc.org/ooxml/drawingml/picture">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main" schemaLocation="dml-main.xsd"/>
```

286. §A.4.3, “DrawingML - Locked Canvas”, p. 4583, lines 1–10

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/drawingml/2006/lockedCanvashttp://purl.o
  clc.org/ooxml/drawingml/lockedCanvas"
  xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.or
  g/ooxml/drawingml/main"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp:
  //purl.oclc.org/ooxml/officeDocument/relationships"
  elementFormDefault="qualified"
  targetNamespace="http://schemas.openxmlformats.org/drawingml/2006/lockedCanvashtt
  p://purl.oclc.org/ooxml/drawingml/lockedCanvas">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.
    org/ooxml/drawingml/main" schemaLocation="dml-main.xsd"/>
  <xsd:element name="lockedCanvas" type="a:CT_GvmlGroupShape"/>
</xsd:schema>

```

287. §A.4.4, “DrawingML – WordprocessingML Drawing”, p. 4583, lines 1–10

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.or
  g/ooxml/drawingml/main"
  xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl.
  oclc.org/ooxml/wordprocessingml/main"
  xmlns="http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawinghttp
  ://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing"
  targetNamespace="http://schemas.openxmlformats.org/drawingml/2006/wordprocessingD
  rrawinghttp://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing"
  elementFormDefault="qualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oc
    lc.org/ooxml/drawingml/main" schemaLocation="dml-main.xsd"/>
  <xsd:import schemaLocation="wml.xsd"
    namespace="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://
    purl.oclc.org/ooxml/wordprocessingml/main"/>

```

288. §A.4.5, “DrawingML – SpreadsheetML Drawing”, p. 4587, lines 1–10

[DR 08-0012]


```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
  xmlns="http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawinghttp://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
  targetNamespace="http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawinghttp://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing"
  elementFormDefault="qualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main" schemaLocation="dml-main.xsd"/>
  <xsd:import schemaLocation="shared-relationshipReference.xsd"
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"/>

```

289. §A.5.1, “DrawingML - Charts”, p. 4590, lines 1-16

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
  xmlns="http://schemas.openxmlformats.org/drawingml/2006/charthttp://purl.oclc.org/ooxml/drawingml/chart"
  xmlns:cdr="http://schemas.openxmlformats.org/drawingml/2006/chartDrawinghttp://purl.oclc.org/ooxml/drawingml/chartDrawing"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
  targetNamespace="http://schemas.openxmlformats.org/drawingml/2006/charthttp://purl.oclc.org/ooxml/drawingml/chart" elementFormDefault="qualified"
  attributeFormDefault="unqualified" blockDefault="#all">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
    schemaLocation="shared-relationshipReference.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main" schemaLocation="dml-main.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/chartDrawinghttp://purl.oclc.org/ooxml/drawingml/chartDrawing" schemaLocation="dml-chartDrawing.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-commonSimpleTypes.xsd"/>

```

290. §A.5.2, “DrawingML – Chart Drawings”, p. 4617, lines 1–7

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
  xmlns="http://schemas.openxmlformats.org/drawingml/2006/chartDrawinghttp://purl.oclc.org/ooxml/drawingml/chartDrawing"
  targetNamespace="http://schemas.openxmlformats.org/drawingml/2006/chartDrawinghttp://purl.oclc.org/ooxml/drawingml/chartDrawing" elementFormDefault="qualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main" schemaLocation="dml-main.xsd"/>

```

291. §A.5.3, “DrawingML - Diagrams”, p. 4620, lines 1–13

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram"
  xmlns:a="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
  targetNamespace="http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram" elementFormDefault="qualified"
  attributeFormDefault="unqualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
    schemaLocation="shared-relationshipReference.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main" schemaLocation="dml-main.xsd"/>
  <xsd:import id="s"
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-commonSimpleTypes.xsd"/>

```

292. §A.5.3, “DrawingML - Diagrams”, p. 4621, lines 64–90

[DR 08-0012]

```

<xsd:complexType name="CT_ColorTransform">
  ...
  <xsd:attribute name="minVer" type="xsd:string" use="optional"
    default="http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://pur
    l.oclc.org/ooxml/drawingml/diagram"/>
</xsd:complexType>
<xsd:element name="colorsDef" type="CT_ColorTransform"/>
<xsd:complexType name="CT_ColorTransformHeader">
  ...
  <xsd:attribute name="minVer" type="xsd:string" use="optional"
    default="http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://pur
    l.oclc.org/ooxml/drawingml/diagram"/>
  <xsd:attribute name="resId" type="xsd:int" use="optional" default="0"/>
</xsd:complexType>

```

293. §A.5.3, “DrawingML - Diagrams”, p. 4627, lines 369–400

[DR 08-0012]

```

<xsd:complexType name="CT_DiagramDefinition">
  ...
  <xsd:attribute name="minVer" type="xsd:string" use="optional"
    default="http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://pur
    l.oclc.org/ooxml/drawingml/diagram"/>
  <xsd:attribute name="defStyle" type="xsd:string" use="optional" default=""/>
</xsd:complexType>
<xsd:element name="layoutDef" type="CT_DiagramDefinition"/>
<xsd:complexType name="CT_DiagramDefinitionHeader">
  ...
  <xsd:attribute name="minVer" type="xsd:string" use="optional"
    default="http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://pur
    l.oclc.org/ooxml/drawingml/diagram"/>
  <xsd:attribute name="defStyle" type="xsd:string" use="optional" default=""/>
  <xsd:attribute name="resId" type="xsd:int" use="optional" default="0"/>
</xsd:complexType>

```

294. §A.5.3, “DrawingML - Diagrams”, p. 4631, lines 578–605

[DR 08-0012]

```

<xsd:complexType name="CT_StyleDefinition">
  ...
  <xsd:attribute name="minVer" type="xsd:string" use="optional"
    default="http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.o
    clc.org/ooxml/drawingml/diagram"/>
</xsd:complexType>
<xsd:element name="styleDef" type="CT_StyleDefinition"/>
<xsd:complexType name="CT_StyleDefinitionHeader">
  ...
  <xsd:attribute name="minVer" type="xsd:string" use="optional" default=
    http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/o
    oxml/drawingml/diagram"/>
  <xsd:attribute name="resId" type="xsd:int" use="optional" default="0"/>
</xsd:complexType>

```

295. §A.6.1, “Math”, p. 4641, lines 1-11

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/officeDocument/2006/mathhttp://purl.oclc
  .org/ooxml/officeDocument/math"
  xmlns:m="http://schemas.openxmlformats.org/officeDocument/2006/math
  http://purl.oclc.org/ooxml/officeDocument/math"
  xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl.
  oclc.org/ooxml/wordprocessingml/main"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://
  purl.oclc.org/ooxml/officeDocument/sharedTypes" elementFormDefault="qualified"
  attributeFormDefault="qualified" blockDefault="#all"
  targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/mathhttp://
  /purl.oclc.org/ooxml/officeDocument/math">
  <xsd:import id="w"
    namespace="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://
    purl.oclc.org/ooxml/wordprocessingml/main" schemaLocation="wml.xsd"/>
  <xsd:import id="s"
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypesht
    tp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-
    commonSimpleTypes.xsd"/>

```

296. §A.6.2, “Extended Properties”, p. 4652, lines 1-7

[DR 08-0012]

```

<xsd:schema xmlns="http://schemas.openxmlformats.org/officeDocument/2006/extended-
propertieshttp://purl.oclc.org/ooxml/officeDocument/extendedProperties "
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:vt="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshtt
p://purl.oclc.org/ooxml/officeDocument/docPropsVTypes "
targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/extended-
propertieshttp://purl.oclc.org/ooxml/officeDocument/extendedProperties"
elementFormDefault="qualified" blockDefault="#all">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVType
shttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes"
    schemaLocation="shared-documentPropertiesVariantTypes.xsd"/>

```

297. §A.6.3, “Custom Properties”, p. 4653, lines 1–10

[DR 08-0012]

```

<xsd:schema xmlns="http://schemas.openxmlformats.org/officeDocument/2006/custom-
propertieshttp://purl.oclc.org/ooxml/officeDocument/customProperties "
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:vt="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshtt
p://purl.oclc.org/ooxml/officeDocument/docPropsVTypes "
xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://
purl.oclc.org/ooxml/officeDocument/sharedTypes "
targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/custom-
propertieshttp://purl.oclc.org/ooxml/officeDocument/customProperties"
blockDefault="#all" elementFormDefault="qualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVType
shttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes"
    schemaLocation="shared-documentPropertiesVariantTypes.xsd"/>
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypesht
tp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-
commonSimpleTypes.xsd"/>

```

298. §A.6.4, “Variant Types”, p. 4654, lines 1–7

[DR 08-0012]

```

<xsd:schema
  xmlns="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://
  /purl.oclc.org/ooxml/officeDocument/docPropsVTypes"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://
  purl.oclc.org/ooxml/officeDocument/sharedTypes"
  targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVT
  ypeshttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes" blockDefault="#all"
  elementFormDefault="qualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypesht
    tp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-
    commonSimpleTypes.xsd"/>

```

299. §A.6.5, “Custom XML Data Properties”, p. 4658, lines 1-7

[DR 08-0012]

```

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl
  .oclc.org/ooxml/officeDocument/customXml"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://
  purl.oclc.org/ooxml/officeDocument/sharedTypes"
  targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/customXmlh
  tp://purl.oclc.org/ooxml/officeDocument/customXml"
  elementFormDefault="qualified" attributeFormDefault="qualified"
  blockDefault="#all">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypesht
    tp://purl.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-
    commonSimpleTypes.xsd"/>

```

300. §A.6.6, “Bibliography”, p. 4659, lines 1-7

[DR 08-0012]

```
<xsd:schema
  xmlns="http://schemas.openxmlformats.org/officeDocument/2006/bibliographyhttp://p
  url.oclc.org/ooxml/officeDocument/bibliography"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:s="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://
  purl.oclc.org/ooxml/officeDocument/sharedTypes"
  targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/bibliograp
  hyhttp://pur1.oclc.org/ooxml/officeDocument/bibliography"
  elementFormDefault="qualified">
  <xsd:import
    namespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypesht
    tp://pur1.oclc.org/ooxml/officeDocument/sharedTypes" schemaLocation="shared-
    commonSimpleTypes.xsd"/>
```

301. §A.6.7, “Additional Characteristics”, p. 4661, lines 1–4

[DR 08-0012]

```
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/officeDocument/2006/characteristicshttp:
  //pur1.oclc.org/ooxml/officeDocument/characteristics"
  targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/characteri
  sticshttp://pur1.oclc.org/ooxml/officeDocument/characteristics"
  elementFormDefault="qualified">
```

302. §A.6.8, “Office Document Relationships”, p. 4662, lines 1–5

[DR 08-0012]

```
<xsd:schema
  xmlns="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://
  pur1.oclc.org/ooxml/officeDocument/relationships"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp:
  //pur1.oclc.org/ooxml/officeDocument/relationships"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified"
  targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/relationsh
  ipshttp://pur1.oclc.org/ooxml/officeDocument/relationships" blockDefault="#all">
```

303. §A.6.9, “Shared Simple Types”, p. 4662, lines 1–4

[DR 08-0012]


```
<xsd:schema
  xmlns="http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://pu
  rl.oclc.org/ooxml/officeDocument/sharedTypes"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  targetNamespace="http://schemas.openxmlformats.org/officeDocument/2006/sharedType
  shttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
  elementFormDefault="qualified">
```

304. §A.6.9, “Shared Simple Types”, p. 4662, lines 41–43

[DR 09-0159]

```
<xsd:simpleType name="ST_OnOff">
  <xsd:restriction base="xsd:boolean"/>
  <xs:union memberTypes="xsd:boolean"/>
</xsd:simpleType>
```

305. §A.7, “Custom XML Schema References”, p. 4665, lines 1–4

[DR 08-0012]

```
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.openxmlformats.org/schemaLibrary/2006/mainhttp://purl.oclc.
  org/ooxml/schemaLibrary/main"
  targetNamespace="http://schemas.openxmlformats.org/schemaLibrary/2006/mainhttp://
  purl.oclc.org/ooxml/schemaLibrary/main" attributeFormDefault="qualified"
  elementFormDefault="qualified">
```

306. §B.1, “WordprocessingML”, p. 4667, lines 1–15

[DR 08-0012]

```

namespace m =
"http://schemas.openxmlformats.org/officeDocument/2006/mathhttp://purl.oclc.org/ooxml/officeDocument/math"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace r =
"http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
namespace s =
"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
namespace sl =
"http://schemas.openxmlformats.org/schemaLibrary/2006/mainhttp://purl.oclc.org/ooxml/schemaLibrary/main"
namespace v = "urn:schemas-microsoft-com:VML"
default namespace w =
"http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl.oclc.org/ooxml/wordprocessingml/main"
namespace w10 = "urn:schemas-microsoft-com:office:word"
namespace wp =
"http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawinghttp://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing"

```

307. §B.1, “WordprocessingML”, pp. 4687–4688, lines 1089–1128

[DR 09-0157]

<<Relax NG schema change description goes here>>

308. §B.1, “WordprocessingML”, p. 4696, lines 1538–1541

[DR 09-0008]

<<Relax NG schema change description goes here>>

309. §B.2, “SpreadsheetML”, p. 4712, lines 1–12

[DR 08-0012]

```

namespace o = "urn:schemas-microsoft-com:office:office"
namespace r =

"http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
namespace s =

"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
default namespace sml =

"http://schemas.openxmlformats.org/spreadsheetml/2006/mainhttp://purl.oclc.org/ooxml/spreadsheetml/main"
namespace v = "urn:schemas-microsoft-com:vm1"
namespace w10 = "urn:schemas-microsoft-com:office:word"
namespace x = "urn:schemas-microsoft-com:office:excel"
namespace xdr =

"http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawinghttp://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing"

```

310. §B.2, "SpreadsheetML", p. 4788, lines 4788–4046

[DR 09-0052]

```

sml_CT_Font =
  (element name { sml_CT_FontNamesml\_CT\_FontFamily }?
  ...
  | element family { sml_CT_IntProperty }?
  ...
  | element scheme { sml_CT_FontScheme }?)+

```

311. §B.2, "SpreadsheetML", new type

[DR 09-0052]

<<Relax NG schema change description goes here>>

312. §B.3, "PresentationML", p. 4806, lines 1–10

[DR 08-0012]

```

default namespace =
"http://schemas.openxmlformats.org/presentationml/2006/mainhttp://purl.oclc.org/ooxml/presentationml/main"
namespace a =
"http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace p =
"http://schemas.openxmlformats.org/presentationml/2006/mainhttp://purl.oclc.org/ooxml/presentationml/main"
namespace r =
"http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
namespace s =
"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"

```

313. §B.3, "PresentationML", p. 4815, lines 470–472

[DR 09-0241]

```

p_CT_Extension =
  attribute uri { xsd:token }?,
  p_CT_Extension_any*

```

314. §B.3, "PresentationML", p. 4816, lines 522–527

[DR 09-0244]

```

p_CT_OleObject =
  p_AG_Ole,
  attribute progId { xsd:string }?,
  (element embed { p_CT_OleObjectEmbed }
  | element link { p_CT_OleObjectLink }
  | element pic { p_CT_Picture }),
  element pic { p\_CT\_Picture }

```

315. §B.3, "PresentationML", p. 4826, lines 1032–1034

[DR 09-0245]

```
p_CT_StringTag =
  attribute name { xsd:string }?,
  attribute val { xsd:string }?
```

316. §B.4.1, “DrawingML - Main”, p. 4831, lines 1-8

[DR 08-0012]

```
default namespace =
  "http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace a =
  "http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace r =
  "http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
namespace s =
  "http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
```

317. §B.4.1, “DrawingML - Main”, p. 4833, lines 107-109

[DR 09-0237]

<<Relax NG schema change description goes here>>

318. §B.4.1, “DrawingML - Main”, p. 4840, lines 446-448

[DR 09-0239]

```
a_CT_PresetColor =
  attribute val { a_ST_PresetColorVal }?,
  a_EG_ColorTransform*
```

319. §B.4.1, “DrawingML - Main”, p. 4844, lines 673-675

[DR 09-0238]

```
a_CT_GraphicalObjectData =  
  attribute uri { xsd:token }?,  
  a_CT_GraphicalObjectData_any*
```

320. §B.4.1, “DrawingML - Main”, p. 4856, line 1307

[DR 09-0236]

```
a_CT_EffectReference = attribute ref { xsd:token }?
```

321. §B.4.1, “DrawingML - Main”, p. 4871, lines 2118–2119

[DR 09-0234]

```
a_CT_TextBulletSizePercent =  
  attribute val { a_ST_TextBulletSizePercent }?
```

322. §B.4.1, “DrawingML - Main”, p. 4871, line 2120

[DR 09-0235]

```
a_CT_TextBulletSizePoint = attribute val { a_ST_TextFontSize }?
```

323. §B.4.2, “DrawingML - Picture”, p. 4875, lines 1–5

[DR 08-0012]

```
default namespace =  
"http://schemas.openxmlformats.org/drawingml/2006/picturehttp://purl.oclc.org/ooxml/drawingml/picture"  
namespace a =  
"http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"  
namespace dpct =  
"http://schemas.openxmlformats.org/drawingml/2006/picturehttp://purl.oclc.org/ooxml/drawingml/picture"
```

324. §B.4.3, “DrawingML - Locked Canvas”, p. 4876, lines 1–8

[DR 08-0012]

```

default namespace =

"http://schemas.openxmlformats.org/drawingml/2006/lockedCanvashttp://purl.oclc.org/ooxml/drawingml/lockedCanvas"
namespace a =
"http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace dlckcnv =

"http://schemas.openxmlformats.org/drawingml/2006/lockedCanvashttp://purl.oclc.org/ooxml/drawingml/lockedCanvas"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace r =

"http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"

```

325. §B.4.4, “DrawingML – WordprocessingML Drawing”, p. 4876, lines 1–10

[DR 08-0012]

```

default namespace =

"http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawinghttp://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing"
namespace a =
"http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace v = "urn:schemas-microsoft-com:vm1"
namespace w =

"http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl.oclc.org/ooxml/wordprocessingml/main"
namespace w10 = "urn:schemas-microsoft-com:office:word"
namespace wp =

"http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawinghttp://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing"

```

326. §B.4.5, “DrawingML – SpreadsheetML Drawing”, p. 4878, lines 1–11

[DR 08-0012]

```

default namespace =
"http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawinghttp://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing"
namespace a =
"http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace r =
"http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
namespace v = "urn:schemas-microsoft-com:vml"
namespace w10 = "urn:schemas-microsoft-com:office:word"
namespace x = "urn:schemas-microsoft-com:office:excel"
namespace xdr =
"http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawinghttp://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing"

```

327. §B.5.1, “DrawingML – Charts”, p. 4880, lines 1-12

[DR 08-0012]


```

default namespace =

"http://schemas.openxmlformats.org/drawingml/2006/charthttp://purl.oclc.org/ooxml/drawingml/chart"
namespace a =
"http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace cdr =

"http://schemas.openxmlformats.org/drawingml/2006/chartDrawinghttp://purl.oclc.org/ooxml/drawingml/chartDrawing"
namespace dchart =

"http://schemas.openxmlformats.org/drawingml/2006/charthttp://purl.oclc.org/ooxml/drawingml/chart"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace r =

"http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
namespace s =

"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"

```

328. §B.5.2, "DrawingML - Chart Drawings", p. 4899, lines 1-5

[DR 08-0012]

```

default namespace =

"http://schemas.openxmlformats.org/drawingml/2006/chartDrawinghttp://purl.oclc.org/ooxml/drawingml/chartDrawing"
namespace a =
"http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace cdr =

"http://schemas.openxmlformats.org/drawingml/2006/chartDrawinghttp://purl.oclc.org/ooxml/drawingml/chartDrawing"

```

329. §B.5.3, "DrawingML - Diagrams", p. 4900, lines 1-10

[DR 08-0012]

```

default namespace =
"http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram"
namespace a =
"http://schemas.openxmlformats.org/drawingml/2006/mainhttp://purl.oclc.org/ooxml/drawingml/main"
namespace ddgrm =
"http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace r =
"http://schemas.openxmlformats.org/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/relationships"
namespace s =
"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"

```

330. §B.5.3, "DrawingML - Diagrams", p. 4901, lines 44–58

[DR 08-0012]

```

ddgrm_CT_ColorTransform =
  attribute uniqueId { xsd:string }?,

  ## default value:
http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram
  ...
ddgrm_CT_ColorTransformHeader =
  attribute uniqueId { xsd:string },

  ## default value:
http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram

```

331. §B.5.3, "DrawingML - Diagrams", p. 4906, lines 300–318

[DR 08-0012]

```

ddgrm_CT_DiagramDefinition =
  attribute uniqueId { xsd:string }?,

  ## default value:
http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram
  ...
ddgrm_CT_DiagramDefinitionHeader =
  attribute uniqueId { xsd:string },

  ## default value:
http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram

```

332. §B.5.3, “DrawingML - Diagrams”, p. 4909, lines 475–490

[DR 08-0012]

```

ddgrm_CT_StyleDefinition =
  attribute uniqueId { xsd:string }?,

  ## default value:
http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram
  ...
ddgrm_CT_StyleDefinitionHeader =
  attribute uniqueId { xsd:string },

  ## default value:
http://schemas.openxmlformats.org/drawingml/2006/diagramhttp://purl.oclc.org/ooxml/drawingml/diagram

```

333. §B.6.1, “Math”, p. 4916, lines 1–8

[DR 08-0012]

```

default namespace m =
  "http://schemas.openxmlformats.org/officeDocument/2006/mathhttp://purl.oclc.org/ooxml/officeDocument/math"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace s =
  "http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
namespace v = "urn:schemas-microsoft-com:VML"
namespace w =
  "http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl.oclc.org/ooxml/wordprocessingml/main"

```

334. §B.6.2, “Extended Properties”, p. 4921, lines 1–8

[DR 08-0012]

```

default namespace =
  "http://schemas.openxmlformats.org/officeDocument/2006/extended-propertieshttp://purl.oclc.org/ooxml/officeDocument/extendedProperties"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace shdDcEP =
  "http://schemas.openxmlformats.org/officeDocument/2006/extended-propertieshttp://purl.oclc.org/ooxml/officeDocument/extendedProperties"
namespace v = "urn:schemas-microsoft-com:VML"
namespace vt =
  "http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes"

```

335. §B.6.3, “Custom Properties”, p. 4922, lines 1–10

[DR 08-0012]

```

default namespace =
  "http://schemas.openxmlformats.org/officeDocument/2006/custom-
propertieshttp://purl.oclc.org/ooxml/officeDocument/customProperties"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace s =

"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
namespace shdCstm =
  "http://schemas.openxmlformats.org/officeDocument/2006/custom-
propertieshttp://purl.oclc.org/ooxml/officeDocument/customProperties"
namespace v = "urn:schemas-microsoft-com:vm1"
namespace vt =

"http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes"

```

336. §B.6.4, “Variant Types”, p. 4923, lines 1–8

[DR 08-0012]

```

default namespace =

"http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace s =

"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
namespace v = "urn:schemas-microsoft-com:vm1"
namespace vt =

"http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes"
namespace w10 = "urn:schemas-microsoft-com:office:word"
namespace x = "urn:schemas-microsoft-com:office:excel"

```

337. §B.6.5, “Custom XML Data Properties”, p. 4927, lines 1–5

[DR 08-0012]

```

default namespace ds =

"http://schemas.openxmlformats.org/officeDocument/2006/customXmlhttp://purl.oclc.org/ooxml/officeDocument/customXml"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace s =

"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"

```

338. §B.6.6, “Bibliography”, p. 4927, lines 1-7

[DR 08-0012]

```

default namespace =

"http://schemas.openxmlformats.org/officeDocument/2006/bibliographyhttp://purl.oclc.org/ooxml/officeDocument/bibliography"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace s =

"http://schemas.openxmlformats.org/officeDocument/2006/sharedTypeshttp://purl.oclc.org/ooxml/officeDocument/sharedTypes"
namespace shrdBib =

"http://schemas.openxmlformats.org/officeDocument/2006/bibliographyhttp://purl.oclc.org/ooxml/officeDocument/bibliography"

```

339. §B.6.7, “Additional Characteristics”, p. 4929, lines 1-5

[DR 08-0012]

```

default namespace =

"http://schemas.openxmlformats.org/officeDocument/2006/characteristicshttp://purl.oclc.org/ooxml/officeDocument/characteristics"
namespace o = "urn:schemas-microsoft-com:office:office"
namespace shrdChr =

"http://schemas.openxmlformats.org/officeDocument/2006/characteristicshttp://purl.oclc.org/ooxml/officeDocument/characteristics"

```

340. §B.6.8, “Office Document Relationships”, p. 4930, lines 1-3

[DR 08-0012]

```
namespace o = "urn:schemas-microsoft-com:office:office"
namespace r =
" http://schemas.openxmlformats.org/officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships "
```

341. §B.6.9, “Shared Simple Types”, p. 4930, lines 1–3

[DR 08-0012]

```
namespace o = "urn:schemas-microsoft-com:office:office"
namespace s =
" http://schemas.openxmlformats.org/officeDocument/2006/sharedTypes http://purl.oclc.org/ooxml/officeDocument/sharedTypes "
```

342. §B.7, “Custom XML Schema References”, p. 4932, lines 1–3

[DR 08-0012]

```
namespace o = "urn:schemas-microsoft-com:office:office"
default namespace sl =
" http://schemas.openxmlformats.org/schemaLibrary/2006/main http://purl.oclc.org/ooxml/schemaLibrary/main "
```

343. §C, “Additional Syntax Constraints”, p. 4935

[DR 08-0012]

Subclause	Constraint
WordprocessingML Headers and Footers	If the relationship type of the relationship specified by this element shall be present, have a TargetMode attribute value of Internal, and a Type attribute value of http://schemas.openxmlformats.org/officeDocument/2006/header http://purl.oclc.org/ooxml/officeDocument/relationships/header .

344. §D, “Namespace Prefix Mapping in Examples”, p. 4935–4936

[DR 08-0012]

This Annex is informative.

Throughout ISO/IEC 29500, XML syntax is provided to illustrate the concepts being documented. These examples leverage XML namespace prefixes, and, typically, for brevity, do not show the actual namespace mappings. This Annex lists the namespace prefix mappings that are used within these examples.

Prefix	Namespace
a	http://schemas.openxmlformats.org/drawingml/2006/main http://purl.oclc.org/ooxml/drawingml/main
b	http://schemas.openxmlformats.org/officeDocument/2006/bibliography http://purl.oclc.org/ooxml/officeDocument/bibliography
cp	http://schemas.openxmlformats.org/package/2006/metadata/core-properties
cdr	http://schemas.openxmlformats.org/drawingml/2006/chartDrawing http://purl.oclc.org/ooxml/drawingml/chartDrawing
dc	http://purl.org/dc/elements/1.1/
dcmitype	http://purl.org/dc/dcmitype/
dcterms	http://purl.org/dc/terms/
ds	http://schemas.openxmlformats.org/officeDocument/2006/customXml http://purl.oclc.org/ooxml/officeDocument/customXml
m	http://schemas.openxmlformats.org/officeDocument/2006/math http://purl.oclc.org/ooxml/officeDocument/math
o	urn:schemas-microsoft-com:office:office
p	http://schemas.openxmlformats.org/presentationml/2006/main http://purl.oclc.org/ooxml/presentationml/main
pic	http://schemas.openxmlformats.org/drawingml/2006/picture http://purl.oclc.org/ooxml/drawingml/picture
pvm1	urn:schemas-microsoft-com:office:powerpoint
r	http://schemas.openxmlformats.org/officeDocument/2006/relationships http://purl.oclc.org/ooxml/officeDocument/relationships
sl	http://schemas.openxmlformats.org/schemaLibrary/2006/main http://purl.oclc.org/ooxml/schemaLibrary/main
v	urn:schemas-microsoft-com:vml
ve	http://schemas.openxmlformats.org/markup-compatibility/2006
vt	http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypes http://purl.oclc.org/ooxml/officeDocument/docPropsVTypes
w	http://schemas.openxmlformats.org/wordprocessingml/2006/main http://purl.oclc.org/ooxml/wordprocessingml/main
w10	urn:schemas-microsoft-com:office:word
wp	http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawing http://purl.oclc.org/ooxml/drawingml/wordprocessingDrawing
x	urn:schemas-microsoft-com:office:excel
xdr	http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawing http://purl.oclc.org/ooxml/drawingml/spreadsheetDrawing

Prefix	Namespace
xsd	http://www.w3.org/2001/XMLSchema
xsi	http://www.w3.org/2001/XMLSchema-instance

If no namespace prefix is specified, it should be assumed that that element or attribute is contained within the namespace defined by the parent subclause. For example, unprefixed elements in **§Error! Reference source not found.** are contained in the <http://schemas.openxmlformats.org/spreadsheetml/2006/main> <http://purl.oclc.org/ooxml/spreadsheetml/main> namespace.

End informative Annex.

345. §E.1, “Handling raw bitfields”, p. 4937

[DR 08-0012]

```
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl
.oclc.org/ooxml/wordprocessingml/main">
...
</xsl:stylesheet>
```

346. §E.2, “Handling hexadecimal-encoded bitfields”, p. 4938

[DR 08-0012]

```
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl
.oclc.org/ooxml/wordprocessingml/main">
...
</xsl:stylesheet>
```

347. §F, “WordprocessingML Custom XML Data Extraction”, p. 4940

[DR 08-0012]

```
<?xml version="1.0" encoding="UTF-8" ?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/mainhttp://purl
.oclc.org/ooxml/wordprocessingml/main">
...
</xsl:stylesheet>
```

348. §K.4.1, “Understanding the Type of a Document”, p. 5038

[DR 08-0012]

The first step is getting the content type is to identify the target part of the ‘officedocument’ relationship. To so this, one needs to start in the _rels\rels file and identify the relationship of type

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument><http://purl.oclc.org/ooxml/officeDocument/relationships/officeDocument>:

```
<Relationships
  xmlns="http://schemas.openxmlformats.org/package/2006/relationships">
  <Relationship Id="rId3"

  Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/extended-
  propertieshttp://purl.oclc.org/ooxml/officeDocument/relationships/extendedProperties"
  ...
  <Relationship Id="rId1"

  Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/office
  Documenthttp://purl.oclc.org/ooxml/officeDocument/relationships/officeDocument"
    Target="word/document.xml"/>
</Relationships>
```

349. §K.4.2, “Understanding the Function of a Document”, p. 5039–5040

[DR 08-0012]

```
<Properties xmlns =
  "http://schemas.openxmlformats.org/officeDocument/2006/extended-
  propertieshttp://purl.oclc.org/ooxml/officeDocument/extendedProperties"
  xmlns:vt =

  "http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://purl
  .oclc.org/ooxml/officeDocument/docPropsVTypes">
  ...
</Properties>
```

...

```
<Properties xmlns="http://schemas.openxmlformats.org/officeDocument/2006/custom-propertieshttp://purl.oclc.org/ooxml/officeDocument/customProperties"
xmlns:vt="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes">
...
</Properties>
```

350. §K.4.3, “Understanding the Length of a Document”, pp. 5040–5041

[DR 08-0012]

```
<Properties
xmlns="http://schemas.openxmlformats.org/officeDocument/2006/extended-propertieshttp://purl.oclc.org/ooxml/officeDocument/extendedProperties"
xmlns:vt="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes">
...
</Properties>
```

...

```
<Properties
xmlns="http://schemas.openxmlformats.org/officeDocument/2006/extended-propertieshttp://purl.oclc.org/ooxml/officeDocument/extendedProperties"
xmlns:vt="http://schemas.openxmlformats.org/officeDocument/2006/docPropsVTypeshttp://purl.oclc.org/ooxml/officeDocument/docPropsVTypes">
...
</Properties>
```

351. §K.5.7, “Creating Image Map-Like Functionality”, p. 5061

[DR 08-0012]

```
<Relationships
xmlns="http://schemas.openxmlformats.org/package/2006/relationships">
  <Relationship Id="rId3"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlinkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink"
Target="http://url2/" TargetMode="External"/>
```

```

    <Relationship Id="rId2"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/imageh
http://purl.oclc.org/ooxml/officeDocument/relationships/image"
Target="../media/image1.jpeg"/>
    <Relationship Id="rId1"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/slidel
ayouthttp://purl.oclc.org/ooxml/officeDocument/relationships/slideLayout"
Target="../slideLayouts/slideLayout7.xml"/>
    <Relationship Id="rId4"
Type="http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperl
inkhttp://purl.oclc.org/ooxml/officeDocument/relationships/hyperlink"
Target="http://url1/" TargetMode="External"/>
</Relationships>

```

352. §M.1.6.1, “Smart Tags”, p. 5088

[DR 08-0012]

```

<w:p w:rsidR="00672474" w:rsidRDefault="00672474">
  <w:r>
    <w:t xml:space="preserve">This is a stock symbol: </w:t>
  </w:r>
  <w:smartTag
w:uri="http://schemas.openxmlformats.org/2006/smarttagshttp://purl.oclc.org/ooxm
l/officeDocument/smartTags"
  w:element="stockticker">
    <w:r>
      <w:t>MSFT</w:t>
    </w:r>
  </w:smartTag>
</w:p>

```

...

The first of these is the namespace for this smart tag (contained in the uri attribute). This allows the smart tag to specify a URI which should be round-tripped with this smart tag and be available to a consumer. It is intended to be used to specify a family of smart tags to which this one belongs – for example, in the sample above, the smart tag belongs to the

<http://schemas.openxmlformats.org/2006/smarttagshttp://purl.oclc.org/ooxml/officeDocument/smartTags> namespace.

...

```

<w:smartTag
w:uri="http://schemas.openxmlformats.org/2006/smarttagshttp://purl.oclc.org/ooxml/officeDocument/smartTags"
  w:element="stockticker">
  <w:smartTagPr>
    <w:attr w:name="fullCompanyName" w:val="Microsoft Corporation"/>
  </w:smartTagPr>
  <w:r>
    <w:t>MSFT</w:t>
  </w:r>
</w:smartTag>

```

353. §M.1.8.1, “Styles Part”, p. 5096

[DR 08-0012]

Style information in a WordprocessingML document is stored in the Styles part within the package, which is stored via an implicit relationship from the Main Document or Glossary Document part of relationship type <http://schemas.openxmlformats.org/wordprocessingml/2006/styleshttp://purl.oclc.org/ooxml/officeDocument/relationships/styles> and has a content type of vnd-openxmlformats.officedocument.wordprocessingml-styles+xml.

354. §M.1.9.4, “Font Table”, p. 5112

[DR 08-0012]

The font table part is stored via an implicit relationship from either the main document part or the glossary document part, and has a relationship type of <http://schemas.openxmlformats.org/wordprocessingml/2006/fontTablehttp://purl.oclc.org/ooxml/officeDocument/relationships/fontTable>, and a content type of vnd-openxmlformats.officedocument.wordprocessingml-fontTable+xml.

355. §M.1.10.1, “Numbering Part”, pp. 5113–5114

[DR 08-0012]

Numbering information in a WordprocessingML document is stored in the Numbering part within the package, which is stored via an implicit relationship from the Main Document part or Glossary Document part of relationship type <http://schemas.openxmlformats.org/wordprocessingml/2006/numberinghttp://purl.oclc.org/ooxml/officeDocument/relationships/numbering> and has a content type of vnd-openxmlformats.officedocument.wordprocessingml-numbering+xml.

356. §M.1.11.1, “Header Part”, p. 5127

[DR 08-0012]

Header information in a WordprocessingML document is stored in a header part within the package, which is stored via an implicit relationship from the Main Document part or the Glossary Document part of relationship type

<http://schemas.openxmlformats.org/wordprocessingml/2006/header><http://purl.oclc.org/ooxml/officeDocument/relationships/header> and has a content type of vnd-openxmlformats.officedocument.wordprocessingml-header+xml.

357. §M.1.11.2, “Footer Part”, p. 5127

[DR 08-0012]

Footer information in a WordprocessingML document is stored in a footer part within the package, which is stored via an implicit relationship from the Main Document part or the Glossary Document part of relationship type

<http://schemas.openxmlformats.org/wordprocessingml/2006/footer><http://purl.oclc.org/ooxml/officeDocument/relationships/footer> and has a content type of vnd-openxmlformats.officedocument.wordprocessingml-footer+xml.

358. §M.1.12.1, “Footnote Part”, p. 5133

[DR 08-0012]

Footnote information in a WordprocessingML document is stored in the footnotes part within the package, which is stored via an implicit relationship from the Main Document part or Glossary Document part of relationship type

<http://schemas.openxmlformats.org/wordprocessingml/2006/footnotes><http://purl.oclc.org/ooxml/officeDocument/relationships/footnotes> and has a content type of vnd-openxmlformats.officedocument.wordprocessingml-footnotes+xml.

359. §M.1.12.2, “Endnote Part”, p. 5133

[DR 08-0012]

Endnote information in a WordprocessingML document is stored in the Endnotes part within the package, which is stored via an implicit relationship from the Main Document part or Glossary Document part of relationship type

<http://schemas.openxmlformats.org/wordprocessingml/2006/endnotes><http://purl.oclc.org/ooxml/officeDocument/relationships/endnotes> and has a content type of vnd-openxmlformats.officedocument.wordprocessingml-endnotes+xml.

360. §M.2.13.5, “Supporting Workbook Cache (Cell C2)”, p. 5280

[DR 08-0012]

```

<externalLink ...>
  <externalBook xmlns:r="http://schemas.openxmlformats.org
/officeDocument/2006/relationshipshttp://purl.oclc.org/ooxml/officeDocument/rela
tionships" r:id="rId1">
  ...
</externalLink>

```

361. §M.2.15.4.3, “The Table XML”, p. 5292

[DR 08-0012]

```

<table
xmlns="http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oc
lc.org/ooxml/spreadsheetml/main" id="7" name="Table7" displayName="Table7"
ref="B8:G12" tableType="xml" totalsRowShown="0" connectionId="1">
  ...
</table>

```

362. §M.2.15.4.4, “Single Cell XML”, p. 5292

[DR 08-0012]

```

<singleXmlCells
xmlns="http://schemas.openxmlformats.org/spreadsheetml/2006/5/mainhttp://purl.oc
lc.org/ooxml/spreadsheetml/main">
  ...
</singleXmlCells>

```

363. §M.6.2.3, “Extended Properties”, p. 5531

[DR 08-0012]

Extended properties are a predefined set of metadata properties that are specifically applicable to Office Open XML documents. Extended properties consist of 24 simple properties and 3 complex properties stored in the part targeted by the relationship of type:

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/extended-properties><http://purl.oclc.org/ooxml/officeDocument/relationships/extendedProperties>.

364. §M.6.2.4, “Custom Properties”, p. 5531

[DR 08-0012]

Custom properties allow users to extend pre-defined metadata properties with user-defined properties. Custom properties are stored in the part targeted by the relationship of type:

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/custom-properties><http://purl.oclc.org/ooxml/officeDocument/relationships/customProperties>. Each property is represented as a property XML element and uniquely identified through the name, fmid, and pid attributes. All custom properties are considered complex properties. The datatype and value of custom properties are specified by its child variant type XML elements.

365. §M.6.3, “Custom XML Data”, p. 5532

[DR 08-0012]

Within an Office Open XML document, it is sometimes desirable or necessary to store custom XML data (that is, data in a format not defined by this Office Open XML specification) within the contents of the package. To accommodate this need, Office Open XML allows the storage of any arbitrary XML within a package as the target of the

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml><http://purl.oclc.org/ooxml/officeDocument/relationships/customXml> relationship (source parts are listed within Part 1).

366. §M.7.2.1, “Embedded Packages”, p. 5539

[DR 08-0012]

Whenever an Office Open XML document is stored as an embedded object, the embedding must be referred to as an embedded package. Embedded packages must be the target of the Embedded Package relationship defined in Part 1:

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/package><http://purl.oclc.org/ooxml/officeDocument/relationships/package>. this Office Open XML specification

367. §M.7.2.2, “Embedded Objects”, p. 5540

[DR 08-0012]

For all other embeddings, the embedded object is stored in an arbitrary format defined by the application whose data is being embedded. These generic embedded objects must be the target of the Embedded Object relationship:

<http://schemas.openxmlformats.org/officeDocument/2006/relationships/oleObject><http://purl.oclc.org/ooxml/officeDocument/relationships/oleObject>. When parsing the data stored in an embedded object part, an application must use the associated ProgID (whose location is described in the following subclauses) for the object.

368. §M.7.2.5, “Embeddings in a PresentationML Document”, p. 5543

[DR 08-0012]

When an embedding is present in a PresentationML document, it must be stored as follows:

- ...
- The graphicData element for the frame must have the appropriate URI for its contents: <http://schemas.openxmlformats.org/presentationml/2006/ole><http://purl.oclc.org/ooxml/officeDocument/oleObject>. Its child element must be the PresentationML oleObj element, which stores an explicit relationship to the associated Embedded Package or Embedded Object part, the ProgID for that embedded object, and (optionally) the shape ID for the associated shape.

...

For example, if we embed the Equation.3 object in a PresentationML document, the following markup would be stored in the shape tree of the appropriate Slide part:

```
<p:graphicFrame>
  ...
  <a:graphic>
    <a:graphicData
      uri="http://schemas.openxmlformats.org/presentationml/2006/ole
http://purl.oclc.org/ooxml/officeDocument/oleObject">
      <p:oleObj spid="10" name="Equation" r:id="rId3"
        imgW="320" imgH="272" progId="Equation.3">
        <p:embed />
        <p:pic>
          ...
        </p:pic>
      </p:oleObj>
    </a:graphicData>
  </a:graphic>
</p:graphicFrame>
```

If we examine this markup, it can be seen that:

- The uri attribute on the graphicData element is <http://schemas.openxmlformats.org/presentationml/2006/ole><http://purl.oclc.org/ooxml/officeDocument/oleObject>, which dictates that this is an embedded object