

<<ISO and IEC logos go here>>

**Draft 3, 2009-07-24**

# **Information technology — Document description and processing languages — Office Open XML File Formats —**

## **Part 4: Transitional Migration Features**

### **TECHNICAL CORRIGENDUM 1**

*Technologies de l'information — Description des documents et langages de traitement — Formats de fichier "Office Open XML" —*  
*Partie 4: ...*

### **RECTIFICATIF TECHNIQUE 1**

Technical Corrigendum 1 to ISO/IEC 29500-4:2008 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee SC 34, Document description and processing languages*.

It contains corrections that resolve various Defect Reports submitted against ISO/IEC 29500-4:2008.

A correction can involve changes to one or more clauses or subclauses; it can even apply to multiple Parts of ISO/IEC 29500. For changes to ISO/IEC 29500-4:2008, each such change has its own entry below.

Changes are presented in ascending clause, subclause, and page number order.

**ISO/IEC 29500-4:2008/Cor.1:2009(E)****Notational conventions**

The title of each change is the complete reference to the clause or subclause being corrected. In all cases, the title begins with the clause or subclause number, the clause or subclause name, and the page number. In those cases containing changes to a particular row of a table, the value in that row's first column is appended to the title. As the lines in each XML schema subclause are numbered starting at 1 and going to the end of a schema, corrections to schemas also contain the numbers of the lines being corrected.

A change can contain any one or more of the following kinds of edits:

1. Addition of text: New text is displayed in blue and is underlined, as demonstrated here.
2. Deletion of text: ~~Deleted text is displayed in red and is struck through, as demonstrated here.~~
3. Change of format of text: Text whose format (but not its content) has changed is displayed in green and is double-underlined, as demonstrated here.

Many changes involve edits to large paragraphs, tables, and/or XML fragments. In such cases, the changes contain only as much unchanged content as is necessary to establish the correct context of each change. Omitted content is identified via the use of ellipses (...).

Within a change, intent that cannot be represented visually as an edit is written as an instruction in italic and delimited by curly brackets; for example: *{In paragraph 2, item 4, and in paragraph 4, make the numbers in the text “17–23” hyperlinked forward references to Clauses 17 and 23.}*

## Contents

<b>Introduction (For WG4 use only; will be removed from the final COR) .....</b>	<b>1</b>
<b>Changes .....</b>	<b>2</b>
1. <b>§1, "Scope", p. 1.....</b>	<b>2</b>
2. <b>§1, "Scope", p. 1.....</b>	<b>2</b>
3. <b>§3, "Normative References", p. 4.....</b>	<b>2</b>
4. <b>§3, "Normative References", p. 5 .....</b>	<b>2</b>
5. <b>§3, "Normative References", p. 6 .....</b>	<b>2</b>
6. <b>§3, "Normative References", p. 6 .....</b>	<b>3</b>
7. <b>§3, "Normative References", p. 7 .....</b>	<b>3</b>
8. <b>§5, "Notational Conventions", p. 10.....</b>	<b>3</b>
9. <b>§9.9.4.8, "QUOTE", p. 165, new subclause .....</b>	<b>3</b>
10. <b>§9.10.9, "Additional enumeration values for ST_NumberFormat (Part 1, §17.18.59), new subclause .....</b>	<b>4</b>
11. <b>§10.3.2, "Additional attributes for dynamicFilter element (Part 1, §18.3.2.5)", p. 183–184 .....</b>	<b>4</b>
12. <b>§10.7, "Additional representation for dates and times (Part 1, Section 18.17.4 )" .....</b>	<b>5</b>
13. <b>§10.8, "Formulas", p. 186, new subclause .....</b>	<b>5</b>
14. <b>§10.8.1, "Attribute synonym for c element (Part 1, §18.6.1)", new subclause.....</b>	<b>5</b>
15. <b>§A.1, "WordprocessingML", p. 811.....</b>	<b>6</b>
16. <b>§A.1, "WordprocessingML", p. 846, lines 1851–1857 .....</b>	<b>6</b>
17. <b>§A.1, "WordprocessingML", new type .....</b>	<b>6</b>
18. <b>§A.2, "SpreadsheetML", p. xx, lines xx–xx.....</b>	<b>7</b>
19. <b>§A.2, "SpreadsheetML", p. 879 .....</b>	<b>7</b>
20. <b>§A.2, "SpreadsheetML", p. 884, lines 264–271 .....</b>	<b>7</b>
21. <b>§A.2, "SpreadsheetML", p. 951–952, lines 3849–3857 .....</b>	<b>8</b>
22. <b>§A.3, "PresentationML", p. 963.....</b>	<b>8</b>
23. <b>§A.3, "PresentationML", p. 988, lines 1336–1344 .....</b>	<b>8</b>
24. <b>§A.4.1, "DrawingML – Main", p. 996 .....</b>	<b>8</b>
25. <b>§A.4.2, "DrawingML – Picture", p. 1054 .....</b>	<b>9</b>
26. <b>§A.4.3, "DrawingML - Locked Canvas", p. 1054 .....</b>	<b>9</b>
27. <b>§A.4.4, "DrawingML - WordprocessingML Drawing", p. 1054.....</b>	<b>9</b>
28. <b>§A.4.5, "DrawingML - SpreadsheetML Drawing", p. 1055 .....</b>	<b>9</b>
29. <b>§A.5.1 - DrawingML – Charts", p. 1062.....</b>	<b>9</b>

30.	§A.5.1, "Drawing ML - Charts", p. 1068, lines 309–314.....	9
31.	§A.5.1, "Drawing ML - Charts", p. 1070, lines 424–438.....	9
32.	§A.5.1, "Drawing ML - Charts", p. 1071, lines 493–498.....	10
33.	§A.5.1, "Drawing ML - Charts", p. 1081, lines 1024–1028.....	10
34.	§A.5.2, "DrawingML - Chart Drawing", p. 1089 .....	10
35.	§A.5.3, "DrawingML – Diagrams", p. 1092.....	10
36.	§A.6.1, "VML", p. 1113 .....	10
37.	§A.6.1, "Math", p. 1147, lines 488–493 .....	11
38.	§A.6.2 VML, "Office Drawing", p. 1123.....	11
39.	§A.6.3 VML, "WordprocessingML Drawing", p. 1133 .....	11
40.	§A.6.4 VML, "SpreadsheetML Drawing", p. 1135 .....	11
41.	§A.6.5 VML, "PresentationML Drawing", p. 1137.....	11
42.	§A.7.1, "Math", p. 1137 .....	11
43.	§A.7.2, "Extended Properties", p. 1148 .....	11
44.	§A.7.3, "Custom Properties", p. 1149.....	12
45.	§A.7.4, "Variant Types", p. 1151 .....	12
46.	§A.7.5, "Custom XML Data Properties", p. 1154.....	12
47.	§A.7.6, "Bibliography", p. 1155 .....	12
48.	§A.7.7, "Additional Characteristics", p. 1158.....	12
49.	§A.7.8, "Office Document Relationships", p. 1158 .....	12
50.	§A.7.9, "Shared Simple Types", p. 1159.....	12
51.	§A.8, "Custom XML Schema References", p. 1162.....	12
52.	§B.1, "WordprocessingML", p. 1163.....	13
53.	§B.1, "WordprocessingML", p. 1185, lines 1185–1188 .....	13
54.	§B.1, "WordprocessingML", p. 1185, lines 1185–1188 .....	13
55.	§B.1, "WordprocessingML", new type.....	13
56.	§B.1.1.1, "Comments Part", p. 1207 .....	13
57.	§B.1.1.2, "Document Settings Part", p. 1207 .....	13
58.	§B.1.1.3, "Endnotes Part", p. 1208 .....	13
59.	§B.1.1.4, "Font Table Part", p. 1208 .....	13
60.	§B.1.1.5, "Footer Part", p. 1209 .....	14
61.	§B.1.1.6, "Footnotes Part", p. 1209 .....	14

62.	§B.1.1.7, “Glossary Document Part”, p. 1210 .....	14
63.	§B.1.1.8, “Header Part”, p. 1210 .....	14
64.	§B.1.1.9, “Mail Merge Recipient Data Part”, p. 1211.....	14
65.	§B.1.1.10, “Main Document Part”, p. 1211.....	14
66.	§B.1.1.11, “Numbering Definitions Part”, p. 1211 .....	14
67.	§B.1.1.12, “Style Definitions Part”, p. 1212 .....	14
68.	§B.1.1.13, “Web Settings Part”, p. 1212 .....	15
69.	§B.2, “SpreadsheetML”, p. 1213.....	15
70.	§B.2, “SpreadsheetML”, p. xx, lines xx–xx .....	15
71.	§B.2, “SpreadsheetML”, p. 1216, lines 218–219 .....	15
72.	§B.2, “SpreadsheetML”, p. 1290, lines 4082–4086 .....	15
73.	§B.2.1, “Part Schemas”, p. 1301 .....	15
74.	§B.2.1.1, “Calculation Chain Part”, p. 1301.....	17
75.	§B.2.1.2, “Chartsheet Part”, p. 1301.....	18
76.	§B.2.1.3, “Comments Part”, p. 1302.....	18
77.	§B.2.1.4, “Connections Part”, p. 1302 .....	18
78.	§B.2.1.5, “Custom XML Mappings Part”, p. 1302.....	18
79.	§B.2.1.6, “Dialogsheet Part”, p. 1303 .....	18
80.	§B.2.1.7, “Drawing Part”, p. 1303.....	18
81.	§B.2.1.8, “External Workbook References Part”, p. 1303 .....	18
82.	§B.2.1.9, “Metadata Part”, p. 1303 .....	18
83.	§B.2.1.10, “Pivot Table Part”, p. 1304 .....	19
84.	§B.2.1.11, “Pivot Table Cache Definition Part”, p. 1304.....	19
85.	§B.2.1.12, “Pivot Table Cache Records Part”, p. 1304.....	19
86.	§B.2.1.13, “Query Table Part”, p. 1305.....	19
87.	§B.2.1.14, “Shared String Table Part”, p. 1305 .....	19
88.	§B.2.1.15, “Shared Workbook Revision Headers Part”, p. 1305.....	19
89.	§B.2.1.16, “Shared Workbook Revision Log Part”, p. 1306 .....	19
90.	§B.2.1.17, “Shared Workbook User Data Part”, p. 1306 .....	19
91.	§B.2.1.18, “Single Cell Table Definitions Part”, p. 1306 .....	20
92.	§B.2.1.19, “Styles Part”, p. 1306.....	20
93.	§B.2.1.20, “Table Definitions Part”, p. 1307 .....	20

94.	§B.2.1.21, “Volatile Dependencies Part”, p. 1307 .....	20
95.	§B.2.1.22, “Workbook Part”, p. 1307 .....	20
96.	§B.2.1.23, “Worksheet Part”, p. 1308.....	20
97.	§B.3, “PresentationML”, p. 1308 .....	20
98.	§B.3, “PresentationML”, pp. 1325, lines 940–944.....	20
99.	§B.3, “PresentationML”, p. 1319, line 621.....	21
100.	§B.3.1.1, “Comment Authors Part”, p. 1331 .....	21
101.	§B.3.1.2, “Comments Part”, p. 1331.....	21
102.	§B.3.1.3, “Handout Master Part”, p. 1331 .....	21
103.	§B.3.1.4, “Notes Master Part”, p. 1331 .....	21
104.	§B.3.1.5, “Notes Slide Part”, p. 1332 .....	21
105.	§B.3.1.6, “Presentation Part”, p. 1332.....	21
106.	§B.3.1.7, “Presentation Properties Part”, p. 1332 .....	22
107.	§B.3.1.8, “Slide Part”, p. 1333 .....	22
108.	§B.3.1.9, “Slide Layout Part”, p. 1333.....	22
109.	§B.3.1.10, “Slide Master Part”, p. 1333 .....	22
110.	§B.3.1.11, “Slide Synchronization Data Part”, p. 1333 .....	22
111.	§B.3.1.12, “User Defined Tags Part”, p. 1334.....	22
112.	§B.3.1.13, “View Properties Part”, p. 1334.....	22
113.	§B.4.1, “DrawingML - Main”, p. 1334 .....	22
114.	§B.4.1.1.1, “Table Styles Part”, p. 1378 .....	23
115.	§B.4.1.1.2, “Theme Part”, p. 1378 .....	23
116.	§B.4.1.1.3, “Theme Override Part”, p. 1378 .....	23
117.	§B.4.1.1.3, “Theme Override Part”, p. 1379, line 11 .....	23
118.	§B.4.2, “DrawingML - Picture”, p. 1379 .....	23
119.	§B.4.3, “DrawingML - Locked Canvas”, p. 1379 .....	23
120.	§B.4.4, “DrawingML - WordprocessingML Drawing”, p. 1380.....	23
121.	§B.4.5, “DrawingML - SpreadsheetML Drawing”, p. 4882.....	23
122.	§B.5.1, “DrawingML - Charts”, p. 1384 .....	24
123.	§B.5.1, “Drawing ML - Charts”, p. 1388, lines 192–193 .....	24
124.	§B.5.1, “Drawing ML - Charts”, pp. 1389, lines 261–272.....	24
125.	§B.5.1, “Drawing ML - Charts”, p. 1390, lines 311–312 .....	24

126.	§B.5.1, "Drawing ML - Charts", p. 1397, lines 652 .....	24
127.	§B.5.1.1.1, "Chart Part", p. 1402 .....	24
128.	§B.5.1.1.2, "Chart Drawing Part", p. 1402 .....	24
129.	§B.5.2, "DrawingML - Chart Drawing", p. 1402.....	25
130.	§B.5.3, "DrawingML - Diagrams", p. 1404 .....	25
131.	§B.5.3.1.1, "Diagram Colors Part", p. 1419 .....	25
132.	§B.5.3.1.2, "Diagram Data Part", p. 1419 .....	25
133.	§B.5.3.1.3, "Diagram Layout Definitions Part", p. 1419 .....	25
134.	§B.5.3.1.4, "Diagram Style Part", p. 1419 .....	25
135.	§B.6.1, "VML - Main", p. 1420 .....	25
136.	§B.6.1, "Math", p. 1443, line 240 .....	26
137.	§B.6.2, "VML - Office Drawing", p. 1427.....	26
138.	§B.6.3, "VML - Wordprocessing Drawing", p. 1435.....	26
139.	§B.6.4, "VML - Spreadsheet Drawing", p. 1436 .....	26
140.	§B.6.5, "VML - Presentation Drawing", p. 1438 .....	26
141.	§B.7.1, "Math", p. 1439.....	26
142.	§B.7.2, "Extended Properties", p. 1440 .....	26
143.	§B.7.2.1.1, "Extended File Properties Part", p. 1445 .....	26
144.	§B.7.3, "Custom Properties", p. 1445 .....	27
145.	§B.7.3.1.1, "Custom File Properties Part", p. 1446 .....	27
146.	§B.7.4, "Variant Types", p. 1446.....	27
147.	§B.7.5, "Custom XML Data Properties", p. 1450.....	27
148.	§B.7.5.1.1, "Custom XML Data Properties Part", p. 1450.....	27
149.	§B.7.6, "Bibliography", p. 1450 .....	27
150.	§B.7.6.1.1, "Bibliography Part", p. 1452 .....	27
151.	§B.7.7, "Additional Characteristics", p. 1452.....	27
152.	§B.7.7.1.1, "Additional Characteristics Part", p. 1453.....	28
153.	§B.7.8, "Office Document Relationships", p. 1453 .....	28
154.	§B.7.9, "Shared Simple Types", p. 1453.....	28
155.	§B.8, "Custom XML Schema References", p. 1455.....	28
156.	§B.9.1, "Any", p. 1456 .....	28
157.	§B.9.2, "XML", p. 1456 .....	28



## **Introduction (For WG4 use only; will be removed from the final COR)**

This Technical Corrigendum contains corrections that resolve various Defect Reports submitted against ISO/IEC 29500-4:2008.

A correction can involve changes to one or more clause or subclauses; it can even apply to multiple Parts of ISO/IEC 29500. For changes to Part 4, each such change has its own entry below, and the number of the Defect Report that lead to any particular change is written immediately following that change's title, in the form “[DR 99-9999]”. (This information is for the use of committee ISO/IEC SC 34/WG4 only, and will be removed from the final COR. However, a committee-private version containing the DR numbers will be made available for tracking purposes.)

Changes are presented in ascending clause, subclause, and page number order.

## Changes

### 1. §1, “Scope”, p. 1

[DR 09-0225]

In general, this Part augments Part 1, and inherits the provisions of that Part. Exceptions to this are indicated explicitly.

### 2. §1, “Scope”, p. 1

...

[DR 09-0192]

The features described in this Part shall only be used by documents of conformance class WML Transitional (§2.1), SML Transitional (§2.1), or PML Transitional (§2.1). These features are sometimes needed for high-quality migration of existing binary documents to ISO/IEC 29500.

The intent of this Part is to enable a transitional period during which existing binary documents being migrated to ISO/IEC 29500 can make use of legacy features to preserve their fidelity, while noting that new documents should not use them. Part 1, §2.4, “Document Conformance”, states that WML Strict, SML Strict and PML Strict documents shall not use any of the features defined in Part 4.

This Part is normative for the current edition of ISO/IEC 29500, but is not guaranteed to be included in future revisions of that Standard. The intent is to enable the group responsible for maintenance of ISO/IEC 29500 to choose, at a later date, to remove this set of features from a revised version of that Standard.

### 3. §3, “Normative References”, p. 4

[DR 09-0031]

ISO/IEC 10646:~~2003~~, Information technology — Universal Multiple-Octet Coded Character Set (UCS).

### 4. §3, “Normative References”, p. 5

[DR 09-0225]

ISO/IEC 29500-1:2008, Information technology — Document description and processing languages — Office Open XML File Formats, Part 1: Fundamentals and Markup Language Reference.

### 5. §3, “Normative References”, p. 6

[DR 09-0031]

The Unicode Consortium. *The Unicode Standard, Version 5.0, defined by: The Unicode Standard, Version xx5.0 (Reading, MA, Addison Wesley, 2006. ISBN 0-321-48091-0)*, <http://www.unicode.org/unicode/standard>.

## 6. §3, “Normative References”, p. 6

~~XML, Tim Bray, Eve Maler, Jean Paoli, C. M. Sperberg McQueen, John Cowan, and François Yergeau (editors). Extensible Markup Language (XML) 1.1, Third Edition. World Wide Web Consortium. 2004.~~<http://www.w3.org/TR/2004/REC-xml11-20040204/>~~XML, Tim Bray, Jean Paoli, Eve Maler, C. M. Sperberg McQueen, Eve Maler, and François Yergeau (editors). Extensible Markup Language (XML) 1.0, Fourth Edition.~~<sup>1</sup><http://www.w3.org/TR/2006/REC-xml-20060816/>

<sup>1</sup>In the future, this reference may be replaced by the 5<sup>th</sup> edition once that has received broad acceptance.

## 7. §3, “Normative References”, p. 7

[DR 09-0170]

XML Namespaces, Bray, Tim, Dave Hollander, Andrew Layman, and Richard Tobin (editors). *Namespaces in XML 1.0*. World Wide Web Consortium. 20064. <http://www.w3.org/TR/2004/REC-xml-names11-20040204/> <http://www.w3.org/TR/2006/REC-xml-names-20060816>

## 8. §5, “Notational Conventions”, p. 10

[DR 09-0082]

The following typographical conventions are used in ISO/IEC 29500:

- The first occurrence of a new term is written in italics, ~~as in “normative”~~. [\[Example: The text in ISO/IEC 29500 is divided into normative and informative categories. end example\]](#)
- In each definition of a term in §4 (Terms and Definitions), the term is written in bold, ~~as in “behavior”~~. [\[Example: behavior — External appearance or action. end example\]](#)
- The tag name of an XML element is written using an Element style, ~~as in “document”~~. [\[Example: The bookmarkStart and bookmarkEnd elements specify ... end example\]](#)
- The name of an XML attribute is written using an Attribute style, ~~as in “id”~~. [\[Example: The dropCap attribute specifies ... end example\]](#)
- The value of an XML attribute is written using a constant-width style, ~~as in “CommentReference”~~. [\[Example: The attribute value of auto specifies ... end example\]](#)
- The qualified or unqualified name of a simple type, complex type, or base datatype is written using a Type style, ~~as in “xsd:anyURI”~~. [\[Example: The possible values for this attribute are defined by the ST\\_HexColor simple type. end example\]](#)

## 9. §9.9.4.8, “QUOTE”, p. 165, new subclause

[DR 09-0087]

### 9.9.4.8 QUOTE

This field retrieves the text specified by *text* in *field-argument*. In strict conformance mode, this text may include any other fields except SYMBOL. However, in transitional conformance mode, this text may include any other fields except AUTONUM, AUTONUMLGL, AUTONUMOUT, and SYMBOL.

## 10. §9.10.9, “Additional enumeration values for ST\_NumberFormat (Part 1, §17.18.59), new subclause

[DR 09-0092]

Enumeration Value	Description
<a href="#">decimalFullWidth2 (Full Width Arabic Numerals Alternate)</a>	<p><u>Specifies that the sequence shall consist of a set of full-width Arabic numbering.</u></p> <p><u>To determine the text that is displayed for any value, this sequence specifies a set of characters that represent positions 1–9 and then those same characters are combined with each other and 0 (represents the number zero) to construct the remaining values.</u></p> <p><u>The set of characters used by this numbering format for values 0–9 is U+FF10–U+FF19, respectively.</u></p> <p><u>For values greater than the size of the set, the number is constructed by following these steps:</u></p> <ol style="list-style-type: none"> <li><u>1. Divide the value by 10 and write the symbol which represents the remainder.</u></li> <li><u>2. Divide the quotient of the previous division by 10 and write the symbol, which represents the remainder, to the left of the existing position.</u></li> <li><u>3. Repeat step 2 until the remaining value is equal to zero.</u></li> </ol> <p><u>[Example: The numbering for the items should be represented by the following pattern: 1, 2, 3, ..., 8, 9, 1 0, 1 1, 1 2, ..., 1 8, 1 9, 2 0, 2 1, ... end example]</u></p>

## 11. §10.3.2, “Additional attributes for dynamicFilter element (Part 1, §18.3.2.5)”, p. 183–184

[DR 09-0233]

10.3.2 ~~Additional attributes~~[Attributes with modified descriptions](#) for dynamicFilter element (Part 1, §18.3.2.5)

The following ~~additional~~ attributes [have modified descriptions when can be](#) specified for a document of a transitional conformance class:

Attributes	Description
maxVal (Max Value)	<p>...</p> <p>These types of dynamic filters shall use val/<del>valIso</del> and shall not use maxVal/maxValIso: aboveAverage and belowAverage.</p> <p>...</p>
val (Value)	<p><a href="#">A minimum numeric or serial date value for dynamic filter. (See description of valIso to understand when val is required.)</a></p> <p><a href="#">If valIso and val are both present, valIso shall take precedence.</a></p> <p><a href="#">The possible values for this attribute are defined by the W3C XML Schema double datatype.</a></p>
valIso (ISO Value)	<p><a href="#">A minimum date value for dynamic filter. (See description of maxVal/maxValIso to understand when val/valIso is required.)</a></p> <p><a href="#">The possible values for this attribute are defined by the W3C XML Schema dateTime datatype.</a></p>

## 12. §10.7, “Additional representation for dates and times (Part 1, Section 18.17.4)”

[DR 09-0274]

[For a document of a transitional conformance class, each unique instant in SpreadsheetML time shall be stored as an ISO 8601-formatted string or as a serial value.](#)

## 13. §10.8, “Formulas”, p. 186, new subclause

[DR 09-0016]

### 14. §10.8.1, “Attribute synonym for c element (Part 1, §18.6.1)”, new subclause

[DR 09-0016]

[The following additional attribute can be specified for a document of a transitional conformance class:](#)

Attributes	Description
ref (Cell Reference)	<p><a href="#">An A-1 style reference to a cell.</a></p> <p><a href="#">The possible values for this attribute are defined by the ST_CellRef simple type (Part 1, §18.18.7).</a></p>

[This attribute is semantically equivalent to r \(Part 1, §18.6.1\).](#)

Only one or the other of r and ref can be defined in any given instance.

## 15. §A.1, “WordprocessingML”, p. 811

[DR 09-0276]

This schema is available in the file wml.xsd.

## 16. §A.1, “WordprocessingML”, p. 846, lines 1851–1857

[DR 09-0017, DR 09-0018]

```

<xsd:group name="EG_RPrMath">
  <xsd:choice>
    <xsd:group ref="EG_RPr"/>
    <xsd:element name="ins" type="CT_RPrChangeCT_MathCtrlIns"/>
    <xsd:element name="del" type="CT_RPrChangeCT_MathCtrlDel"/>
  </xsd:choice>
</xsd:group>
<xsd:complexType name="CT_MathCtrlIns">
  <xsd:complexContent>
    <xsd:extension base="CT_TrackChange">
      <xsd:choice minOccurs="0">
        <xsd:element name="del" type="CT_RPrChange" minOccurs="1"/>
        <xsd:element name="rPr" type="CT_RPr" minOccurs="1"/>
      </xsd:choice>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>
<xsd:complexType name="CT_MathCtrlDel">
  <xsd:complexContent>
    <xsd:extension base="CT_TrackChange">
      <xsd:choice minOccurs="0">
        <xsd:element name="rPr" type="CT_RPr" minOccurs="1"/>
      </xsd:choice>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>

```

## 17. §A.1, “WordprocessingML”, new type

[DR 09-0011]

```

<xsd:group name="EG_PContentMath">
  <xsd:choice>
    <xsd:group ref="EG_PContentBase" minOccurs="0" maxOccurs="unbounded" />
    <xsd:group ref="EG_ContentRunContentBase" minOccurs="0"
      maxOccurs="unbounded" />
  </xsd:choice>
</xsd:group>
<xsd:group name="EG_PContentBase">
  <xsd:choice>
    <xsd:element name="customXml" type="CT_CustomXmlRun"/>
    <xsd:element name="fldSimple" type="CT_SimpleField" minOccurs="0"
      maxOccurs="unbounded"/>
    <xsd:element name="hyperlink" type="CT_Hyperlink"/>
  </xsd:choice>
</xsd:group>
<xsd:group name="EG_ContentRunContentBase">
  <xsd:choice>
    <xsd:element name="smartTag" type="CT_SmartTagRun"/>
    <xsd:element name="sdt" type="CT_SdtRun"/>
    <xsd:group ref="EG_RunLevelElts" minOccurs="0" maxOccurs="unbounded" />
  </xsd:choice>
</xsd:group>

```

## 18. §A.2, “SpreadsheetML”, p. xx, lines xx-xx

[DR 09-0233]

<<W3C schema change description goes here>>

## 19. §A.2, “SpreadsheetML”, p. 879

[DR 09-0276]

This schema is available in the file sml.xsd.

## 20. §A.2, “SpreadsheetML”, p. 884, lines 264–271

[DR 09-0016]

```
<xsd:complexType name="CT_CalcCell">
  <xsd:attribute name="r" type="ST_CellRef" use="optional" />
  <xsd:attribute name="ref" type="ST_CellRef" use="optional" />
  ...
</xsd:complexType>
```

## 21. §A.2, “SpreadsheetML”, p. 951–952, lines 3849–3857

[DR 09-0010]

```
<xsd:complexType name="CT_ExternalLink">
  <xsd:sequence>
    <xsd:choice>
      ...
      <xsd:element name="oleLink" type="CT_OleLink" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="extLst" minOccurs="0" type="CT_ExtensionList" />
    </xsd:choice>
    <xsd:element name="extLst" minOccurs="0" type="CT_ExtensionList" />
  </xsd:sequence>
</xsd:complexType>
```

## 22. §A.3, “PresentationML”, p. 963

[DR 09-0276]

[This schema is available in the file pml.xsd.](#)

## 23. §A.3, “PresentationML”, p. 988, lines 1336–1344

[DR 09-0242]

```
<xsd:complexType name="CT_GraphicalObjectFrame">
  <xsd:sequence>
    ...
  </xsd:sequence>
  <xsd:attribute name="bwMode" type="a:ST_BlackWhiteMode" use="optional" />
</xsd:complexType>
```

## 24. §A.4.1, “DrawingML – Main”, p. 996

[DR 09-0276]

[This schema is available in the file dml-main.xsd.](#)

## 25. §A.4.2, “DrawingML – Picture”, p. 1054

[DR 09-0276]

[This schema is available in the file dml-picture.xsd.](#)

## 26. §A.4.3, “DrawingML - Locked Canvas”, p. 1054

[DR 09-0276]

[This schema is available in the file dml-lockedCanvas.xsd.](#)

## 27. §A.4.4, “DrawingML - WordprocessingML Drawing”, p. 1054

[DR 09-0276]

[This schema is available in the file dml-spreadsheetDrawing.xsd.](#)

## 28. §A.4.5, “DrawingML - SpreadsheetML Drawing”, p. 1055

[DR 09-0276]

[This schema is available in the file dml-wordprocessingDrawing.xsd.](#)

## 29. §A.5.1 - DrawingML – Charts”, p. 1062

[DR 09-0276]

[This schema is available in the file dml-chart.xsd.](#)

## 30. §A.5.1, “Drawing ML - Charts”, p. 1068, lines 309–314

[DR 09-0002]

```
<xsd:simpleType name="ST_HoleSize">
  <xsd:restriction base="xsd:unsignedByte">
    <xsd:minInclusive value="10"/>
    <xsd:maxInclusive value="90"/>
  </xsd:restriction>
</xsd:simpleType>
```

## 31. §A.5.1, “Drawing ML - Charts”, p. 1070, lines 424–438

[DR 09-0004]

```
<xsd:simpleType name="ST_MarkerStyle">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="circle"/>
    ...
    <xsd:enumeration value="x"/>
    <xsd:enumeration value="auto"/>
  </xsd:restriction>
</xsd:simpleType>
```

### 32. §A.5.1, “Drawing ML - Charts”, p. 1071, lines 493–498

[DR 09-0003]

```
<xsd:simpleType name="ST_Period">
  <xsd:restriction base="xsd:unsignedBytexsd:unsignedInt ">
    <xsd:minInclusive value="2"/>
    <xsd:maxInclusive value="255"/>
  </xsd:restriction>
</xsd:simpleType>
```

### 33. §A.5.1, “Drawing ML - Charts”, p. 1081, lines 1024–1028

[DR 09-0006]

```
<xsd:simpleType name="ST_Skip">
  <xsd:restriction base="xsd:unsignedIntShort">
    <xsd:minInclusive value="1"/>
  </xsd:restriction>
</xsd:simpleType>
```

### 34. §A.5.2, “DrawingML - Chart Drawing”, p. 1089

[DR 09-0276]

[This schema is available in the file dml-chartDrawing.xsd.](#)

### 35. §A.5.3, “DrawingML – Diagrams”, p. 1092

[DR 09-0276]

[This schema is available in the file dml-diagram.xsd.](#)

### 36. §A.6.1, “VML”, p. 1113

[DR 09-0276]

[This schema is available in the file vml-main.xsd.](#)

### 37. §A.6.1, “Math”, p. 1147, lines 488–493

[DR 09-0011]

```
<xsd:group name="EG_0MathElements">
  <xsd:choice>
    <xsd:group ref="EG_0MathMathElements"/>
    <xsd:group ref="w:EG_RunLevelElts w:EG_PContentMath"/>
  </xsd:choice>
</xsd:group>
```

### 38. §A.6.2 VML, “Office Drawing”, p. 1123

[DR 09-0276]

[This schema is available in the file vml-officeDrawing.xsd.](#)

### 39. §A.6.3 VML, “WordprocessingML Drawing”, p. 1133

[DR 09-0276]

[This schema is available in the file vml-wordprocessingDrawing.xsd.](#)

### 40. §A.6.4 VML, “SpreadsheetML Drawing”, p. 1135

[DR 09-0276]

[This schema is available in the file vml-spreadsheetDrawing.xsd.](#)

### 41. §A.6.5 VML, “PresentationML Drawing”, p. 1137

[DR 09-0276]

[This schema is available in the file vml-presentationDrawing.xsd.](#)

### 42. §A.7.1, “Math”, p. 1137

[DR 09-0276]

[This schema is available in the file shared-math.xsd.](#)

### 43. §A.7.2, “Extended Properties”, p. 1148

[DR 09-0276]

[This schema is available in the file shared-documentPropertiesExtended.xsd.](#)

#### **44. §A.7.3, “Custom Properties”, p. 1149**

[DR 09-0276]

[This schema is available in the file shared-documentPropertiesCustom.xsd.](#)

#### **45. §A.7.4, “Variant Types”, p. 1151**

[DR 09-0276]

[This schema is available in the file shared-documentPropertiesVariantTypes.xsd.](#)

#### **46. §A.7.5, “Custom XML Data Properties”, p. 1154**

[DR 09-0276]

[This schema is available in the file shared-customXmlDataProperties.xsd.](#)

#### **47. §A.7.6, “Bibliography”, p. 1155**

[DR 09-0276]

[This schema is available in the file shared-bibliography.xsd.](#)

#### **48. §A.7.7, “Additional Characteristics”, p. 1158**

[DR 09-0276]

[This schema is available in the file shared-additionalCharacteristics.xsd.](#)

#### **49. §A.7.8, “Office Document Relationships”, p. 1158**

[DR 09-0276]

[This schema is available in the file shared-relationshipReference.xsd.](#)

#### **50. §A.7.9, “Shared Simple Types”, p. 1159**

[DR 09-0276]

[This schema is available in the file shared-commonSimpleTypes.xsd.](#)

#### **51. §A.8, “Custom XML Schema References”, p. 1162**

[DR 09-0276]

[This schema is available in the file shared-customXmlSchemaProperties.xsd.](#)

## 52. §B.1, “WordprocessingML”, p. 1163

[DR 09-0276]

[This schema is available in the file wml.rnc.](#)

## 53. §B.1, “WordprocessingML”, p. 1185, lines 1185-1188

[DR 09-0017]

<<Relax NG schema change description goes here>>

## 54. §B.1, “WordprocessingML”, p. 1185, lines 1185-1188

[DR 09-0018]

<<Relax NG schema change description goes here>>

## 55. §B.1, “WordprocessingML”, new type

[DR 09-0011]

<<Relax NG schema change description goes here>>

## 56. §B.1.1.1, “Comments Part”, p. 1207

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Comments.rnc.](#)

## 57. §B.1.1.2, “Document Settings Part”, p. 1207

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Document\\_Settings.rnc.](#)

## 58. §B.1.1.3, “Endnotes Part”, p. 1208

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Endnotes.rnc.](#)

## 59. §B.1.1.4, “Font Table Part”, p. 1208

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Font\\_Table.rnc.](#)

**60. §B.1.1.5, “Footer Part”, p. 1209**

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Footer.rnc.](#)

**61. §B.1.1.6, “Footnotes Part”, p. 1209**

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Footnotes.rnc.](#)

**62. §B.1.1.7, “Glossary Document Part”, p. 1210**

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Glossary\\_Document.rnc.](#)

**63. §B.1.1.8, “Header Part”, p. 1210**

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Header.rnc.](#)

**64. §B.1.1.9, “Mail Merge Recipient Data Part”, p. 1211**

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Mail\\_Merge\\_Recipient\\_Data.rnc.](#)

**65. §B.1.1.10, “Main Document Part”, p. 1211**

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Main\\_Document.rnc.](#)

**66. §B.1.1.11, “Numbering Definitions Part”, p. 1211**

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Numbering\\_Definitions.rnc.](#)

**67. §B.1.1.12, “Style Definitions Part”, p. 1212**

[DR 09-0276]

[This schema is available in the file WordprocessingML\\_Style\\_Definitions.rnc.](#)

**68. §B.1.1.13, “Web Settings Part”, p. 1212**

[DR 09-0276]

This schema is available in the file WordprocessingML\_Web\_Settings.rnc.

**69. §B.2, “SpreadsheetML”, p. 1213**

[DR 09-0276]

This schema is available in the file sml.rnc.

**70. §B.2, “SpreadsheetML”, p. xx, lines xx-xx**

[DR 09-0233]

<<Relax NG schema change description goes here>>

**71. §B.2, “SpreadsheetML”, p. 1216, lines 218-219**

[DR 09-0016]

<<Relax NG schema change description goes here>>

**72. §B.2, “SpreadsheetML”, p. 1290, lines 4082-4086**

[DR 09-0010]

<<Relax NG schema change description goes here>>

**73. §B.2.1, “Part Schemas”, p. 1301**

[DR 09-0078]

```

include "wml.rnc"
include "shared-relationshipReference.rnc"
include "dml-wordprocessingDrawing.rnc"
include "dml-main.rnc"
include "dml-diagram.rnc"
include "shared-commonSimpleTypes.rnc"
include "dml-lockedCanvas.rnc"
include "any.rnc"
include "dml-chart.rnc"
include "dml-chartDrawing.rnc"
include "dml-picture.rnc"
include "dml-compatibility.rnc"
include "vml-presentationDrawing.rnc"
include "xml.rnc"
include "shared-customXmlSchemaProperties.rnc"
include "vml-officeDrawing.rnc"
include "vml-main.rnc"
include "vml-spreadsheetDrawing.rnc"
include "vml-wordprocessingDrawing.rnc"
include "shared-math.rnc"
start = element xml { (vml-main | vml-officeDrawing | vml-spreadsheetDrawing | vml-presentationDrawing)* }

vml-main =
v_shape
| v_shapetype
| v_group
| v_background
| v_fill
| v_formulas
| v_handles
| v_imagedata
| v_path
| v_textbox
| v_shadow
| v_stroke
| v_textpath
| v_arc
| v_curve
| v_image
| v_line
| v_oval
| v_polyline

```

```

| v_rect
| v_roundrect

vml-officeDrawing =
o_shapedefaults
| o_shapelayout
| o_signatureline
| o_ink
| o_diagram
| o_equationxml
| o_skew
| o_extrusion
| o_callout
| o_lock
| o_OLEObject
| o_complex
| o_left
| o_top
| o_right
| o_bottom
| o_column
| o_clippath
| o_fill

vml-wordprocessingDrawing =
w10_bordertop
| w10_borderleft
| w10_borderright
| w10_borderbottom
| w10_wrap
| w10_anchorlock

vml-spreadsheetDrawing = x_ClientData

vml-presentationDrawing = pvml_iscomment | pvml_textdata

```

#### 74. §B.2.1.1, “Calculation Chain Part”, p. 1301

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Calculation\\_Chain.rnc.](#)

**75. §B.2.1.2, “Chartsheet Part”, p. 1301**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Chartsheet.rnc.](#)

**76. §B.2.1.3, “Comments Part”, p. 1302**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Comments.rnc.](#)

**77. §B.2.1.4, “Connections Part”, p. 1302**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Connections.rnc.](#)

**78. §B.2.1.5, “Custom XML Mappings Part”, p. 1302**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Custom\\_XML\\_Mappings.rnc.](#)

**79. §B.2.1.6, “Dialogsheet Part”, p. 1303**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Dialogsheet.rnc.](#)

**80. §B.2.1.7, “Drawing Part”, p. 1303**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Drawing.rnc.](#)

**81. §B.2.1.8, “External Workbook References Part”, p. 1303**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_External\\_Workbook\\_References.rnc.](#)

**82. §B.2.1.9, “Metadata Part”, p. 1303**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Metadata.rnc.](#)

**83. §B.2.1.10, “Pivot Table Part”, p. 1304**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Pivot\\_Table.rnc.](#)

**84. §B.2.1.11, “Pivot Table Cache Definition Part”, p. 1304**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Pivot\\_Table\\_Cache\\_Definition.rnc.](#)

**85. §B.2.1.12, “Pivot Table Cache Records Part”, p. 1304**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Pivot\\_Table\\_Cache\\_Records.rnc.](#)

**86. §B.2.1.13, “Query Table Part”, p. 1305**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Query\\_Table.rnc.](#)

**87. §B.2.1.14, “Shared String Table Part”, p. 1305**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Shared\\_String\\_Table.rnc.](#)

**88. §B.2.1.15, “Shared Workbook Revision Headers Part”, p. 1305**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Shared\\_Workbook\\_Revision\\_Headers.rnc.](#)

**89. §B.2.1.16, “Shared Workbook Revision Log Part”, p. 1306**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Shared\\_Workbook\\_Revision\\_Log.rnc.](#)

**90. §B.2.1.17, “Shared Workbook User Data Part”, p. 1306**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Shared\\_Workbook\\_User\\_Data.rnc.](#)

**91. §B.2.1.18, “Single Cell Table Definitions Part”, p. 1306**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Single\\_Cell\\_Table\\_Definitions.rnc.](#)

**92. §B.2.1.19, “Styles Part”, p. 1306**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Styles.rnc.](#)

**93. §B.2.1.20, “Table Definitions Part”, p. 1307**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Table\\_Definitions.rnc.](#)

**94. §B.2.1.21, “Volatile Dependencies Part”, p. 1307**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Volatile\\_Dependencies.rnc.](#)

**95. §B.2.1.22, “Workbook Part”, p. 1307**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Workbook.rnc.](#)

**96. §B.2.1.23, “Worksheet Part”, p. 1308**

[DR 09-0276]

[This schema is available in the file SpreadsheetML\\_Worksheet.rnc.](#)

**97. §B.3, “PresentationML”, p. 1308**

[DR 09-0276]

[This schema is available in the file pml.rnc.](#)

**98. §B.3, “PresentationML”, pp. 1325, lines 940–944**

[DR 09-0242]

```
p_CT_GraphicalObjectFrame =
...
attribute bwMode { a\_ST\_BlackWhiteMode }?
```

**99. §B.3, “PresentationML”, p. 1319, line 621**

[DR 09-0079]

```
p_ST_SlideSizeCoordinate =
xsd:int {
minInclusive = "0"
minInclusive = "914400"
maxInclusive = "51206400"
}
```

**100. §B.3.1.1, “Comment Authors Part”, p. 1331**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Comments.rnc.](#)**101. §B.3.1.2, “Comments Part”, p. 1331**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Comment\\_Authors.rnc.](#)**102. §B.3.1.3, “Handout Master Part”, p. 1331**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Handout\\_Master.rnc.](#)**103. §B.3.1.4, “Notes Master Part”, p. 1331**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Notes\\_Master.rnc.](#)**104. §B.3.1.5, “Notes Slide Part”, p. 1332**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Notes\\_Slide.rnc.](#)**105. §B.3.1.6, “Presentation Part”, p. 1332**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Presentation.rnc.](#)

## **106. §B.3.1.7, “Presentation Properties Part”, p. 1332**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Presentation\\_Properties.rnc.](#)

## **107. §B.3.1.8, “Slide Part”, p. 1333**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Slide.rnc.](#)

## **108. §B.3.1.9, “Slide Layout Part”, p. 1333**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Slide\\_Layout.rnc.](#)

## **109. §B.3.1.10, “Slide Master Part”, p. 1333**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Slide\\_Master.rnc.](#)

## **110. §B.3.1.11, “Slide Synchronization Data Part”, p. 1333**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Slide\\_Synchronization\\_Data.rnc.](#)

## **111. §B.3.1.12, “User Defined Tags Part”, p. 1334**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Presentation.rnc.](#)

## **112. §B.3.1.13, “View Properties Part”, p. 1334**

[DR 09-0276]

[This schema is available in the file PresentationML\\_Presentation\\_Properties.rnc.](#)

## **113. §B.4.1, “DrawingML - Main”, p. 1334**

[DR 09-0276]

[This schema is available in the file dml-main.rnc.](#)

## 114. §B.4.1.1.1, “Table Styles Part”, p. 1378

[DR 09-0276]

[This schema is available in the file DrawingML\\_Table\\_Styles.rnc.](#)

## 115. §B.4.1.1.2, “Theme Part”, p. 1378

[DR 09-0276]

[This schema is available in the file DrawingML\\_Theme.rnc.](#)

## 116. §B.4.1.1.3, “Theme Override Part”, p. 1378

[DR 09-0276]

[This schema is available in the file DrawingML\\_Theme\\_Override.rnc.](#)

## 117. §B.4.1.1.3, “Theme Override Part”, p. 1379, line 11

[DR 09-0077]

```
start = a_themeOverride
```

## 118. §B.4.2, “DrawingML - Picture”, p. 1379

[DR 09-0276]

[This schema is available in the file dml-picture.rnc.](#)

## 119. §B.4.3, “DrawingML - Locked Canvas”, p. 1379

[DR 09-0276]

[This schema is available in the file dml-lockedCanvas.rnc.](#)

## 120. §B.4.4, “DrawingML - WordprocessingML Drawing”, p. 1380

[DR 09-0276]

[This schema is available in the file dml-wordprocessingDrawing.rnc.](#)

## 121. §B.4.5, “DrawingML - SpreadsheetML Drawing”, p. 4882

[DR 09-0276]

[This schema is available in the file dml-spreadsheetDrawing.rnc.](#)

**122. §B.5.1, “DrawingML - Charts”, p. 1384**

[DR 09-0276]

[This schema is available in the file dml-chart.rnc.](#)**123. §B.5.1, “Drawing ML - Charts”, p. 1388, lines 192–193**

[DR 09-0002]

```
dchrt_ST_HoleSize =
  xsd:unsignedByte { minInclusive = "10" maxInclusive = "90" }
```

**124. §B.5.1, “Drawing ML - Charts”, pp. 1389, lines 261–272**

[DR 09-0004]

```
dchrt_ST_MarkerStyle =
  string "circle"
  ...
  | string "x"
  | string "auto"
```

**125. §B.5.1, “Drawing ML - Charts”, p. 1390, lines 311–312**

[DR 09-0003]

**<<Relax NG schema change description goes here>>****126. §B.5.1, “Drawing ML - Charts”, p. 1397, lines 652**

[DR 09-0006]

```
dchrt_ST_Skip = xsd:unsignedIntShort { minInclusive = "1" }
```

**127. §B.5.1.1.1, “Chart Part”, p. 1402**

[DR 09-0276]

[This schema is available in the file DrawingML\\_Chart.rnc.](#)**128. §B.5.1.1.2, “Chart Drawing Part”, p. 1402**

[DR 09-0276]

[This schema is available in the file DrawingML\\_Chart\\_Drawing.rnc.](#)

## 129. §B.5.2, “DrawingML - Chart Drawing”, p. 1402

[DR 09-0276]

[This schema is available in the file dml-chartDrawing.rnc.](#)

## 130. §B.5.3, “DrawingML - Diagrams”, p. 1404

[DR 09-0276]

[This schema is available in the file dml-diagram.rnc.](#)

### 131. §B.5.3.1.1, “Diagram Colors Part”, p. 1419

[DR 09-0276]

[This schema is available in the file DrawingML\\_Diagram\\_Colors.rnc.](#)

### 132. §B.5.3.1.2, “Diagram Data Part”, p. 1419

[DR 09-0276]

[This schema is available in the file DrawingML\\_Diagram\\_Data.rnc.](#)

### 133. §B.5.3.1.3, “Diagram Layout Definitions Part”, p. 1419

[DR 09-0276]

[This schema is available in the file DrawingML\\_Diagram\\_Layout\\_Definition.rnc.](#)

### 134. §B.5.3.1.4, “Diagram Style Part”, p. 1419

[DR 09-0276]

[This schema is available in the file DrawingML\\_Diagram\\_Style.rnc.](#)

## 135. §B.6.1, “VML - Main”, p. 1420

[DR 09-0276]

[This schema is available in the file vml-main.rnc.](#)

## 136. §B.6.1, “Math”, p. 1443, line 240

```
m_EG_OMathElements = m_EG_OMathMathElements | w_EG_RunLevelElts w_EG_PContentMath
```

## 137. §B.6.2, “VML - Office Drawing”, p. 1427

[DR 09-0276]

[This schema is available in the file vml-officeDrawing.rnc.](#)

## 138. §B.6.3, “VML - Wordprocessing Drawing”, p. 1435

[DR 09-0276]

[This schema is available in the file vml-wordprocessingDrawing.rnc.](#)

## 139. §B.6.4, “VML - Spreadsheet Drawing”, p. 1436

[DR 09-0276]

[This schema is available in the file vml-spreadsheetDrawing.rnc.](#)

## 140. §B.6.5, “VML - Presentation Drawing”, p. 1438

[DR 09-0276]

[This schema is available in the file vml-presentationDrawing.rnc.](#)

## 141. §B.7.1, “Math”, p. 1439

[DR 09-0276]

[This schema is available in the file shared-math.rnc.](#)

## 142. §B.7.2, “Extended Properties”, p. 1440

[DR 09-0276]

[This schema is available in the file shared-documentPropertiesExtended.rnc.](#)

## 143. §B.7.2.1.1, “Extended File Properties Part”, p. 1445

[DR 09-0276]

[This schema is available in the file Shared\\_Extended\\_File\\_Properties.rnc.](#)

## **144. §B.7.3, “Custom Properties”, p. 1445**

[DR 09-0276]

[This schema is available in the file shared-documentPropertiesCustom.rnc.](#)

## **145. §B.7.3.1.1, “Custom File Properties Part”, p. 1446**

[DR 09-0276]

[This schema is available in the file Shared\\_Custom\\_File\\_Properties.rnc.](#)

## **146. §B.7.4, “Variant Types”, p. 1446**

[DR 09-0276]

[This schema is available in the file shared-documentPropertiesVariantTypes.rnc.](#)

## **147. §B.7.5, “Custom XML Data Properties”, p. 1450**

[DR 09-0276]

[This schema is available in the file shared-customXmlDataProperties.rnc.](#)

## **148. §B.7.5.1.1, “Custom XML Data Properties Part”, p. 1450**

[DR 09-0276]

[This schema is available in the file Shared\\_Custom\\_XML\\_Data\\_Storage\\_Properties.rnc.](#)

## **149. §B.7.6, “Bibliography”, p. 1450**

[DR 09-0276]

[This schema is available in the file shared-bibliography.rnc.](#)

## **150. §B.7.6.1.1, “Bibliography Part”, p. 1452**

[DR 09-0276]

[This schema is available in the file Shared\\_Bibliography.rnc.](#)

## **151. §B.7.7, “Additional Characteristics”, p. 1452**

[DR 09-0276]

[This schema is available in the file shared-additionalCharacteristics.rnc.](#)

**152. §B.7.7.1.1, “Additional Characteristics Part”, p. 1453**

[DR 09-0276]

[This schema is available in the file Shared\\_Additional\\_Characteristics.rnc.](#)

**153. §B.7.8, “Office Document Relationships”, p. 1453**

[DR 09-0276]

[This schema is available in the file shared-relationshipReference.rnc.](#)

**154. §B.7.9, “Shared Simple Types”, p. 1453**

[DR 09-0276]

[This schema is available in the file shared-commonSimpleTypes.rnc.](#)

**155. §B.8, “Custom XML Schema References”, p. 1455**

[DR 09-0276]

[This schema is available in the file shared-customXmlSchemaProperties.rnc.](#)

**156. §B.9.1, “Any”, p. 1456**

[DR 09-0276]

[This schema is available in the file any.rnc.](#)

**157. §B.9.2, “XML”, p. 1456**

[DR 09-0276]

[This schema is available in the file xml.rnc.](#)