

DOCX-to-PDF Rendering Tests

Rex Jaeschke (rex@RexJaeschke.com)

2012-12-21

Part 1, §20.1.8.40, “innerShdw (Inner Shadow Effect)”, p. 2862

This element specifies an inner shadow effect. A shadow is applied within the edges of the object according to the parameters given by the attributes.



Part 1, §20.1.8.45, “outerShdw (Outer Shadow Effect)”, p. 2864

This element specifies an Outer Shadow Effect.

[*Example:* The following is an example of an outer shadow effect.



end example]

Part 1, §20.1.8.50, “reflection (Reflection Effect)”, p. 2868

This element specifies a reflection effect.


[*Example:*



end example]

Part 1, §20.4.2.6, “effectExtent (Object Extents Including Effects)”, pp. 3100–3103

[*Example:* Consider the following DrawingML image:




This object has no effects, and hence would have the following effect extents:

```
<wp:effectExtents b="0" t="0" l="0" r="0" />
```

However, if a shadow effect was applied which added effects to the right of the image:

DOCX-to-PDF Rendering Tests




Then the additional extent the right side would be specified in the r attribute on this element:

```
<wp:effectExtents b="0" t="0" l="0" r="695325" />
```



The r attribute has a value of 695325, specifying that that 695325 EMUs must be added to the right side of the image. *end example]*

Attributes	Description
<p>b (Additional Extent on Bottom Edge)</p>	<p>Specifies the additional length, in EMUs, which shall be added to the bottom edge of the DrawingML object to determine its actual bottom edge including effects.</p> <p>[<i>Example:</i> Consider the following DrawingML image:</p> <div data-bbox="428 1062 980 1524" data-label="Image"> </div> <p>This image has an effect on all four sides, resulting in the following markup:</p> <pre><wp:effectExtent l="504825" t="447675" r="771525" b="809625" /></pre> <p>The b attribute value of 809625 specifies that 809625 additional EMUs must be added to the bottom of the image to compensate for the effects on the image. <i>end example]</i></p>

DOCX-to-PDF Rendering Tests

Attributes	Description
<p>l (Additional Extent on Left Edge)</p>	<p>Specifies the additional length, in EMUs, which shall be added to the bottom edge of the DrawingML object to determine its actual bottom edge including effects.</p> <p>[<i>Example:</i> Consider the following DrawingML image:</p> <div style="text-align: center;">  </div> <p>This image has an effect on all four sides, resulting in the following markup:</p> <pre style="text-align: center;"><wp:effectExtent l="504825" t="447675" r="771525" b="809625" /></pre> <p>The l attribute value of 504825 specifies that 504825 additional EMUs must be added to the bottom of the image to compensate for the effects on the image. <i>end example</i>]</p>
<p>r (Additional Extent on Right Edge)</p>	<p>Specifies the additional length, in EMUs, which shall be added to the bottom edge of the DrawingML object to determine its actual bottom edge including effects.</p> <p>[<i>Example:</i> Consider the following DrawingML image:</p>

DOCX-to-PDF Rendering Tests


Attributes	Description
	<div style="text-align: center;">  </div> <p>This image has an effect on all four sides, resulting in the following markup:</p> <pre style="text-align: center;"><wp:effectExtent l="504825" t="447675" r="771525" b="809625" /></pre> <p>The r attribute value of 771525 specifies that 771525 additional EMUs must be added to the bottom of the image to compensate for the effects on the image. <i>end example]</i></p>
t (Additional Extent on Top Edge)	<p>Specifies the additional length, in EMUs, which shall be added to the bottom edge of the DrawingML object to determine its actual bottom edge including effects.</p> <p>[<i>Example:</i> Consider the following DrawingML image:</p> <div style="text-align: center;">  </div> <p>This image has an effect on all four sides, resulting in the following markup:</p> <pre style="text-align: center;"><wp:effectExtent l="504825" t="447675" r="771525" b="809625" /></pre>

DOCX-to-PDF Rendering Tests

Attributes	Description

Part 1, §20.4.2.18, “wrapThrough (Through Wrapping)”, p. 3118–3119

[Example: Consider an object with the following wrap points:



If this object uses tight wrapping, then text cannot be placed within the maximum left and right extents of the wrap polygon at any location:



However, with through wrapping:

DOCX-to-PDF Rendering Tests




ok of your document. choose new Theme elements

end example]

Part 1, §20.4.2.19, “wrapTight (Tight Wrapping)”, pp. 3121–3122

[*Example:* Consider an object with the following wrap points:



If this object uses tight wrapping, then text cannot be placed within the maximum left and right extents of the wrap polygon at any location:

DOCX-to-PDF Rendering Tests



However, with through wrapping:



ok of your document. choose new Theme elements

end example]

Part 1, §L.4.3.2.10, "Effect Style List", p. 4801




Figure 1: Subtle, moderate, and intense effects applied to a shape that has a blue fill.

DOCX-to-PDF Rendering Tests

Part 1, §L.4.3.2.13, "Table Styles", p. 4801

Figure 2 displays four different table styles arranged in a 2x2 grid. Each table has four columns: '1st Qtr', '2nd Qtr', '3rd Qtr', and '4th Qtr', and three rows of data. The data values are: 1st Qtr (21.5, 18.3, 4.5), 2nd Qtr (17.4, 3.6, 2.2), 3rd Qtr (9.1, 19.8, 7.9), and 4th Qtr (12.2, 13.4, 12.1). The styles are: top-left (purple header, alternating row colors), top-right (blue header, blue rows), bottom-left (black header, red rows), and bottom-right (orange header, orange rows).

	Red	Blue	Yellow
1 st Qtr	21.5	18.3	4.5
2 nd Qtr	17.4	3.6	2.2
3 rd Qtr	9.1	19.8	7.9
4 th Qtr	12.2	13.4	12.1

	Red	Blue	Yellow
1 st Qtr	21.5	18.3	4.5
2 nd Qtr	17.4	3.6	2.2
3 rd Qtr	9.1	19.8	7.9
4 th Qtr	12.2	13.4	12.1

	Red	Blue	Yellow
1 st Qtr	21.5	18.3	4.5
2 nd Qtr	17.4	3.6	2.2
3 rd Qtr	9.1	19.8	7.9
4 th Qtr	12.2	13.4	12.1

	Red	Blue	Yellow
1 st Qtr	21.5	18.3	4.5
2 nd Qtr	17.4	3.6	2.2
3 rd Qtr	9.1	19.8	7.9
4 th Qtr	12.2	13.4	12.1

Figure 2: Different table styles in use.

Part 1, §L.4.5.2, "This aspect of DrawingML ...", p. 4820

Figure 3 displays four different table styles arranged in a 2x2 grid. Each table has four columns: '1st Qtr', '2nd Qtr', '3rd Qtr', and '4th Qtr', and three rows of data. The data values are: 1st Qtr (21.5, 18.3, 4.5), 2nd Qtr (17.4, 3.6, 2.2), 3rd Qtr (9.1, 19.8, 7.9), and 4th Qtr (12.2, 13.4, 12.1). The styles are: top-left (purple header, alternating row colors), top-right (blue header, blue rows), bottom-left (black header, red rows), and bottom-right (orange header, orange rows).

	Red	Blue	Yellow
1 st Qtr	21.5	18.3	4.5
2 nd Qtr	17.4	3.6	2.2
3 rd Qtr	9.1	19.8	7.9
4 th Qtr	12.2	13.4	12.1

	Red	Blue	Yellow
1 st Qtr	21.5	18.3	4.5
2 nd Qtr	17.4	3.6	2.2
3 rd Qtr	9.1	19.8	7.9
4 th Qtr	12.2	13.4	12.1

	Red	Blue	Yellow
1 st Qtr	21.5	18.3	4.5
2 nd Qtr	17.4	3.6	2.2
3 rd Qtr	9.1	19.8	7.9
4 th Qtr	12.2	13.4	12.1

	Red	Blue	Yellow
1 st Qtr	21.5	18.3	4.5
2 nd Qtr	17.4	3.6	2.2
3 rd Qtr	9.1	19.8	7.9
4 th Qtr	12.2	13.4	12.1

Figure 3: Different table styles in use.

Part 1, §L.4.8.5.3, "Line Join Properties", p. 4867



DOCX-to-PDF Rendering Tests

Part 1, §L.4.8.5.4, "Head/Tail End Properties", p. 4867

Head End



Tail End

Part 1, §L.4.8.5.5, "Line Attributes", p. 4868



Part 1, §L.4.8.6.4, "Outer Shadow", p. 4870


```
<a:effectLst>
  <a:outerShdw blurRad="50800" dist="50800"
    dir="2700000"
    sx="106000" sy="106000"
    algn="tl" rotWithShape="0">
    <a:srgbClr val="000000">
      <a:alpha val="43137"/>
    </a:srgbClr>
  </a:outerShdw>
</a:effectLst>
```



Outer shadows contain a color choice as well as several attributes:

Part 1, §L.4.8.6.6, "Reflection Effects", p. 4871

```
<a:effectLst>
  <a:reflection blurRad="12700" stA="50000" endPos="75000"
    dist="12700" dir="5400000" sy="-100000"
    algn="bl" rotWithShape="0"/>
</a:effectLst>
```



DOCX-to-PDF Rendering Tests

Reflections are represented entirely through attributes:

Part 1, §L.4.8.6.7, "Soft Edge Effects", p. 4872

```
<a:effectLst>  
  <a:softEdge rad="127000"/>  
</a:effectLst>
```



Soft Edge Effect

Part 1, §L.4.15.3, "Data Model", p. 4912




Figure 4: Example diagram with data.



Figure 5: An empty diagram in its initial state.

Part 1, §L.6.2, "Metadata", p. 4912

DOCX-to-PDF Rendering Tests

